

Paul Langacker

***The Standard Model and
Beyond, Second Edition***



Index

A

- action, 9
- active/passive transformation, 444
- Ademollo-Gatto theorem, *see* form factor
- adjoint, *see* representation
- Adler-Bell-Jackiw, *see* anomalies
- Adler-Weisberger relation, *see* form factor
- AdS/CFT correspondence, 200, 230, 338
- AGS, 352
- ALEPH, 305, 387
- ALICE, 201
- α , *see* gauge coupling constant: QED
- α_s , *see* gauge coupling constant: QCD
- Altarelli-Parisi equations, *see* DGLAP equations
- amplitudes, 200
- A_n , *see* symmetry
- analyticity, 161, 178
- anapole moment, 78, 230, 291, 528
- annihilation operator, *see* creation operator
- anomalies, 124, 151–153, 155, 202
 - gauge symmetry, 152
 - global symmetry, 152
 - $\pi^0 \rightarrow 2\gamma$, 165, 239
 - standard model, 259, 367, 426
 - strong CP , 429
 - $U(1)_A$, 189, 195
 - $U(1)'$, 483
- anomalous dimension, 185
- ANTARES, 406
- anthropic principle, 414, 429, 431
- antiscreening, 68
- antisymmetric tensor, 3, 37, 111, 130
- Argand plot, 514
- astrophysics, xii
 - and neutrinos, 373, 406, 423
 - solar ν , 397–402
- asymmetric B factories, 356
- asymmetries
 - Born, 309
 - charge, 220, 370
 - CP , 353, 358
 - decay, 235, 250, 252, 256
 - forward-backward, 220, 290, 292, 293, 295, 311, 370, 487
 - mixed, 311
 - polarization, 290–293, 311, 487
 - Z -pole, 306, 309–313
- asymptotic freedom, 68, 158, 159, 162, 170, 171
- ATLAS, xi, 209, 311, 332, 437, 474, 486
- atomic parity violation (APV), 276, 290–292
- axial baryon number ($U(1)_A$), 112, 161, 189, 190
 - problem, 194–195
- axigluons, 202, 479
- axion, 124, 388, 429, 430, 475
 - invisible, 429, 437
- axion-like particles (ALPs), 430, 437
- azimuthal angle, 17

B

- B meson, 187, 227, 253–255
 - $B^0 - \bar{B}^0$ mixing, 255, 356–358
 - oscillations, 357
 - $B_{d,s}^0$, 357
 - CP violation, 358–361
 - standard model, 359
 - time-dependent asymmetry, 358
 - decay
 - anomalies, 366
 - $B^0 \rightarrow J/\psi K_{S,L}$, 359
 - $B^0 \rightarrow \pi\pi$, 360
 - charmless ($\bar{b} \rightarrow \bar{s}q\bar{q}$), 360
 - rare, 365
 - $\Delta m_{d,s}$, 357–358
 - tagging, 357
- BaBar, 253, 356, 359, 361, 366
- Baikal-GVD, 407

- Baker-Campbell-Hausdorff construction,
 90, 127, 451
 Baksan, 387, 400
 baryogenesis, 60, 274, 432
 Affleck-Dine, 433
 CPT violation, 432, 433
 electroweak, 337, 364, 433, 477, 487
 GUT, 499
 Sakharov conditions, 432, 499
 see also neutrino: leptogenesis
 baryon number, 104, 161, 189, 259
 violation, 189, 365, 475, 496
 neutron oscillations, 367, 475
 non-perturbative, 189, 432, 499
 see also nucleon: proton decay,
 baryogenesis
 baryon/hyperon, 105
 decays, 224
 nonleptonic, 86, 128
 octet, 105, 109, 130
 quark model, 109, 158, 162
 SU(3), 105
 Bates, 186, 290
 BBN, *see* cosmology
 BEBC, 283
 Becquerel, H., 223
 Belle, 253, 344, 356, 359, 366
 Belle II, 361
 BES, 253
 beta beam, 423
 β decay, *see* nucleon: β decay
 β function, *see* renormalization group
 equations
 $\beta\beta_{0\nu}$, *see* neutrino: double beta decay
 Bethe, H. A., 63
 beyond the standard model, 205, 213, 216,
 217, 219–221, 255, 279, 316, 339,
 360, 364, 365, 438–502
 and neutrinos, 374, 414
 new ingredients, 432–438
 top down vs bottom up, 438, 478
 Bhabha scattering, 47, 85, 167, 293
 bilinear form, 5, 42–43
 adjoint, 42
 charge conjugation, 56
 CP, 57
 Fierz identity, 43
 space reflection, 51
 spinor notation, 446
 time reversal, 59
 two-component, 61–62
 Bjorken scaling, *see* deep inelastic scatter-
 ing
 Bohr magneton, 66
 boosted decays, 217–219
 bootstrap theory, 161
 Borexino, 400, 405
 Bose-Einstein statistics, 7, 100, 137
 bottom (*b*) quark, 157
 SU(2) \times *U*(1) assignment, 294
 tagging, 218
 bottomonium, *see* $\Upsilon(b\bar{b})$
 Boulder, 290
 box normalization, 7
 branching ratio, 333
 brane world, 426
 Breit frame, 15, 79, 179
 Breit-Wigner resonance, 76, 86, 220, 294,
 306, 335, 516, 523–525
 brick wall frame, *see* Breit frame
 Brookhaven, 201, 223, 227, 235, 352, 403
 BSM, *see* beyond the standard model
 bubble chamber, 173
- ## C
- C*, *see* charge conjugation
C, *see* charge conjugation: Dirac matrix
 Cabibbo rotation, *see* quark mixing
 Cabibbo-Kobayashi-Maskawa (CKM)
 matrix, *see* quark mixing
 Callan-Gross relation, 161, 179, 284
 canonical commutation rules, 9, 59, 99,
 128, 507–509
 in quantum mechanics, 59
 Cartan classification, 94, 95
 cascade decay, 220, 471, 473, 504, 516
 CP violation, 362
 Casimir invariant, 94
 quadratic, 94, 95, 171
 Casimir trick, 42
 CCFR, 288
 CDF, 311, 313, 332, 356, 357
 CDHS, 288
 CDM, *see* cosmology: dark matter
 center of mass, 13, 17, 208
 CEPC, 339, 486
 CERN, 71, 186, 205, 227, 265, 276, 282,
 290, 313, 314, 353, 403
 CESR, 295, 356

- Chadwick, J., 223
 channel (s, t, u), 13
 charge conjugation, 49, 54–57, 113
 Dirac matrix, 55
 electromagnetic current, 56
 form factors, 528
 Higgs, 335
 two-component, 60, 447
 violation, 49, 78, 86, 228, 415
 charged current, 231
 neutral current, 275
 charge conservation, *see* Noether theorem
 charge quantization, 71, 426, 493
 CHARM, 288
 charm (c) quark, 109, 157, 230
 mass prediction, 227, 344, 347
 charmonium, *see* $J/\psi(c\bar{c})$
 Cherenkov detector, 399, 400
 chiral color, 202
 chiral fermion, 112
 chiral perturbation theory, 187, 200, 245,
 247, 339, 355
 effective theory, 277
 chiral projection operators, 38
 chiral representation, 36, 84
³⁷Cl experiment, *see* Homestake
 Chooz, 405
 Double Chooz, 405
 chromoelectric dipole moment, 363
 c_{ijk} , *see* structure constants
 classical electrodynamics, 63, 135, 187
 classical mechanics, 89
 Clebsch-Gordan coefficients, 103, 107
 $SU(3)$, 107
 CLEO, 253, 295, 356
 CLIC, 339
 CM, *see* center of mass
 CMB, *see* cosmology
 CMS, xi, 209, 311, 332, 365, 437, 474, 486
 CNGS, 403, 408
 coherent state, *see* field: classical
 Coleman's theorem, 122
 Coleman-Mandula theorem, 448
 collider, 205, 206, 221
 collinear frames, 16
 color, *see* quantum chromodynamics
 colorons, 479
 combinatoric factors, 10
 complex scalar field, *see* field: complex
 composite operator
 meson, 190
 vacuum condensate, 190, 337, 462
 compositeness, 320, 337, 341, 427, 438
 Compton scattering, 47, 168
 computational methods, 165, 200
 Condon-Shortley convention, 103, 128
 confinement, *see* quantum chromodynam-
 ics
 conformal window, 502
 conjugate momentum, 9, 507
 constituent mass, *see* quark: masses
 conventions, 1
 Cornell, 227
 cosmic strings, 117, 153
 cosmological constant, *see* gravity
 cosmology, xii, 116
 acceleration, 434
 and neutrinos, 373, 386, 388, 409
 axion, 430
 baryogenesis, xi
 baryon density, 386
 dark energy, xi, xii, 434
 dark matter, xi, xii, 73, 124, 334, 337,
 434–437, 439, 442, 473
 asymmetric, 437
 axion, 430, 437
 cold (CDM), hot, warm, 388, 434,
 487
 fuzzy, 437
 MACHO, 434
 neutrino, 388, 434, 437
 neutrino floor, 436
 non-thermal, 437
 PBH, 434
 portal, 337, 435, 482, 487
 strongly interacting (SIMP), 437
 SuperWIMP, 437
 thermal, 435
 WIMP, 388, 435
 WIMP miracle, 435
 decoupling, 388
 domains, 117
 energy density, 117
 closure (Ω), 388, 434
 galaxies and clusters, 434
 Hubble parameter, 386, 435
 initial conditions, 432
 isotropy, 117

- metastable vacuum, 335
 - microwave radiation (CMB), 71, 386, 387, 390, 434
 - MOND, 434
 - multiverse, xi, 431
 - nucleosynthesis (BBN), 386–387, 434
 - ${}^4\text{He}$ abundance, 386
 - quark gluon plasma, 201
 - quintessence, 434
 - recombination, 387
 - reheating, 117
 - relic particles, 202, 390, 424
 - see also* axion, baryogenesis, gravity, inflation, supersymmetry: LSP, WIMP
 - Coulomb gauge, 27
 - covariant normalization, 7, 16, 87, 349
 - CP , 49, 57–58, 86
 - strong, 124, 161, 195, 339, 363, 415, 429
 - two-component, 61, 447
 - violation, 49, 57, 58, 224, 227, 232
 - B system, 358–361
 - baryogenesis, 274, 339, 433
 - beyond standard model, 339, 343, 427
 - CKM matrix, 273, 339
 - direct, 352, 355
 - extended Higgs, 337, 339
 - indirect, 352, 355
 - K_L decay, 346, 352
 - $M^0 - \bar{M}^0$ mixing, 255
 - PMNS matrix, 382, 393, 404, 411
 - spontaneous, 429
 - strong phase, 359, 362
 - supersymmetry, 360, 442
 - superweak model, 339, 354
 - weak phase, 359, 362
 - see also* quark mixing, kaon, B meson, lepton mixing
 - CPLEAR, 361
 - CPT theorem, 50, 58–60, 70, 339, 355
 - two-component, 61, 447
 - violation, 60, 345, 393, 396, 402, 403, 407, 432, 433
 - creation operator, 7–9
 - spin-0, 7
 - spin- $\frac{1}{2}$, 8
 - Cronin, J., 352
 - cross section, 15–18, 206–207, 516
 - definition, 16
 - measurement, 206
 - total, elastic, inelastic, 513
 - units, 206
 - crossing symmetry, 33, 44, 161, 527
 - CUORE-0, 389
 - current
 - axial, 42, 52, 53, 152, 189, 528
 - β decay, 248
 - pseudoscalar meson, 191, 239
 - charged, 228–232, 271
 - mass basis, 272
 - conserved vector current (CVC), 241, 243, 244, 248
 - electromagnetic, 43, 56, 74, 78, 87, 175, 274
 - hadronic, 228
 - and $SU(3)_L \times SU(3)_R$ generators, 241, 243
 - leptonic, 228
 - neutral, 275
 - partially conserved axial current (PCAC), 193, 199, 241
 - pseudoscalar, 42, 52, 104
 - scalar, 42, 52
 - second class, 530
 - spinor notation, 447
 - tensor, 42, 52
 - $V - A$, 52, 56
 - $V + A$, 236, 323, 483, 488
 - vector, 42, 52, 53, 56, 189, 528
 - β decay, 248
 - $\pi_{\ell 3}, K_{\ell 3}$, 242
 - current algebra, 187, 189, 245–247, 249–250
 - current mass, *see* quark: masses
 - custodial symmetry, *see* electroweak interaction: $SU(2) \times U(1)$
 - CVC, *see* current
- ## D
- D meson, 253–254
 - $D^0 - \bar{D}^0$ mixing, 255, 356
 - D_0 , 311, 313, 332, 356, 357
 - Dalitz plot, 360, 518
 - DAMA/LIBRA, 435
 - dark energy, *see* cosmology
 - dark matter, *see* cosmology
 - dark sector, *see* hidden sector

- Davis, R., 399
 Daya Bay, 405
 decay
 delayed, 221
 outside detector, 474, 476
 rate, 20–21, 516
 deconstruction, 428
 decoupling theories, 320
 decuplet, 108
 deep inelastic scattering, 170, 173–186
 charged current, 283–286
 c threshold, 284
 $(5/18)^{th}$ rule, 285
 total cross section, 285
 CKM matrix, 282, 286
 eN , 159, 173–186, 282
 electroweak theory, 173, 282
 hadronic/leptonic tensors, 175, 283
 kinematics, 173–174, 206
 μN , 162
 neutral current, 282
 $\sin^2 \theta_W$, 286, 288
 νN , 162, 173, 177, 181, 283–289
 nuclear/neutron target, 173, 181,
 182, 185, 283
 isoscalar, 283
 NuTeV result, 288
 opposite sign dimuons, 286
 Paschos-Wolfenstein ratio, 288
 polarized beam/target, 177, 186, 290
 QCD, 173, 282
 quark model, 159, 161, 173, 178–182,
 282, 287
 scaling, 178, 284
 QCD corrections, 178, 182–186,
 285, 296
 small x , 185
 structure functions, 177, 184
 νN , 283
 photon, 186, 219
 quark model, 179, 284
 transverse momentum, 185
 WNC/WCC ratio, 287
 isospin, 288
 DELPHI, 305
 $\delta(x)$, *see* Dirac delta function
 δ_{ij} , *see* Kronecker delta function
 Δm_K , *see* kaon: $m_{K_L} - m_{K_S}$
 Δ resonance, 128
 $\Delta\alpha_{had}^{(5)}$, *see* gauge coupling constant: QED
 density matrix, 186, 351
 DESY, 71, 162, 183, 186, 205, 282, 290,
 293, 314
 DGLAP equations, 185, 213, 216
 dibaryon, *see* hadron: exotic
 diffractive scattering, 212
 d_{ijk} , *see* symmetry: $SU(3)$
 dilepton, 475
 dimensional regularization, *see* regular-
 ization
 dimensional transmutation, 173
 diquark, 365, 475, 485, 496
 Dirac adjoint, 34, 42
 Dirac delta function, 4
 Dirac equation, 63
 Dirac field, *see* field: Dirac
 Dirac matrices, 34, 36–37
 Dirac spinor, *see* spinor: Dirac
 Dirac, P., 231
 direct product, 89, 93, 95, 111
 $SU(3)$, 106
 DIS, *see* deep inelastic scattering
 dispersion relation, 69, 72, 187
 displaced vertex, 221, 254, 474
 divergence
 collinear, 163, 183, 219
 infrared, 32, 64, 163, 183
 chiral symmetry, 247
 linear, 152
 logarithmic, 67
 mass singularity, 163
 quadratic, 67, 427, 439
 ultraviolet, 21, 63, 64, 66, 183
 new physics scale, 22, 67, 427
 zero-point energy, 508
 domain wall, 115, 117, 131, 477
 DONUT, 223
 DORIS, 293
 down (d) quark, 109, 157
 Drell-Yan process, 164, 213, 215, 220, 471,
 473, 485
 asymmetries, 295, 311, 370, 486
 DUNE, 404
 dynamical mass, *see* quark: constituent
 mass
 dynamical symmetry breaking (DSB), xii,
 320, 323, 327, 337, 419, 502
 Dynkin diagram, 94, 96

Dynkin index, 91, 95, 140, 171, 473
 Dyson, F. J., 63

E

E158, 292
 early Universe, *see* cosmology
 EDM, *see* electric dipole moment
 effective W (Z) approximation, 219
 effective potential, 116, 124, 326
 standard model, 262
 effective theory, 10, 80, 122, 197, 276–277, 338, 369
 eightfold way, 91, 104
 electric charge
 conservation, 75, 177
 in standard model, 263
 fractional, 426
 generator, 104
 nonconservation, 23, 71, 83, 87, 245–246, 271, 499
 extended Higgs, 263, 337, 368, 466
 supersymmetry, 465
 nonrenormalization, 76, 78
 quark, 109
 electric dipole moment, 35, 78, 86, 339, 362–364, 437
 experimental limits, 363
 neutron, 161, 429
 new physics, 364
 Schiff theorem, 363
 standard model, 363
 supersymmetry, 364, 442, 475
 time reversal, 249, 529
 transition, 88
 electric field, 26
 electromagnetic field, *see* field: gauge
 electroweak interaction, xiii, 10, 91, 141
 charged current, 223, 224, 228–232, 271–274
 c quark, 230
 charge retention form, 232, 237
 $\Delta I = \frac{1}{2}$ rule, 128, 230, 354
 $\Delta S = 0$, 229
 $\Delta S = 1$, 229
 $\Delta S = \Delta Q$ rule, 229
 quarks, 228
 discrete symmetry breaking, 49, 78, 112, 228, 231, 271, 275
 energy spectrum, 255
 Fermi theory, 223, 228–232
 processes, 224
 unitarity violation, 225
 form factor corrections, 77
 $\gamma - Z$, $W - Z$ interference, 276, 279, 281, 289–295
 gauge self-interactions, 313, 320–323
 gauge symmetries, 91, 112, 226
 global analysis, 296, 299, 315, 319
 hadronic uncertainties, 69, 297
 HERA, 314
 intermediate vector boson theory, 225
 isospin breaking, 103
 LEP 2, 313
 leptonic, 229, 232–238, 252
 neutral current, 173, 274–276, 279–283, 286–297
 confusion theorem, 289
 discovery, 227, 276
 effective four-fermi, 276
 four-fermi parameters, 280–282, 287–289, 295
 implications, 296
 Majorana ν , 424
 model-independent analyses, 279, 296
 observables, 314
 S, P, T , 279, 289
 $\sin^2 \theta_W$, 265, 275
 standard model test, 279
 non-leptonic, 86, 128, 230
 $\Delta I = \frac{1}{2}$ /octet rules, 128, 230, 354
 precision tests, 297–313
 beyond standard model, 316
 implications, 314–316
 input parameters, 297
 scale (ν), 265, 272, 297
 semi-hadronic, 230, 253
 semi-leptonic, 230, 238–252
 $SPTVA$ analysis, 228, 235, 241, 251
 $SU(2) \times U(1)$, 226, 257–279
 breaking, 257, 303
 custodial symmetry, 264, 317, 337, 487
 FCNC, 227
 Fermi theory and QED, 257, 271, 274
 fermion, 258–260
 fermion masses, 267

- Higgs, 260
 - Higgs mechanism, 226, 261–263
 - neutrino, 373
 - renormalizable, 226
 - uniqueness, 294, 296
 - W^0, B , 257
 - W^\pm, Z, A , 263
 - Tevatron, 313, 321
 - $V - A$, 224, 228, 231
 - $\pi_{\ell 2}$ decay, 240
 - weak interaction history, 223–228, 257
 - see also* Higgs boson, neutrino, quark mixing, lepton mixing
 - ep elastic scattering, 77–80, 175–176
 - e^-e^+ annihilation, 46, 48–49, 62, 85, 164, 219, 305
 - color, 162
 - gluons, 162
 - neutral current, 276, 290, 293–295
 - polarization, 305
 - quark model, 162
 - thresholds, 164
 - W^-W^+ , 226, 303
 - triple gauge, 313, 321
 - Z -pole, 305
 - see also* Z boson
 - e^-e^+ , two photon, 219, 220
 - $\epsilon^{\mu\nu\rho\sigma}$, *see* antisymmetric tensor
 - ϵ_{ijk} , *see* Levi-Civita tensor
 - equivalence theorem, 277, 328, 372
 - equivalent photon approximation, 186, 219
 - η , 105, 113
 - $\eta - \eta'$ mixing, 194, 196
 - $\eta \rightarrow 3\pi$, 193
 - η problem, *see* axial baryon number
 - η' , 105, 109, 190
 - Euler-Lagrange equation, 9, 99, 450
 - Euler-Mascheroni constant, 298
 - event shapes, 218, 220
 - thrust, 222
 - exceptional group, *see* symmetry
 - exclusive process, 159, 254
 - EXO-200, 389
 - exotic fermions, 221, 236, 251, 280, 297, 316, 341, 343, 369, 483, 487
 - quasi-chiral, 484, 501
 - extra dimensions, xii, 337, 338, 407, 414, 419, 427, 473
 - large, 426, 428
 - universal, 429, 435
 - KK -parity, 429
 - warped, 426, 428
- F**
- F and D couplings
 - hyperon decay, 251
 - meson-baryon, 106
 - factorization scale, 183, 210, 213, 215
 - factorization theorems, 170, 210, 213
 - false vacuum, *see* potential: local minimum
 - familon, 385
 - family
 - fourth, 319, 341
 - mirror, 295, 317, 319
 - sequential, 294, 317
 - topless, 295
 - vector, 295, 317
 - see also* electroweak interaction: $SU(2) \times U(1)$, symmetry
 - FCC-ee, 339, 486
 - FCNC, *see* flavor changing neutral currents
 - Fermi constant, 2, 72, 224, 297
 - from $SU(2) \times U(1)$, 265, 272
 - μ decay, 234
 - Fermi, E., 223
 - Fermi-Dirac statistics, 8
 - Fermilab, 73, 223, 227, 276, 282, 288, 313, 353, 356, 403
 - fermion mass (matrix), 374
 - diagonalization by A_L, A_R , 267–271, 379
 - Dirac, 63, 269, 380
 - active and sterile ν , 375
 - as conserved L , 383
 - as two Majorana, 379, 389, 391
 - as two Weyl, 375
 - variant ν , 375, 383
 - Majorana, 269, 375, 379, 381, 389
 - active ν , 375
 - dipole moments, 391
 - sterile ν , 376
 - symmetric matrix, 379
 - mixed, 378, 380, 382
 - Dirac limit, 379

- pseudo-Dirac, 380, 416, 423
 - seesaw limit, 379, 382
- non-Hermitian, 81, 102, 112, 132, 146, 260, 267, 368, 369
- non-square, 260
- parameter counting, 273, 381
- phases
 - conventions, 270, 378
 - CP -violating, 273
 - Majorana, 378, 381, 389
 - strong CP , 429
 - unobservable, 270, 273
- spinor notation, 446, 448
- see also* neutrino, quark mixing, lepton mixing, textures
- fermion number, 104, 112
- ferromagnet, 98
- ferromagnetic
 - domains, 117, 119
- Feynman diagram, 7, 148
 - amplitude calculation, 48–49, 168–170, 243
 - two-component, 62
 - derivation, 511
- Feynman gauge, *see* 't Hooft-Feynman gauge
- Feynman integrals, 12, 70, 519
- Feynman parametrization, 520
- Feynman propagator, *see* propagator
- Feynman rules, 11
 - electroweak standard model, 261, 266–268, 272
- gauge
 - abelian, 136, 137
 - ghost, 147
 - non-abelian, 138, 139, 167
- Hermitian scalar field, 11–13
- pion electrodynamics, 30, 31
- QED, 43, 520
- signs for fermions, 44
- Feynman, R. P., 63
- field
 - chiral, 40–42, 62, 111, 153
 - classical, 114
 - complex scalar, 9, 23–26, 29, 82, 125–127, 508
 - free field, 23
 - Hermitian basis, 23, 101–102, 122, 125, 143
 - Lagrangian, 23
 - R_ξ gauge, 149–151
 - symmetry breaking, 117–120
- Dirac, 34–35, 84, 375, 509
 - angular momentum, 84
 - electron, 63
 - free field, 35
 - Lagrangian, 34
 - spinor notation, 446
- gauge, 26, 29, 52, 93, 135, 509
 - abelian, 136
 - free field, 27
 - Lagrangian, 26
 - mass, 29, 141, 142, 144, 145, 155
 - non-abelian, 138, 140
- ghost, 28, 146, 148, 168
 - standard model, 277
- Hermitian scalar, 8–13, 122, 143, 145, 508
 - free field, 10–11
 - Lagrangian, 10
 - symmetry breaking, 114–117
- Higgs, 260
- integrating out, 276, 369
- Majorana, 36, 55, 60, 131, 133, 317, 376, 503
 - free field, 377
 - Lagrangian, 375
 - $\nu_L - \nu_R^c$ asymmetry, 376
 - spinor notation, 448
- mass eigenstate, 81, 100, 123, 229, 258
- massive vector, 28–29
 - free field, 28
 - Lagrangian, 28
- matrix notation, 97, 103, 106, 127, 160, 198, 494
- symmetry transformation, 96, 98
 - antiparticle, 97
 - complex scalar, 99–101
 - Dirac, 102–103
 - Hermitian scalar, 101
- unphysical scalar, 148, 150
- weak eigenstate, 228, 258
- Weyl, 36, 41, 60, 374, 414
 - free field, 42
 - independent, 62, 153
 - Lagrangian, 41
 - spinor notation, 445–448

- field redefinition, 10, 57, 58, 80, 121–122, 131, 132, 141, 142, 339, 372, 415
 - soft pions, 199
 - strong CP , 429
 - field strength tensor, 26, 136
 - dual, 161, 195, 429
 - non-abelian, 140
 - QCD, 160
 - standard model, 258
 - field theory, 7, 89
 - finite temperature, 116, 187, 201
 - Lagrangian, 9
 - Fierz identity
 - and charge conjugation, 57
 - Dirac, 43, 84, 232
 - spinor notation, 448
 - $SU(2)$, 5, 49
 - $SU(m)$, 96
 - two-component, 62
 - f_{ijk} , *see* symmetry: $SU(3)$
 - fine structure constant, *see* gauge coupling constant: QED
 - finite energy sum rules, 178
 - Fitch, V., 352
 - fixed target, 15, 205, 206
 - f_K , *see* kaon: decay constant
 - flavon, 414
 - flavor, *see* symmetry
 - flavor changing neutral currents, 227, 229, 338, 343, 364–367, 422, 437
 - constituent interchange, 365
 - exotic fermion mixing, 276, 313, 365, 369
 - extended technicolor, 365
 - family symmetry, 479
 - Higgs mediated, 271, 337, 360, 365
 - higher-dimensional operator, 366
 - Kaluza-Klein mediated, 364
 - $K_L - K_S$ mass difference, 227, 364
 - lepton flavor, 88, 253, 366
 - leptoquark/diquark mediated, 365, 366, 485
 - loop induced, 364, 365
 - $\mu \rightarrow 3e$, $\mu \rightarrow e\gamma$, $\mu \rightarrow e$, 364, 366, 422
 - nonstandard third family, 295
 - R -parity violation, 475
 - rare decays, 365
 - sneutrinos, 422
 - supersymmetry, 360, 365, 442, 471
 - t decays, 367
 - three quark model, 275, 347
 - Z' mediated, 313, 360, 364, 366, 487
 - see also* GIM mechanism
 - form factor, 53, 65, 74–80
 - isoscalar, 79
 - isovector, 79
 - Ademollo-Gatto theorem, 245–248
 - chiral limit, 247
 - Adler-Weisberger relation, 249–250
 - discrete symmetries, 322, 527–530
 - electric, 79
 - electric dipole moment, 363
 - induced pseudoscalar, 191
 - pion pole, 192, 249
 - neutron, 79–80
 - ν , 390–392
 - pion, 74–76
 - proton, 77–79, 176
 - Sachs, 79
 - triple gauge, 321
 - weak, 187, 192
 - β decay, 248–250
 - hyperon decay, 251
 - $\pi_{\ell 3}$, $K_{\ell 3}$, 242, 244
 - four-component notation, 41, 374
 - four-fermi interaction, 10, 223, 438
 - four-vector, *see* vectors
 - f_π , *see* pion: decay constant
 - fragmentation function, *see* hadronization
 - Froggatt-Nielsen mechanism, 414
 - see also* symmetry: family
 - Froissart bound, 514
 - fundamental, *see* representation
- ## G
- g -factor, 66
 - G -parity, *see* symmetry
 - GALLEX, 400, 408
 - gallium experiments, *see* GALLEX, GNO, SAGE
 - γ^5 , *see* Dirac matrices
 - γ^μ , *see* Dirac matrices
 - GAPP, 299, 315
 - Gargamelle bubble chamber, 276
 - gauge coupling constant, 135
 - electroweak (g, g', g_Z), 257, 297
 - GUT normalized (g_1), 324
 - QCD, 157, 182, 297

- experimental determination, 172, 315
 - running, 157, 158, 163, 202, 203
- QED, 1, 31, 65, 69
 - from $SU(2) \times U(1)$, 274
 - running, 66–69, 158, 163, 297, 303, 315
- rescaling, 137
- running, 65, 170–173
- screening/anti-screening, 157
- unification, 296, 320, 438, 477, 493, 498, 500
 - see also* weak angle
- gauge covariant derivative, 30, 136, 154, 160
 - non-abelian, 138
 - standard model, 260
- gauge field, *see* field: gauge
- gauge invariance, 26, 29, 70, 136, 148
 - non-abelian, 138
- gauge self-interactions, *see* field: gauge
- gauge theory, 135–136
 - abelian, 26–28
 - supersymmetry, 456–459
 - non-abelian, xii, 93
 - asymptotic freedom, 170
 - supersymmetry, 459–460
- gauge transformation
 - abelian, 26
 - classical electrodynamics, 135
 - non-abelian, 138, 154
 - infinitesimal, 140, 154
 - spin-0, 29
 - spin- $\frac{1}{2}$, 43
- Gaussian integral, 5, 221
- Gell-Mann matrices, 91
- Gell-Mann, M., 104
- Gell-Mann-Nishijima relation, 104
- Gell-Mann-Okubo
 - ansatz, 107, 110
 - relation, 108, 129, 196, 204
- generator, *see* group: generator
- Georgi-Glashow model, *see* grand unification: $SU(5)$
- GERDA, 389
- G_F , *see* Fermi constant
- Gfitter, 315
- ghost, *see* field
- GIM mechanism, 227, 275, 364, 428
- Glashow resonance, 407
- Glashow, S., 226
- Glashow-Iliopoulos-Maiani mechanism, *see* GIM mechanism
- glueball, *see* gluon: gluonium
- gluon, 157, 159–161
 - evidence, 161–162
 - fictitious mass, 163
 - gluonium, 187, 196
 - sea, 180
 - soft, 163
- GNO, 400
- Goldberger-Treiman (GT) relation, 192, 200
- Goldstone alternative, 122, 192, 199
- Goldstone boson, *see* Nambu-Goldstone boson
- Gordon identities, 65, 84, 86
- Gran Sasso, 400, 403
- grand unification, xi, 62, 297, 426, 492–502
 - E_6 , 501
 - exotic fermions, 501
 - trinification, 501
 - flipped $SU(5)$, 501
 - GUT hierarchy problem, 427, 497
 - GUT scale, 497
 - orbifold, 426, 502
 - Pati-Salam model, 492, 501, 502
 - $q - \ell$ mass relations, 498
 - $SO(10)$, 261, 501
 - extended Higgs sector, 501
 - fermion mass relations, 501
 - ν masses, 501
 - Yukawa unification, 501
 - $SU(5)$, 261, 493–499
 - breaking patterns, 496
 - doublet-triplet problem, 497
 - fermions, 495
 - gauge fields, 493
 - gauge interactions, 495
 - Higgs, 495
 - monopole problem, 499
 - Yukawa couplings, 497
 - supersymmetric, 297, 477, 500
 - gauge unification, 478, 500
 - proton decay ($d = 4, 5, 6$), 500
- see also* gauge coupling constant, nucleon: proton decay

gravitational constant, 2
 graviton, 430, 440, 442, 449
 gravity, xii, 152
 cosmological constant, 115, 266, 431, 434, 508
 general relativity, 430, 434
 quantization, 414, 430
 trace anomaly, 152
 unification, 430, 438
 see also cosmology
 ground state, *see* vacuum
 group, 89–91
 abelian, 89, 90
 compact, 90, 91, 93, 444
 continuous, 89
 discrete, 89
 generator, 90, 96, 135
 fermionic, 448
 Noether charge, 99, 135
 Lie, 89–96, 127
 non-abelian, 89, 90
 rank, 92, 95
 simple, 93
 subgroup, 89, 93
 diagonal, 190, 202, 479, 483
 unbroken, 100, 123
 see also symmetry
 $g_{V,A}$, *see* nucleon: β decay
 g_Z , *see* gauge coupling constant

H

hadron, 63, 74, 77, 79, 158, 187
 exotic, 200
 spectroscopy, 200
 hadron collider
 short distance processes, 186, 205, 210, 213–221
 transverse momentum, 210
 hadronic vacuum polarization, 72
 hadronization, 159, 162, 170, 210
 cluster, 216
 fragmentation function, 216
 jets, 473
 parton shower, 216
 string fragmentation, 216
 Sudakov form factor, 216
 see also jet
 Hamiltonian, 9, 82, 92, 507
 Heaviside-Lorentz units, 1
 heavy ion collisions, 201

heavy quark
 decay constants, 253
 decays, 225, 253–255
 Cabibbo suppression, 254
 parton model, 253
 spectator model, 253
 topological diagrams, 254
 heavy quark effective theory (HQET), 187, 254, 277, 339
 Heidelberg-Moscow, 389
 Heisenberg picture, 9, 74
 helicity, 8, 27, 48, 54, 84, 86
 negative, 38
 positive, 38
 pseudoscalar, 50
 wrong, 84
 HERA, 173, 183–186, 205, 282
 Hermitian scalar field, *see* field: Hermitian
 hidden sector, xi, 334, 337, 435, 438, 441, 462, 476, 482, 483, 487
 hidden valley, 221
 Higgs boson, xi, 49, 102, 214, 228, 263, 323–339
 composite, 320, 337, 428, 438
 decays, 330–331, 333
 $b\bar{b}, \tau^-\tau^+, f\bar{f}$, 218, 270, 330, 332, 333
 exotic, 337, 338
 $\gamma\gamma$, 330, 331, 333
 GG , 331
 invisible, 334, 337, 338
 loop-induced, 330, 331, 338
 W^+W^-, ZZ , 330, 333
 $Z\gamma$, 331
 discovery and properties, 266, 314, 323, 332–335, 371
 doublet, 260
 Hermitian basis, 262
 extended models, 151, 236, 263, 297, 316, 317, 336–339, 367, 368
 baryogenesis, 337, 433
 charged, 336, 365
 CP violation, 337
 doublets, 336, 474
 doubly charged, 336, 489, 492
 FCNC, 271, 337, 470
 MSSM, 465–470, 474
 pseudoscalar, 337
 singlets, 336, 337, 476

triplets, 336, 489
 interactions, 93, 260, 265, 266, 334
 J^{PC} , 335
 mass, 67, 297, 333
 experimental limits, 328–332
 precision constraints, 312, 316, 332
 quadratic divergence, 427
 supersymmetry, 316, 326, 337, 439, 468
 metastable vacuum, xi, 335
 production, 328–329, 333, 371
 associated ($bG \rightarrow (A, H, h)b$), 470
 associated ($t\bar{t}H, b\bar{b}H$), 328, 333
 associated ($Z \rightarrow Ah$), 469, 504
 gluon fusion ($GG \rightarrow H$), 319, 328, 333, 334
 Higgstrahlung ($Z \rightarrow ZH, W \rightarrow WH$), 328, 332–334, 469, 504
 vector boson fusion ($VV \rightarrow H$), 219, 328, 333, 334
 strong coupling, 327
 theoretical constraints, 266, 323–328
 tree unitarity, 326–327
 triviality, 324–325
 vacuum stability, 255, 325–326, 335
 weak coupling, 325, 327
 width, 330, 334–335, 337, 338
see also potential, equivalence theorem, supersymmetry
 Higgs mechanism, *see* symmetry breaking: spontaneous
 Higgsless models, 337
 higher twist, 185
 higher-dimensional operator, 10, 80, 124, 129, 276, 297, 316, 335, 371, 414
 see also effective theory, neutrino, supersymmetry
 higher-order diagrams, *see* loop diagrams, radiative corrections
 holomorphic, 452
 Homestake, 399
 horizontal symmetry, *see* symmetry: family
 HPW, 276
 hybrid, *see* hadron: exotic
 Hyper-Kamiokande, 404
 hyperon, *see* baryon

I

ICAL, 403
 ICARUS, 403, 408
 IceCube, 406, 423
 ideal (magic) mixing, *see* $\rho-\omega-\phi$ mixing
 identical particles, 17, 525
 IMB, 387, 402
 in and out states, 59, 362
 inclusive process, 159, 254
 inelasticity, 514
 infinite momentum frame, 179
 infinitesimal transformation, 90, 123
 inflation, 117, 409, 432, 433, 437, 499
 eternal, 431
 inflaton, 432
 infrared slavery, 157, 158, 162
 infrared/collinear safety, 217
 inner product, 94, 144
 INO, 403
 instanton, *see* tunneling, superstring theory
 interaction picture, 53, 74, 511
 International Linear Collider, xii, 338, 486
 invariance, *see* symmetry
 invariant subgroup, 93
 irreducible tensor operator, 89, 104, 107
 irrelevant operator, 80
 IRREP, *see* representation: irreducible
 isoscalar factors, 107, 128
 isospin, *see* symmetry: isospin

J

J-PARC, 73, 403
 Jacobi identity, 127
 Jacobian peak, 216
 JADE, 294
 Jefferson Lab, 186, 290, 291, 293
 jet, 162, 163, 210, 216
 characteristics, 217–219
 cone algorithm, 209, 217
 definitions, 216–217
 fat, 218
 forward, 219, 220
 grooming, 219
 lepton, 220
 sequential recombination, 217
 shape, 218
 substructure, 217
 virtuality, 216
 see also hadronization

$J/\psi(c\bar{c})$, 164, 188, 203, 227, 255

$J/\psi \rightarrow e^+e^-$, 203

$\psi' \rightarrow \psi\pi^0$, 193

JUNO, 405

K

K2K, 403

Kaluza-Klein excitations, 479, 483

Kaluza-Klein theory, 430

Kamiokande, 387, 399, 402

KamLAND, 402, 405

KamLAND-ZEN, 389

kaon

CP violation, 346, 352–356

observations, 352

parameters, 352

standard model, 353–356

superweak phase, 354

decay, 224

$K_{\ell 2}$, 242

$K_{\ell 3}$, 242, 244–245, 256, 288, 346

$K_{S,L}$, 346, 350–352

non-leptonic, 230, 231, 346

decay constant, 242, 346

f_K/f_π , 241

$K^0 - \bar{K}^0$ mixing, 227, 242, 255, 344–356

FCNC, 344

oscillations, 350–352

$K_{1,2}^0$, $K_{S,L}$, 346

$m_{K_L} - m_{K_S}$, 346–350, 428

$m_{K^+} - m_{K^0}$, 193, 242, 345

properties, 239, 242

regeneration, 347, 351

$SU(3)$, 105

Wu-Yang convention, 345

KARMEN2, 407

KATRIN, 387, 390

KEK, 71, 227, 293, 356, 361, 403

Kepler, J., 432

Kibble transformation, 142, 143, 328

standard model, 263

kinematic edge, 220, 473, 504

kinematics

collider, 208–212

relativistic, 2–3, 13–15, 515

kinetic energy, 121

non-abelian, 140

non-canonical, 80, 132, 143

Klein-Gordon operator, 10, 11

Klein-Nishina formula, 47

$K_{L,S}$, *see* kaon: $K^0 - \bar{K}^0$ mixing

KM3NeT, 407, 423

Kronecker delta function, 2

KTEV, 353

L

L field, *see* field: chiral

L3, 305

laboratory frame, 15, 18, 83, 173

Lagrangian, 7, 9

chiral, 112, 122

complex scalar, 23

Dirac, 34

electric dipole moment, 363

Fermi theory, 223, 229

gauge, 26, 135

abelian, 137

Hermitian scalar, 154

Higgs mechanism, 141, 144

non-abelian, 140

R_ξ , 145, 149, 150

$SU(2)$, 155

ghost, 146, 149

Hermitian scalar, 10

massive vector, 28

meson-baryon, 106

MSSM, 468, 470–472

soft breaking, 464

μ decay, 232

neutral current

eN , 290

νe , 280

νN , 286

$\nu_e e^- \rightarrow \nu_e e^-$, 237

ν in matter, 395

pion electrodynamics, 29, 136

pion-nucleon, 103, 111

QCD, 160

flavor, 188

QED, 43, 136

spinor notation, 447

quark, 110

σ model, 197

standard model

charged current, 271

effective couplings, 309

fermion, 259

gauge, 258

Higgs, 260

- neutral current, 275
- QED, 274
- W, Z decay widths, 304
- Yukawa, 260
- standard model with SSB, 425
 - fermion, 270
 - gauge, 265, 266
 - Higgs, 265
 - R_ξ gauge, 277–279, 347
 - unitary gauge, 263–276
 - Yukawa, 267, 270
- $SU(2)_L \times SU(2)_R \times U(1)$, 488, 490, 491
- $SU(5)$, 496, 497
- supersymmetry, 453–456
 - gauge, 457–459
- $U(1)'$, 479, 485
- $V - A$, 228
- Lagrangian density, *see* Lagrangian
- Λ , *see* quantum chromodynamics: scale parameter
- λ , *see* potential: Higgs
- $\vec{\lambda}$, *see* Gell-Mann matrices
- Landau gauge, *see* renormalizable gauge
- Landau pole, 319, 325, 469
- Landau-Yang theorem, 335
- landscape, *see* superstring theory: landscape, 431, 432
- lattice techniques, 75, 77
 - Higgs, 325
 - QCD, 172, 183, 187, 188, 204
 - quenching, 187
 - weak interactions, 230, 240, 242, 245, 247, 253, 339, 355
- Lee, T.D., 231
- left-handed, *see* helicity: negative
- left-right (LR) symmetry, *see* $SU(2)_L \times SU(2)_R \times U(1)$
- LEP, 71, 205, 227, 235, 293, 296, 305, 332, 356
- LEP 2, 71, 290, 293, 303, 313, 321, 323, 332, 342
- LEPEWWG, 307, 315
- lepton
 - $e - \mu - \tau$ universality, 240, 253, 306, 309, 366
- lepton flavor conservation, 269, 364
- lepton mixing
 - mixing matrix (PMNS)
 - CP violation, 433
 - see also* fermion mass (mixing), neutrino: mass and mixing
- lepton number, 259, 375
 - as fourth color, 493
 - neutrino masses, 373
 - violation, 236, 365, 376, 389, 475, 496
 - see also* fermion mass (mixing), neutrino
- leptoquark, 251, 297, 314, 316, 341, 390, 475, 485, 496
- Levi-Civita tensor, 2
- LHC, xi, xii, 201, 205, 209, 216, 217, 227, 266, 290, 311, 314, 323, 328, 332, 356, 486
- LHCb, 201, 311, 356, 357, 359–361, 365, 366
- Lie algebra, 89–96, 128, 135
 - classical, 94, 95
 - exceptional, 94
- Lie group, *see* group
- light by light diagrams, 73
- LIGO, 430, 434
- little hierarchy problem, 428, 438, 443, 468
- Little Higgs, 338, 428, 435, 473
 - T -parity, 338, 429
- local (gauge) supersymmetry, *see* supergravity
- local symmetry, *see* symmetry: gauge
- local transformation, *see* gauge transformation
- local/global significance, 332
- look-elsewhere effect, 332
- loop diagrams, 21, 144, 157, 165
 - anomalous magnetic moment, 66, 70–73, 519
 - Fermi theory, 224
 - Higgs mass, 439
 - LO, NLO, NLLO, 185, 213, 214
 - K factor, 214
 - $M^0 - \bar{M}^0$ mixing, 227, 345, 347–350, 357, 365
 - CP violation, 355
 - penguin, 254, 350, 355, 360
 - QED, 63–66
 - renormalization, 64
 - running coupling, 66
 - $SU(2) \times U(1)$, 224

supersymmetry, 73, 360
see also radiative corrections, penguin diagram
 loop quantum gravity, 430
 Lorentz boost, 3, 5, 83, 208, 218, 444, 503
 Lorentz invariance, *see* symmetry
 Lorentz invariant phase space, *see* phase space
 Lorenz gauge, 27
 Los Alamos, 281, 407
 LSND, 281, 380, 382, 407, 413
 LSP, *see* supersymmetry
 luminosity, 163, 206, 221, 332
 units, 207

M

M , *see* transition amplitude
 MACRO, 402
 magnetic dipole moment, 35, 63, 66
 anomalous, 66
 baryon, 78, 79, 110, 130, 176
 e^\pm , 70
 electroweak, 70, 72
 hadronic uncertainties, 69, 70, 72
 μ^\pm , 71–73, 235, 487
 ν , 391
 Schwinger contribution, 66, 519–521
 supersymmetry, 73, 474
 transition, 88, 130, 391
 magnetic field, 26, 66
 Mainz, 186, 290, 387
 Majorana fermion, *see* field: Majorana
 Majorana mass, *see* field: Majorana, fermion mass (matrix)
 Majoron, 385, 389
 singlet, 418
 triplet, 309, 416
 Mandelstam variables, 12–15
 MARK II, 315
 mass insertions, 81–82, 369
 matrices, *see* operators and matrices
 Maxwell's equations, 114, 135
 Maxwell, J. C., 63
 MEG, 366
 Mellin transformation, *see* parton distribution function: moments
 meson, 105
 quark model, 158
 metastable, *see* potential: local minimum

metric, 2–3
 MiniBooNE, 407, 413
 minimal electromagnetic substitution, 29, 43
 classical and quantum mechanics, 29
 minimal flavor violation (MFV), 366, 464
 \overline{MS} , *see* renormalization: minimal subtraction scheme
 minimality, xi
 minimum bias events, 212
 MINOS, 403, 405, 411
 missing energy, 212, 220, 473
 MIT bag model, 187
 MIT-SLAC experiments, 178, 181
 mixing
 kinetic, 80–82, 482
 mass, 80–82, 480, 489
 MOLLER, 293
 Møller scattering (e^-e^-), 85, 290, 292
 polarized, 292–293
 momentum operator, 507
 monojet, 334, 474
 monopoles, 117, 188, 426, 499
 Mott scattering, 85
 M_P , *see* Planck constant
 MSSM, *see* supersymmetry
 MSW effect, *see* neutrino
 MuLan, 234
 multiverse, *see* cosmology
 muon (μ)
 capture, 248, 249
 decay ($\mu^- \rightarrow e^- \bar{\nu}_e \nu_\mu$), 224, 232–237
 Michel parameters, 236, 255
 polarized μ , 235, 256
 SPTVA analysis, 235
 inverse decay ($\nu_\mu e^- \rightarrow \mu^- \nu_e$), 225, 230
 Lamb shift, 74
 $\mu \rightarrow e\gamma$, $\mu \rightarrow 3e$, $\mu N \rightarrow eN$, 88, 366
 properties, 232
see also magnetic dipole moment

N

NA48, 353
 Nambu-Goldstone boson, 119, 121–124, 126, 141–143, 190, 338, 386, 421
 bound state, 192
 longitudinal vector mode, 124
 pseudo, 120, 122, 338, 386

- strong interactions, 124, 172, 193, 238
- quantum mechanics analog, 533
- R_ξ gauge, 144–151, 347
- Nambu-Goldstone theorem, *see* Nambu-Goldstone boson
- narrow width approximation, 215, 220, 370, 523
- naturalness, xi, 427, 429
- N_c^{-1} expansion, 187, 355
- Ne’eman, Y., 104
- neutrino
 - active (ordinary, doublet), 374
 - active-sterile mixing, 380, 382, 386, 387, 406–409, 413
 - anarchy models, 415
 - as a probe, 373
 - atmospheric, 228, 402–403
 - beams, 282, 288
 - counting, 385–387
 - invisible Z width, 306, 309, 310, 385
 - nucleosynthesis, 386–387
 - precision electroweak, 385
 - decay, 385, 391, 402
 - decoherence, 402, 407
 - dipole moments, 390–392, 402
 - Dirac mass models, 373, 375, 415–416
 - extra dimensions, 416
 - higher-dimensional operators, 391, 416
 - $L_e - L_\mu - L_\tau$, 383
 - loop, 416
 - non-holomorphic terms, 416, 464
 - string instantons, 416
 - Zeldovich-Konopinski-Mahmoud (ZKM), 383, 419, 423
 - double beta decay, 376, 378, 381, 384, 389–390, 412, 423
 - alternative mechanisms, 390, 492
 - $\beta\beta_{2\nu}, \beta\beta_{0\nu M}$, 389
 - heavy ν , 389, 492
 - nuclear uncertainties, 389
 - Earth tomography, 407
 - factory, 423
 - FCNC, 422
 - gallium anomaly, 408, 413
 - geophysical, 405
 - gravitational interactions, 387
 - heavy, 385, 389
 - hypothesis, 223
 - leptogenesis, 339, 414, 415, 418, 433, 499
 - Majorana mass models, 373, 377, 416–419
 - higher-dimensional operators, 417
 - loop, 419
 - R -parity violation, 419, 475
 - seesaw (Casas-Ibarra parametrization), 420
 - seesaw (double), 418
 - seesaw (extended), 418
 - seesaw (inverse), 419
 - seesaw (lopsided), 418, 498
 - seesaw (minimal), 417–418, 433
 - seesaw ($SO(10)$), 418, 501
 - seesaw (string), 418
 - seesaw ($SU(2)_L \times SU(2)_R \times U(1)$), 489
 - seesaw (type II), 417, 501
 - seesaw (type III), 418
 - triplet, 416
 - mass and mixing, xii, xiii, 224, 228, 373–384, 413–422
 - approximate PMNS form, 421
 - $\beta\beta_{0\nu}$, 389, 412
 - bimaximal, tri-bimaximal mixing, 421
 - Cabibbo haze, 421
 - cosmological constraints, 388, 424
 - CP violation, 382, 393, 415
 - golden ratio, 421
 - Jarlskog invariant, 393
 - kinematic constraints, 387
 - Majorana phases, 378, 381
 - non-square matrix, 382
 - open questions, 392, 422, 438
 - PDG parametrization, 381
 - PMNS matrix, 272, 381
 - $q - \ell$ complementarity, 421
 - S_n, A_n , 421
 - θ_{12}/θ_\odot , 402, 410
 - θ_{13} , 393, 404–405, 410
 - θ_{23}/θ_{atm} , 402, 403, 410
 - when negligible, 269, 273, 384
 - mass varying, 402, 407, 409
 - matter (MSW) effect, 394–396, 404
 - adiabatic, 396, 402

- level crossing, 396
- ν_L vs ν_R^c , 396
- resonance, 396, 402
- mixed mass models, 419
 - higher-dimensional operators, 419
 - mini-seesaw, 419
 - mirror world, 419
- non-orthogonal, non-unitary, 394
- non-standard interactions, 402, 407
- $\nu_e(\bar{\nu}_e)$, 223
- $\nu_L \rightarrow \nu_R^c$, 394
- $\nu_L - \nu_R^c$ asymmetry, 376, 386, 409
- $\nu_\mu(\bar{\nu}_\mu)$, 223
- $\nu_\mu - \nu_\tau$ interchange symmetry, 422
- $\nu_\tau(\bar{\nu}_\tau)$, 223, 296
- observation, 223
- oscillations, 392–394, 396–409
 - accelerator experiments, 403–404
 - appearance, 392, 393
 - atmospheric, 402–403, 411, 413
 - dark side, 393
 - disappearance, 393
 - first and second class, 394
 - general case, 393
 - L/E dependence, 405
 - long-baseline experiments, 403, 405
 - oscillation length, 392
 - reactor experiments, 404–406
 - short-baseline experiments, 403, 404
 - solar, 400–402, 405, 410, 413
 - survival, 393
 - two neutrino, 393
 - vacuum, 392
- reactor anomaly, 408, 413
- reactor “bump”, 408
- relic, 390
 - detection, 390
- resonant spin-flavor transitions, 391, 402
- scattering, 225, 406, 407
 - neutral current, 276, 280–283, 286–289
 - νN , 282
 - $\nu_e e^- \rightarrow \nu_e e^-$, 237–238, 256, 280
 - $\nu_\mu e^- \rightarrow \nu_\mu e^-$, 280–281
- solar, 228
 - alternative explanations, 402
 - astrophysical explanations, 400
 - astrophysical uncertainties, 397, 399
 - CNO cycle, 399, 400
 - helioseismology, 397
 - LMA solution, 400, 401
 - pp chain, 397
 - pp , 7Be , 8B , 397, 400
 - spectrum, 399
 - standard solar model (SSM), 397
- spectrum, 410–413
 - global analysis, 410
 - normal, inverted, degenerate hierarchies, 389, 390, 404, 405, 407, 410
 - sterile (right-handed, singlet), 258, 309, 373, 374, 386, 404, 407–409, 413
 - keV, 388, 434, 437
 - ν MSM, 388
- superstring theory, 414, 416
- telescope, 406
- ultra high energy, 406–407, 423
- see also* deep inelastic scattering, fermion mass (matrix), lepton mixing
- neutron, *see* nucleon
- neutron star, 201
- Noether current, 25, 98, 121, 128, 131, 509
 - (axial) baryon number, 189
 - chiral, 112
 - complex scalar, 25, 30, 99
 - Dirac, 102
 - divergence, 99
 - fermion, 43
 - Hermitian scalar, 101
 - $SU(m)_L \times SU(m)_R$, 189
- Noether theorem, 24–26, 65, 98–103
- non-covariant normalization, 7
- non-polynomial interactions, 10
- non-relativistic limit, 36, 66, 79, 86
- non-relativistic QCD (NRQCD), 187
- non-renormalizable operator, *see* higher-dimensional operator
- non-renormalizable theory, 10, 22, 224, 276
- nonet, *see* symmetry: $SU(3)$
- normal order, 55, 82, 98, 508
- notation, 1–5

NO ν A, 403, 411, 423
 NRQM, *see* quantum mechanics
 ν , *see* electroweak interaction: scale
 nuclear β decay, 250–251
 Fermi transition, 251
 Gamow-Teller transition, 251
 superallowed, 251
 nuclear magneton, 78
 nucleon
 β decay ($n \rightarrow pe^- \bar{\nu}_e$), 223–224, 247–
 251, 256
 energy nonconservation, 223
 Fermi integral, 250
 inverse ($e^- p \rightarrow \nu_e n$), 224
 ν mass, 387
 weak magnetism, 248, 251
 charge radius, 74, 79
 electrodynamics, 77–80, 87
 $m_p - m_n$, 193, 345
 proton decay, 189, 367, 437, 475, 493,
 496
 experimental limits, 493, 500
 s quark, 186
 spin distribution, 186
 SU(2), 103
 number operator, 8, 508
 Noether charge, 25
 NuMI, 403
 NuTeV, 288, 299

O

oblique parameters, *see* S, T, U param-
 eters
 octet, *see* symmetry: SU(3)
 off-axis beam, 404
 $O(m)$, *see* symmetry
 Ω , *see* cosmology: energy density
 $\Omega^-(sss)$, 108, 110, 162
 ω resonance, 108, 114
 OPAL, 305
 OPERA, 403, 408
 operators and matrices
 adjoint, 2
 anti-commutator, 2, 7–9, 92
 commutator, 2, 7–9, 90–92
 exponent, 90, 127
 Hermitian, 4, 90, 91
 orthogonal, 94
 special, 91
 symplectic, 94

 trace, 2
 Dirac, 36–37
 group generators, 91
 transpose, 2
 unitary, 91, 92, 94
 optical theorem, 513
 oscillations, *see* kaon, B meson, neutrino
 OZI (Zweig) rule, 187, 204

P

P , *see* space reflection
 Palo Verde, 405
 parameter
 bare, 63
 physical, 64, 65
 parastatistics, 162
 Paris, 290
 parity, *see* space reflection
 parity violating electron scattering
 (PVES), *see* asymmetries: po-
 larization
 partial rate asymmetries, 60, 499
 partial wave expansion, 514
 Particle Data Group, 315
 parton distribution function, 179, 206,
 213, 221, 311
 generalized, 186
 global analysis, 182, 185, 285
 gluon, 181, 185
 hadron collider, 206, 210
 moments, 185
 momentum, 179, 181
 non-singlet, 185
 quark, 179
 singlet, 185
 splitting, 183, 185
 sum rules, 180
 parton luminosity, 213, 214, 221, 222
 parton model, 15, 161, 170, 173, 178
 deep inelastic scattering, 178–182,
 284, 287
 heavy quark decays, 253
 QCD improved, 183
 spin-0, 179
 spin- $\frac{1}{2}$, 179
 τ decay, 252
 Pauli matrices, 4, 36, 90, 91
 Pauli spinor, *see* spinor: Pauli
 Pauli, W., 223
 Pauli-Dirac representation, 36, 84

- Pauli-Villars, *see* regularization
- PCAC, *see* current
- PDF, *see* parton distribution function
- Peccei-Quinn mechanism, *see* symmetry
- penguin, *see* loop diagrams
- pentaquark, *see* hadron: exotic
- PEP, 71, 290, 293, 356
- perturbation theory, 11–13, 159
 - time dependent, 87
- PETRA, 71, 162, 290, 293, 294
- phase shift, 354, 514
- phase space, 8
 - 2-body, 17, 20, 515
 - 3-body, 516–518
 - energies, 517
 - factorization, 516
 - $K_{\ell 3}$, 256
 - μ decay, 233, 255
 - narrow resonance, 516
 - $\pi_{\ell 3}$, 244, 256
 - cylindrical coordinates, 208
 - n -body, 515
- phase transition
 - chiral, 201
 - deconfinement, 201
 - electroweak, 337, 430, 432, 433, 477
- $\phi(s\bar{s})$ resonance, 108, 164
- photon (A, γ), *see* QED, electroweak interaction
- photoproduction, 186
- physical constants, 1
- PIBETA, 244
- PIENU, 240
- pile-up, 213, 217
- PINGU, 407
- pion
 - as bound state, 75
 - charge radius, 76
 - Compton scattering, 33, 48
 - decay, 224
 - $\pi_{e2}/\pi_{\mu 2}$ ratio, 240
 - $\pi_{\ell 2}(\pi_{\mu 2}, \pi_{e2})$, 165, 238–241
 - $\pi_{\ell 2}$ helicity suppression, 240
 - $\pi_{\ell 3}$, 242–244, 256
 - $\pi^0 \rightarrow 2\gamma$, 165
 - decay constant, 165, 172, 191
 - chiral breaking, 192, 199, 240
 - measurement, 240
 - electrodynamics, 29–34, 74–76, 85, 136
 - field conventions, 23
 - phase convention, 103, 128
 - pion-nucleon σ term, 204
 - pion-nucleon interaction, 20, 74, 78, 103, 129, 192
 - soft pions, 200
 - properties, 238, 239
 - pseudoscalar, 52
 - self-interactions, 74, 103, 104, 129, 136
 - soft pion theorems, 122, 193, 199, 200
 - $SU(2)$, 103
- pion beta decay, *see* pion decay: $\pi_{\ell 3}$
- Planck, 387
- Planck constant, 2, 22, 67
- Planck scale, *see* Planck constant
- $P_{R,L}$, *see* chiral projection operators
- Poincaré invariance, *see* symmetry
- polar angle, 17
- polarization, 27, 179
 - circular, 27
 - fermion, 37, 48–49, 86
 - linear, 27
 - longitudinal, 28, 142, 144
 - high energy, 29, 226, 327
 - sum, 28, 29
 - gluon, 168
 - transverse, 27, 28
- pomeron, 187, 212
- potential, 10, 87, 114
 - atomic parity violation, 291, 370
 - boundedness, 115, 124–125
 - classical, 114
 - confinement (linear), 188
 - constant term, 115
 - Coulomb, 32, 66, 85
 - effective, 68
 - extremum, 115
 - flat direction, 124, 481
 - four-fermi, 87
 - Higgs, 260
 - $O(4)$ symmetry, 262
 - running coupling, 324
 - Higgs (with SSB), 265
 - induced cubic, 115, 116, 120, 144, 145, 149–151, 266
 - maximum, 119, 126

- Mexican hat, 118, 532
 - minimum, 114, 118, 119, 123, 125–127
 - global, 116
 - local, 116, 124, 326
 - MSSM, 466
 - saddlepoint, 126
 - scalar exchange, 87
 - $SU(5)$, 496, 497
 - supergravity, 454
 - supersymmetry, 448, 449, 454, 458
 - $U(1)'$, 481
 - vector exchange, 88
 - Yukawa, 5, 19, 88, 187
 - potential scattering, 18–20
 - propagator, 7
 - Breit-Wigner, 294, 306, 523
 - ghost, 147, 278
 - gluon, 157
 - Majorana, 384
 - mass eigenstates, 81
 - spin-0, 11, 24
 - R_ξ gauge, 147, 278
 - spin-1, 28, 29, 66
 - R_ξ gauge, 146, 278
 - spin- $\frac{1}{2}$, 38
 - proton, *see* nucleon
 - proton decay, *see* nucleon: proton decay
 - pseudo-Goldstone boson, *see* Nambu-Goldstone boson
 - pseudorapidity, 208
 - pseudoscalar
 - interactions, 106
 - octet, 105, 108, 172, 195, 243
 - dual interpretation, 196
 - Goldstone bosons, 190
 - quark model, 109
 - pseudoscalar decay constant, *see* pion: decay constant
 - pseudoscalar mixing angle, *see* η : $\eta - \eta'$ mixing
 - PSI, 74, 234, 236, 244, 366
 - PTOLEMY, 390
 - PVDIS, 291
- Q**
- QCD, *see* quantum chromodynamics
 - QED, *see* quantum electrodynamics
 - quantum chromodynamics, xiii, 68, 91, 103, 157, 159–161
 - color, 157, 188
 - average/sum, 166
 - evidence, 162–165
 - color factors, 165
 - color identities, 165–166
 - confinement, 158, 170, 187
 - flux tube, 188
 - evidence, 161–165
 - history, 157
 - parton processes, 165–170, 186, 202, 210, 214
 - scale parameter, 160, 171, 172
 - sum rules, 187
 - quantum electrodynamics, xiii, 29, 63–80, 136
 - and strong interactions, 63, 74–80, 176
 - high energy, 71
 - Lagrangian, 43
 - tests, 69–74
 - quantum mechanics, 7, 63, 87, 89, 93, 103, 104, 511
 - measurement theory, 351
 - symmetry breaking, 531–533
 - quark, 75, 77, 79, 109–110, 114, 157, 159–161
 - evidence, 161–162
 - integer charge, 163, 201, 285, 493
 - masses
 - and pseudoscalar masses, 193
 - bare, 160, 257
 - constituent, 113, 130, 172, 190
 - current, 113, 160, 192, 269
 - deep inelastic scattering, 181
 - heavy quarks, 194
 - light quarks, 194
 - $m_u - m_d$, 193
 - $m_u = 0$ and strong CP , 429
 - pole, 194
 - running, 194, 315, 350
 - model of hadrons, 109–110, 130, 158, 161, 196, 200
 - sea, 180
 - valence, 164, 180
 - non-observation, 162
 - quark mixing, 224
 - Cabibbo rotation, 228, 273
 - Cabibbo/weak/CKM universality, 229, 341, 342, 492, 505

CKM matrix, 230, 253, 272, 339–343
CP violation, 273, 433
 global analysis, 361
 Jarlskog invariant, 340, 344, 361
 PDG parametrization, 340
 Wolfenstein parametrization, 340, 361
 in $SU(2)_L \times SU(2)_R \times U(1)$, 490
 unitarity, 227, 274, 340
 unitarity triangle, 341, 343–344
 V_{cd}, V_{cs} , 342
 V_{td}, V_{ts}, V_{tb} , 342
 V_{ub}, V_{cb} , 342
 from B decay, 254
 V_{cb} from νN , 286
 V_{ud} , 341
 from β decay, 251
 V_{us} , 341
 from $K_{\ell 3}$, 244
 see also fermion mass (matrix)
 quark-hadron duality, 159, 216
 Q_W , *see* atomic parity violation

R

R field, *see* field: chiral
 radiative corrections
 atomic parity violation, 291
 β decay, 251, 256
 Δm_K , 350
 μ decay, 234, 256
 finite in Fermi theory, 234
 neutral current, 304
 precision electroweak, 279, 296, 306
 box, 301
 M_H , 301, 315
 mixed QCD-EW, 299, 302
 m_t , 301, 303
 oblique, 301, 315, 317, 338
 QCD, 302
 reduced QED, 300
 vertex, 301
 $Z \rightarrow b\bar{b}$ vertex, 299, 301
 weak universality, 343
 radiative hierarchies, 427
 radiochemical detector, 399, 400
 Randall-Sundrum models, *see* extra dimensions: warped
 rank, *see* group
 rapidity, 5, 208, 211, 221, 444
 rapidity gap, 212, 219, 220
 real scalar field, *see* field: Hermitian
 reduced matrix element, 107, 108
 reduction formula (LSZ), 527
 reflection, *see* space reflection, group:
 $O(m)$
 Regge theory, 187, 212
 regular representation, *see* representation:
 adjoint
 regularization
 dimensional, 66, 163, 298, 477
 dimensional reduction, 477
 lattice, 298
 Pauli-Villars, 66, 298
 relativity, 2–3, 63
 relaxion, 429, 430
 relevant operator, 80
 remnants, xi, 438
 RENO, 405
 renormalizable gauge, 148
 renormalizable operator, 10, 80
 renormalizable theory, 10, 22, 135, 141, 152
 spontaneously broken gauge, 144
 renormalization, xiii, 63, 70, 183
 BPHZ scheme, 298
 constant, 64
 counterterm, 298
 minimal subtraction scheme, 69, 235, 297, 298
 on-shell scheme, 69, 297, 298
 parameter, 22, 64, 65
 QED, 63
 scale, 69, 157, 170, 215
 wave function, 22, 64, 66, 452
 renormalization group equations, 23, 68, 170–173, 324, 477, 499
 fixed points, 371
 conformal, 502
 hadronic uncertainties, 68
 mass, Higgs, Yukawa, soft, 324, 443, 452, 464, 498
 ν mass, 421
 thresholds, 68, 171, 500
 representation, 89–91, 96
 adjoint, 91–93, 95, 97, 127, 154, 479
 anti-fundamental, 111
 (anti)symmetric, 111, 131
 complex, 93
 conjugate, 92, 93, 97

- defining, 91, 93–95
 - double-valued, 94
 - equivalent, 92
 - fundamental, 93, 94, 104, 110
 - inequivalent, 92
 - irreducible, 89, 93
 - real, 93, 97
 - reducible, 93
 - spinor, 94
 - supersymmetry, 448–449
 - tensor, 94
 - tilde ($SU(2)$), 260, 365, 374
 - vector, 94, 154
 - RGE, *see* renormalization group equations
 - RHIC, 186, 201
 - ρ resonance, 75, 76, 108, 114, 161, 172
 - ρ parameters
 - radiative corrections, 303
 - ρ_0 , 317, 337, 367
 - $\rho - \omega - \phi$ mixing, 193, 196, 204
 - Riemann Zeta function, 235
 - right-handed, *see* helicity: positive
 - Rosenbluth cross section, 79, 176
 - rotation, *see* symmetry: rotational
 - Rutherford cross section, 85
 - Rutherford experiment, 161
 - Rutherford Laboratory, 407
 - R_ξ gauges, 28, 144–151
 - standard model, 277–279
- S**
- S matrix, *see* transition amplitude
 - S -matrix theory, 187
 - S, T, U parameters, 315, 317–319, 474
 - chiral fermions, 318
 - extensions, 319
 - non-degenerate multiplets, 317
 - SAGE, 400, 408
 - Salam, A., 226
 - Sanford Laboratory, 404
 - scattering amplitude, *see* transition amplitude
 - Schrödinger equation, 59
 - Schur's lemma, 94
 - Schwinger, J., 63
 - screening, 68
 - seagull diagram, 30, 33, 138, 141
 - seesaw, *see* fermion mass (mixing), neutrino
 - self-energy correction, 64–67, 157
 - quadratic divergence, 67
 - see also* radiative corrections: oblique
 - shift transformation, 121, 142
 - $\vec{\sigma}$, *see* Pauli matrices
 - σ model
 - linear, 197–199, 204
 - nonlinear, 199–200
 - $\sigma^{\mu\nu}$, *see* Dirac matrices
 - similarity transformation, 92
 - simple parton model (SPM), *see* parton model
 - simplified models, 465
 - single-particle state, 7
 - singularity, *see* divergence
 - $\sin^2 \theta_W$, *see* weak angle
 - Skyrme model, 187
 - SLAC, 71, 161, 170, 186, 205, 227, 290, 292, 293
 - SLC, 71, 205, 227, 293, 296, 305, 315, 356
 - SLD, 305
 - SM, *see* standard model
 - s^μ , *see* spin four-vector
 - S_n , *see* symmetry
 - SNO, 400, 401
 - soft collinear effective theory (SCET), 187, 277, 339
 - soft pion theorems, *see* pion, 277
 - soft radiation, 64, 163
 - solid angle, 18
 - $SO(m)$, *see* symmetry
 - Soudan, 402, 403
 - $Sp(2m)$, *see* symmetry
 - space reflection, 48–54, 65, 77, 86, 104, 105, 132, 170, 177
 - antifermion, 51, 61
 - axial vector, 50, 256
 - $\pi_{\ell 2} K_{\ell 2}$ decay, 239
 - form factors, 53, 528
 - pseudoscalar, 50, 52, 104
 - scalar, 50
 - two-component, 60, 447
 - vector, 50
 - violation, 49, 78, 86, 177, 224, 228, 362
 - β decay, 231
 - charged current, 231
 - deep inelastic scattering, 283
 - μ/τ polarization, 71, 235, 256

- neutral current, 238, 275
- NN interaction, 230
- $\mathcal{O}(\alpha)$, 188
- $\tau - \theta$ puzzle, 231
- sparticle, *see* supersymmetry: superpartners
- SPEAR, 293
- sphaleron, 432, 499
- spherical coordinates, 17
- spin and statistics theorem, 110, 162
- spin average/sum, 27, 45
- spin effects, 48–49, 86, 162, 169
 - β decay, 250
 - form factors, 79
 - μ decay, 235
 - neutral current, 276
 - supersymmetry, 473
 - t decay, 370
 - two-component, 62
- spin four-vector, 37, 50
- spinor
 - chiral, 41, 84
 - Dirac, 35, 37–42, 48–49
 - helicity, 38, 39, 49, 84
 - Pauli, 5, 38
 - see also* field: Weyl
- splitting functions, *see* parton distribution function
- spurion, 128, 414, 476
- SSB, *see* symmetry breaking: spontaneous
- SSM, *see* neutrino: solar
- standard model, xi, xii, 93, 116, 152, 257–279
 - and neutrinos, 373
 - anomaly free, 259
 - problems, 425–438
 - fermion, 426
 - gauge symmetry, 426
 - gravity, 430
 - Higgs/hierarchy, 336, 418, 427–429, 438, 439
 - parameters, 425
 - strong CP , 429
 - see also* QCD, QED, electroweak interaction
- statistical factor, 17, 525
- step function, 5
- strange (s) quark, 109, 157
- strangeness, 104, 229, 345
 - violation, 345
- string theory, *see* superstring theory
- strong CP problem, *see* CP : strong
- strong hypercharge, 104, 109, 193
- strong interaction, 74–80, 91, 157–158
 - long distance, 157–159, 170, 187–188
 - short distance, 159, 170, 173
- symmetries, 91, 188–190
 - breaking, 190, 193
 - chiral, 112, 122, 124, 165, 172, 187–190, 200, 250
 - discrete, 49, 65, 113, 161, 188
 - flavor, 91, 103, 113, 157, 159–161, 188–190
 - gauge, 91
 - strangeness, 345
- structure constants, 90, 93, 127
- structure functions, *see* deep inelastic scattering
- Stückelberg mechanism, 29
- $SU(2)$, *see* symmetry
- $SU(2)_L \times SU(2)_R \times U(1)$, 236, 261, 316, 341, 343, 365, 390, 478, 487–492
 - breaking scale, 489, 491
 - discrete symmetries, 487, 491
 - experimental constraints, 492
 - gauge interactions, 488, 490
 - Higgs sector, 488
 - left-right symmetry, 236, 487, 491
 - manifest/pseudo-manifest, 492
 - ν seesaw, 489
 - $SO(10)$, 487, 489
 - $W - W_R$ mass/mixing, 236, 251, 343, 489, 505
 - warped extra dimensions, 487
 - Yukawa couplings, 490
- $SU(3)$, *see* symmetry
- $SU(3)_c \times SU(2)_L \times U(1)_Y$, *see* standard model
- $SU(3) \times SU(2) \times U(1)$, *see* symmetry
- $SU(m)$, *see* symmetry
- super-renormalizable operator, 22, 80
- supergravity, 430, 448, 453, 458
- SuperKamiokande, 399, 402, 403, 493, 500
- supernova
 - 1987A, 387, 399
 - diffuse ν background, 388
 - galactic, 388, 407

- superstring theory, xi, xii, 80, 94, 414, 416, 426, 430, 432, 458
 - and QCD, 187
 - F-theory, 502
 - heterotic, 485, 502
 - instantons, 414, 416, 418, 502
 - intersecting brane, 414, 416, 427, 502
 - landscape, xi, xii, 415, 430, 431
 - type IIA,B, 502
 - see also* neutrino: superstring theory
- supersymmetry, xi, xii, 62, 124, 125, 212, 316, 320, 341, 365, 419, 428, 438–443
 - algebra, 448
 - auxiliary field, 449, 450
 - breaking/mediation, 366, 441, 458, 461–463
 - A terms, 464
 - anomaly mediation, 462, 473
 - CMSSM, 464
 - D -term, 461
 - D -term mediation, 463
 - dynamical, 462
 - F -term, 461
 - gauge mediation, 462
 - gaugino condensate, 462
 - gaugino mediation, 462
 - gaugino unification, 473
 - gravitino mass, 437, 462
 - hidden sector, 441, 462
 - higher-dimensional operator, 476
 - minimal supergravity, 464, 473
 - non-holomorphic terms, 464
 - pMSSM, 465
 - radion mediation, 463
 - simplified models, 465
 - soft (parameters), 441, 461, 462
 - spontaneous, 461
 - sum rules, 441, 461
 - super-Higgs mechanism, 461
 - supergravity mediation, 462
 - Z' mediation, 463, 487
 - compressed spectrum, 474
 - CP violation/EDM, 442, 474
 - decoupling limit, 442
 - dileptons, 473
 - Dirac gaugino, 473, 475
 - Fayet-Iliopoulos term, 458
 - FCNC, 442, 462, 471, 474
 - gauge kinetic function, 458
 - generators, 448
 - $g_\mu - 2$, 73, 439
 - Grassman variable, 449, 503
 - integration, 450
 - Higgs, 465–470
 - doublets, 441
 - heavy, 474
 - interactions, 441, 468
 - M_A , 466, 469
 - mass, 255, 439
 - maximal mixing/no mixing, 468
 - precision constraints, 316
 - radiative electroweak breaking, 443, 467
 - radiative mass corrections, 467, 504
 - spectrum, 467
 - $\tan \beta$, 441, 466
 - theoretical mass bound, 441, 467, 477, 481
 - interactions
 - abelian, 456–459
 - Dirac fermion, 460
 - non-abelian, 459–460
 - superpotential, 453–456
 - Kähler potential, 453
 - lightest supersymmetric partner (LSP), 435, 442, 473
 - MSSM, 151, 261, 271, 326, 337, 442, 463–474
 - decoupling limit, 337, 470, 474
 - notation, 463
 - superpotential, 463, 464
 - Yukawa couplings, 469
 - μ problem, 433, 440, 442, 476–477
 - Giudice-Masiero mechanism, 476
 - singlet extension of MSSM, 337, 476, 481
 - next lightest sparticle (NLSP), 474
 - non-renormalization theorem, 440, 452
 - O’Raifeartaigh model, 461
 - parton processes, 167
 - precision electroweak, 442, 474
 - R -hadron, 221
 - R -parity, 211, 220, 442, 475
 - violation, 236, 365, 390, 475
 - R -symmetry, 455, 473, 477

- singlet extended
 - $U(1)'$, NMSSM, nMSSM, 326, 468, 476
- split, 431
- stealth models, 475
- superfield, 451–453
 - chiral, 451–453
 - D -component, 453, 457, 459
 - F -component, 452, 454
 - vector, 451, 453, 456
- supergauge transformation, 457
- supermultiplet
 - chiral, 449
 - gravity, 449
 - massive vector, 459, 505
 - vector, 449
- superpartners, 73, 317, 440–441
 - chargino, 441, 471–474
 - gaugino (\tilde{G} , \tilde{W} , \tilde{B}), 440, 457
 - gluino, 203, 471
 - Goldstino, 459, 461
 - gravitino, 437
 - Higgsino, 441, 476
 - left-right mixing, 468, 470
 - mass limits, 474–475
 - neutralino, 441, 471–474
 - scalar lepton (slepton), 440, 470
 - scalar quark (squark), 167, 203, 440, 470
 - singlino, 505
- superpotential, 452
- superspace, 449
- transformation, 450–452
- trileptons, 473
- vacuum, 448
 - charge/color/ B/L breaking, 465
 - metastable, 462
- Wess-Zumino gauge, 457
- Wess-Zumino model, 454
- $SU(2) \times U(1)$, *see* electroweak interaction
- symmetry
 - accidental, 188, 262
 - baryon number, 189
 - lepton number/flavor, 364, 366, 437
 - P , C , T , CP , 188, 339, 363
 - chiral, 110–113, 152
 - fermion mass, 112, 122
 - continuous, 89, 96, 123
 - cyclic (Z_n), 90, 113, 154
 - discrete, 49–60, 96, 98, 113–114
 - gauge, 153
 - spinor notation, 447
 - family, 259, 261, 365, 385, 414, 420, 427, 478
 - field theory, 96–114
 - flavor, 91, 157
 - G -parity, 57, 113, 131, 248
 - form factors, 529
 - gauge, 25, 89, 91, 135–136
 - abelian, 28, 136–137
 - chiral, 136, 137
 - direct product, 140–141
 - gauge boson mass, 140
 - non-abelian, 137–140, 159
 - global, 25, 89, 135
 - and gravity, 414
 - internal, 89, 96
 - isospin, 75, 89, 91, 97, 103–104, 113, 128, 159, 181
 - Lagrangian, 98
 - Lorentz, 3, 53, 75, 89, 90, 114, 443–444
 - violation, 60, 402
 - Nambu-Goldstone realization, 118, 122
 - non-chiral, 112, 113
 - $\nu_\mu - \nu_\tau$ interchange, 422
 - $O(m)$, 94, 101, 118
 - Peccei-Quinn, 429
 - permutation (S_n , A_n), 90, 421
 - Poincaré, 3, 57, 443–444
 - quaternion, 90
 - rotational, 50, 54, 89, 91, 98, 103, 104, 444
 - $SO(m)$, 94, 127, 154
 - $Sp(2m)$, 94
 - space-time, 89, 96
 - $SU(2)$, 91–93, 103, 128
 - multiplication rule, 127
 - $SU(3)$, 91–93, 103–110, 159, 162, 251
 - nonet, 105, 108, 109, 196–197
 - octet, 104, 129
 - $SU(3) \times SU(2) \times U(1)$, 93
 - $SU(6)$, 110, 130
 - $SU(m)$, 93–96, 99, 110, 131, 171
 - $SU(m)_L \times SU(m)_R$, 112, 131, 189–194

- and weak current, 241
 - translation, 3, 25, 53, 89, 114, 444
 - $U(1)$, 23, 24, 27, 29, 91, 92, 99, 117, 121, 136, 171
 - as rotation, 102, 118
 - as subgroup, 137
 - monopoles/strings, 117
 - $U(m)$, 91, 94, 99, 130
 - U -spin, 109, 130
 - V -spin, 109
 - vacuum, 97
 - weak isospin, 91
 - Wigner-Weyl realization, 118, 122
 - chiral, 190, 198
 - see also* QED, QCD, electroweak interaction, $U(1)'$, $SU(2)_L \times SU(2)_R \times U(1)$, grand unification, C , P , T , CP , CPT
 - symmetry breaking, 114–124
 - charge non-conservation, 131
 - chiral, 112, 120
 - fermion mass, 120, 122, 192, 199, 261
 - non-analytic, 247
 - electromagnetism, 104, 108
 - explicit, 98–100, 113–115, 117, 122
 - Nambu-Goldstone, 120
 - Wigner-Weyl, 118
 - isospin, 73, 103, 104, 108, 114, 193–194
 - in nuclei, 193
 - leakage from multiplet, 99, 196, 247
 - quantum mechanics, 531–533
 - quark masses, 103, 104, 108, 113, 160, 190–194
 - soft, 118
 - spontaneous, xii, 29, 80, 98, 114, 115, 118, 122–124, 131
 - chiral, 120, 165, 172
 - discrete, 117
 - Higgs alternatives, 255, 264, 327, 337–339, 428
 - Higgs mechanism, xii, 29, 122, 124, 141–144, 226, 261–263, 323
 - polar basis, 121, 122, 126, 131, 143
 - rectangular basis, 120, 131
 - $SU(2) \times U(1)$, 257
 - $SU(3)$, 107–109, 193–194, 196–197
- T**
- T , *see* time reversal
 - \mathcal{T} , *see* time reversal: Dirac matrix
 - 't Hooft-Feynman gauge, 148, 347
 - T matrix, *see* transition amplitude
 - T2K, 403, 405, 411, 423
 - tadpole diagram, 22
 - tadpole operator, 10, 116
 - TASSO, 162
 - $\vec{\tau}$, *see* Pauli matrices
 - tau (τ)
 - decay, 223, 224, 252
 - Michel parameters, 252
 - ν_τ mass, 253
 - $\tau^- \rightarrow \pi^- \nu_\tau$, 256
 - universality, 253
 - properties, 252
 - $SU(2) \times U(1)$ assignment, 295
 - technically natural parameter, 497
 - technicolor/extended technicolor, 319, 337
 - tensor notation, 96, 110, 160
 - tensor operator, 88
 - tetraquark, *see* hadron: exotic
 - Tevatron, 205, 216, 217, 227, 290, 303, 305, 311, 313, 323, 328, 332, 356, 486
 - TEXONO, 280
 - textures, 117, 420–422
 - Oakes relation, 424
 - $\Theta(x)$, *see* step function
 - θ vacuum, *see* tunneling: instantons
 - θ_c (Cabibbo angle), *see* quark mixing
 - θ_{QCD} , *see* CP : strong
 - Thomson cross section, 48
 - 't Hooft, G., 226
 - $(3^*, 3) + (3, 3^*)$ model, 190–194
 - three-vector, *see* vectors
 - tilde trick, 261, 440, 488
 - time evolution operator, 511, 513
 - time reversal, 50, 58–60, 236, 242, 339
 - antiunitary, 59
 - Dirac matrix, 59
 - form factors, 529
 - quantum mechanics, 58
 - two-component, 61, 447
 - violation, 78, 220, 339, 361–364
 - entanglement, 361
 - K^0 oscillations, 361

- pseudo, 362
 - triple correlations, 362
 - see also* electric dipole moment
 - time-ordered product, 11, 38
 - time-varying coupling constants, 434
 - Tomonaga, S., 63
 - top (t) quark, 157, 255, 296
 - decays, 217, 255, 315
 - discovery, 313
 - mass prediction, 227, 296, 313, 315
 - radiative electroweak breaking, 443, 467
 - top-color, 337
 - topological defects, 117
 - trace identities, 36–37
 - transition amplitude, 11, 15, 87, 121, 148, 161, 362, 511, 513
 - translation invariance, *see* symmetry: translation
 - transverse variables, 208, 209, 211–212, 215
 - triangle diagram, *see* anomalies
 - TRISTAN, 71, 290, 293
 - TRIUMF, 236, 240
 - Troitsk, 387
 - tunneling
 - instantons
 - $B + L$, 189, 432
 - $U(1)_A$, 189, 195
 - metastable vacuum, 116, 326
 - phase transition, 433
 - Twin-Higgs, 428
 - TWIST, 236
 - two-component notation, 41, 60–62, 86, 374
 - dotted/undotted indices, 445
 - raising/lowering indices, 445
 - spinor, 445–448
- U**
- $U(1)_A$ problem, *see* axial baryon number
 - $U(1)$, *see* symmetry
 - $U(1)'$, 220, 261, 280, 297, 314–316, 341, 415, 477, 479–487
 - collider, 486
 - dark photon, 73, 479, 487
 - diagnostics, 486
 - E_6 models, 484
 - exotic fermions, 487
 - FCNC, 487
 - gauge interactions, 479
 - hidden sector couplings, 483, 487
 - Higgs/neutralino sector, 487, 505
 - intermediate scale, 481
 - kinetic mixing, 482
 - fractional electric charge, 482, 487
 - left-right models, 483
 - leptophobic, 482
 - minimal unification models, 485
 - motivations, 479
 - μ problem, 481, 485
 - neutral current/LEP 2, 485
 - ν mass, 487
 - sequential, 483
 - Z -pole, 486
 - $Z - Z'$ mass/mixing, 480
- UA1, 265
 - UA2, 265
 - ultraviolet completion, 420
 - ultraviolet cutoff, *see* divergence: ultraviolet
 - $U(m)$, *see* symmetry
 - underlying events, 213, 217
 - uniqueness, xi
 - unit sphere (surface area), 5, 521
 - unitarity, 161, 513–514
 - S -wave, 225, 327
 - violation
 - Born approximation, 225
 - Fermi theory, 225
 - Higgs, 326
 - intermediate vector boson theory, 226
 - unitary gauge, 29, 143, 148
 - multiscalar interaction, 148, 155
 - standard model, 263–276
 - units, 1, 206, 207
 - energy, 1
 - unpolarized rate, *see* spin average/sum
 - up (u) quark, 109, 157
 - $\Upsilon(b\bar{b})$, 164, 187, 188, 203, 255, 356
- V**
- $V - A$, *see* current
 - vacuum, 7
 - vacuum condensate, *see* composite operator
 - vacuum expectation value, 10, 114, 118, 141
 - vacuum polarization, *see* self-energy

vacuum polarization functions, 318
 vacuum saturation approximation, 349
 vacuum stability, 124, 325, 335, 418
 vector boson fusion, 219–220, 328
 vector fermion, 112
 vector field, *see* field: gauge
 vector meson dominance, 186
 vector mesons, 108
 vector potential, 26
 vector symmetry, *see* symmetry: non-chiral
 vectors, 2–3
 Veltman, M., 226
 Veneziano (dual resonance), 187
 vertex correction, 64, 66, 77, 519
 VEV, *see* vacuum expectation value

W

W boson, 225, 302–303
 and color, 164
 decay widths, 304–305
 discovery, 227, 265
 helicity, 322
 mass, 264, 265, 313
 propagator effects, 314
 $W^+W^- \rightarrow W^+W^-$, 219, 226, 327
 strong coupling, 327
 see also electroweak interaction:
 charged current
 Ward-Takahashi identity, 65, 66
 weak angle, 72, 298
 atomic parity violation, 291
 defined, 264
 global analysis, 296, 315
 Møller scattering, 292
 $\nu_\mu e$, 280
 $\nu_\mu N$, 288
 renormalized, 298–300
 effective (\bar{s}_t^2), 298, 307
 \overline{MS} ($s_{M_Z}^2$), 298
 on-shell (s_W^2), 298
 Z -mass ($s_{M_Z}^2$), 298
 running, 300
 weak charged current (WCC), *see* electroweak interaction
 weak equivalence principle, 387, 402
 weak hypercharge, 257, 258
 weak interaction, *see* electroweak interaction
 weak neutral current (WNC), *see* electroweak interaction

weight diagram, 105, 108, 110, 229
 Weinberg, S., 226
 Weyl spinor, *see* field: Weyl
 Wick ordering theorem, 512
 Wick rotation, 348, 439, 521
 Wigner-Eckart theorem, 104, 107, 128
 $SU(3)$ octets, 107
 WIMP, *see* cosmology: dark matter
 WMAP, 387
 W_R , *see* $SU(2)_L \times SU(2)_R \times U(1)$
 Wu, C.S., 231

Y

Yang, C.-N., 231
 Young tableaux, 95
 Yukawa interaction, 49, 52, 103, 128, 146, 159
 standard model, 260, 270
 diagonal for mass eigenstates, 271
 running coupling, 324
 Yukawa matrices, 260
 Yukawa potential, *see* potential: Yukawa
 Yukawa, H., 225

Z

Z boson
 decays, 86, 306
 discovery, 227, 265
 mass, 264, 265, 298, 302–303
 measurement, 308
 predicted, 226
 propagator effects, 293
 Z -pole, 305–313
 asymmetries, 306, 309–313, 370
 effective couplings, 299
 future experiments, 320
 invisible width, 309
 lineshape, 306–309, 524
 measurements, 276, 308
 τ polarization, 311
 widths, 306–309
 see also electroweak interaction: neutral current, precision tests, asymmetry
 Z burst, 390
 zero-point energy, 508
 ZFITTER, 298
 Z_n , *see* symmetry
 Z' boson, *see* $U(1)'$