
References

With arXiv numbers, web links, and updates, May 1, 2017

- Field Theory
- The Standard Model and Particle Physics
- The Strong Interactions, QCD, and Collider Physics
- The Electroweak Interactions
- CP Violation
- Neutrinos
- Supersymmetry, Strings, and Grand Unification
- Astrophysics and Cosmology
- Groups and Symmetries
- Accelerators, Detectors, and Data Analysis
- Articles

Field Theory

- Baal, P. V. (2013). *A course in field theory*. New York: CRC Press.
- Banks, T. (2008). *Modern quantum field theory: a concise introduction*. Cambridge: Cambridge Univ. Press.
- Bjorken, J. D. and S. D. Drell (1964). *Relativistic quantum mechanics*. New York: McGraw-Hill.
- Bjorken, J. D. and S. D. Drell (1965). *Relativistic quantum fields*. New York: McGraw-Hill.
- Brown, L. S. (1992). *Quantum field theory*. Cambridge: Cambridge Univ. Press.
- Casalbuoni, R. (2011). *Introduction to quantum field theory*. Hackensack, NJ: World Scientific.
- Collins, J. C. (1986). *Renormalization*. Cambridge: Cambridge Univ. Press.
- Fadeev, L. and A. A. Slavnov (1991). *Gauge fields: introduction to quantum theory; 2nd ed.* London: Benjamin.
- Frampton, P. H. (2008). *Gauge field theories; 3rd ed.* Weinheim: Wiley.
- Hübsch, Tristan (2015). *Advanced concepts in particle and field theory*. Cambridge: Cambridge Univ. Press.
- Itzykson, C. and J.-B. Zuber (1980). *Quantum field theory*. New York: McGraw-Hill.
- Mandl, F. and G. G. Shaw (2010). *Quantum field theory; 2nd ed.* New York: Wiley.
- Peskin, M. E. and D. V. Schroeder (1995). *An introduction to quantum field theory*. Boulder, CO: Westview.
- Pokorski, S. (2000). *Gauge Field Theories; 2nd ed.* Cambridge: Cambridge Univ. Press.
- Ramond, P. (1997). *Field Theory: A Modern Primer*. New York: Westview Press.
- Ryder, L. H. (1996). *Quantum field theory*. Cambridge: Cambridge Univ. Press.
- Schwartz, M. D. (2014). *Quantum field theory and the standard model*. Cambridge: Cambridge Univ. Press.
- Shifman, M. (2012). *Advanced topics in quantum field theory: a lecture course*. Cambridge: Cambridge Univ. Press.
- Srednicki, M. (2007). *Quantum field theory*. Cambridge: Cambridge Univ. Press.
- Sterman, G. F. (1993). *An introduction to quantum field theory*. Cambridge: Cambridge Univ. Press.
- Streater, R. F. and A. S. Wightman (2000). *PCT, spin and statistics, and all that*. Princeton, NJ: Princeton Univ. Press.
- 't Hooft, G. (1994). *Under the spell of the gauge principle*. Singapore: World Scientific.
- Weinberg, S. (1995). *The quantum theory of fields, vol I, II*. Cambridge: Cambridge Univ. Press.

- Zee, A. (2010). *Quantum field theory in a nutshell*. Princeton, NJ: Princeton Univ. Press.
- Zinn-Justin, J. (2002). *Quantum Field Theory and Critical Phenomena; 4th ed.* Oxford: Clarendon Press.

top

The Standard Model and Particle Physics

- Aitchison, I. J. R. and A. J. G. Hey (2013). *Gauge theories in particle physics: a practical introduction; 4th ed.* Boca Raton, FL: CRC Press.
- Anchordoqui, L. and F. Halzen (2009). Lessons in Particle Physics. [arXiv:0906.1271](https://arxiv.org/abs/0906.1271) [physics.ed-ph].
- Bailin, D. and A. Love (1996). *Introduction to gauge field theory; Rev. ed.* Bristol: IOP.
- Boyarkin, O. M. (2011). *Advanced particle physics.* Boca Raton, FL: CRC Press.
- Burgess, C. P. and G. D. Moore (2007). *The standard model: a primer.* Cambridge: Cambridge Univ. Press.
- Cheng, T. P. and L. F. Li (1984). *Gauge theory of elementary particle physics.* Oxford: Clarendon Press.
- Cottingham, W. N. and D. A. Greenwood (2007). *An introduction to the standard model of particle physics; 2nd ed.* Cambridge: Cambridge Univ. Press.
- Cvetič, M. and P. G. Langacker (1991). *Testing the standard model.* Singapore: World Scientific.
- Donoghue, J. F., E. Golowich, and B. R. Holstein (2014). *Dynamics of the standard model; 2nd ed.* Cambridge: Cambridge Univ. Press.
- Gasiorowicz, S. G. (1966). *Elementary particle physics.* New York: Wiley.
- Hagedorn, R. (1964). *Relativistic kinematics.* New York: Benjamin.
- Halzen, F. and A. D. Martin (1984). *Quarks and leptons.* New York: Wiley.
- Langacker, P. (2017). *Can the Laws of Physics be Unified?* Princeton, NJ: Princeton Univ. Pr.
- Leader, E. and E. Predazzi (1996). *An introduction to gauge theories and modern particle physics.* Cambridge: Cambridge Univ. Press.
- Mann, R. (2010). *An introduction to particle physics and the standard model.* Boca Raton, FL: CRC Press.
- Morii, T., L. C. S, and S. N. Mukherjee (2004). *The physics of the Standard Model and beyond.* Singapore: World Scientific.
- Pais, A. (1986). *Inward bound: of matter and forces in the physical world.* Oxford: Clarendon Press.
- Pal, P. B. (2014). *An introductory course of particle physics.* Boca Raton, FL: Taylor & Francis.
- Quigg, C. (2013). *Gauge theories of the strong, weak, and electromagnetic interactions; 2nd ed.* Princeton, NJ: Princeton Univ. Press.
- Ramond, P. (2004). *Journeys beyond the standard model.* Boulder, CO: Westview Press.
- Romao, J. C. and J. P. Silva (2012). A resource for signs and Feynman diagrams of the Standard Model. *Int. J. Mod. Phys. A27*, 1230025, [arXiv:1209.6213](https://arxiv.org/abs/1209.6213) [hep-ph].

Tully, C. G. (2011). *Elementary particle physics in a nutshell*. Princeton, NJ: Princeton Univ. Press.

Walecka, J. D. (2010). *Advanced modern physics: theoretical foundations*. Singapore: World Scientific.

top

The Strong Interactions, QCD, and Collider Physics

- Adler, S. L. and R. F. Dashen (1968). *Current algebras and applications to particle physics*. New York: Benjamin. Collection of reprints.
- Barger, V. D. and R. Phillips (1997). *Collider physics*. Redwood City, CA: Addison-Wesley.
- Becher, T., A. Broggio, and A. Ferroglia (2015). *Introduction to soft-collinear effective theory*. Cham: Springer. [arXiv:1410.1892](https://arxiv.org/abs/1410.1892) [hep-ph].
- Close, F. E., S. Donnachie, and G. Shaw (2007). *Electromagnetic interactions and hadronic structure*. Cambridge: Cambridge Univ. Press.
- Collins, J. (2011). *Foundations of perturbative QCD*. New York: Cambridge Univ. Press.
- Collins, P. D. B. (1977). *An introduction to Regge theory and high energy physics*. Cambridge: Cambridge Univ. Press.
- DeGrand, T. and C. DeTar (2006). *Lattice methods for quantum chromodynamics*. Singapore: World Scientific.
- Devenish, R. and A. Cooper-Sarkar (2004). *Deep inelastic scattering*. Oxford: Oxford Univ. Press.
- Dissertori, G., I. G. Knowles, and M. Schmelling (2009). *Quantum Chromodynamics: High Energy Experiments and Theory* (1 ed.). Oxford: Oxford Univ. Press.
- Dokshitzer, Yu. L., V. A. Khoze, A. H. Müller, and S. I. Troyan (1991). *Basics of perturbative QCD*. Gif-sur-Yvette: Ed. Frontiers.
- Donnachie, A., G. Dosch, P. V. Landshoff, and O. Nachtmann (2002). *Pomeron physics and QCD*. Cambridge: Cambridge Univ. Press.
- Eden, R. J., P. V. Landshoff, D. I. Olive, and J. C. Polkinghorne (1966). *The analytic S-matrix*. Cambridge: Cambridge Univ. Press.
- Ellis, R. K., W. J. Stirling, and B. R. Webber (2003). *QCD and collider physics*. Cambridge: Cambridge Univ. Press.
- Elvang, H. and Y.-t. Huang (2015, Feb). *Scattering amplitudes in gauge theory and gravity*. Cambridge: Cambridge Univ. Press.
- Field, R. D. (1989). *Applications of perturbative QCD*. Redwood City, CA: Addison-Wesley.
- Fritzsch, H. and M. Gell-Mann (2015). *50 years of quarks*. Hackensack, NJ: World Scientific.
- Gattringer, C. and C. B. Lang (2010). *Quantum chromodynamics on the lattice: an introductory presentation*. Berlin: Springer.
- Green, D. (2005). *High $p(T)$ physics at hadron colliders*. Cambridge: Cambridge Univ. Press.
- Greiner, W., S. Schramm, and E. Stein (2007). *Quantum chromodynamics; 3rd ed.* Berlin: Springer.
- Ioffe, B. L., V. S. Fadin, and L. N. Lipatov (2010). *Quantum chromodynamics: perturbative and nonperturbative aspects*. New York: Cambridge Univ. Press.

- Kogut, J. B. and M. A. Stephanov (2004). *The phases of quantum chromodynamics: from confinement to extreme environments*. Cambridge: Cambridge Univ. Press.
- Muta, T. (2010). *Foundations of quantum chromodynamics: an introduction to perturbative methods in gauge theories; 3rd ed.* Singapore: World Scientific.
- Plehn, T. (2015). *Lectures on LHC physics; 2nd ed.* Cham: Springer.
- Rothe, H. J. (2012). *Lattice gauge theories: an introduction; 4th ed.* Singapore: World Scientific.
- Satz, H. (2012). *Extreme States of Matter in Strong Interaction Physics: An Introduction*. Berlin: Springer.
- Schörner-Sadenius, T. (2015). *The Large Hadron Collider: harvest of run 1*. Cham: Springer.
- Ynduráin, F. J. (2006). *The theory of quark and gluon interactions; 4th ed.* Berlin: Springer.

top

The Electroweak Interactions

- Barbieri, R. (2007). *Lectures on the electroweak interactions*. Berlin: Springer.
- Bardin, D. Y. and G. Passarino (1999). *The standard model in the making: precision study of the electroweak interactions*. Oxford: Clarendon Press.
- Bilenky, S. M. (1996). *Basics of introduction to Feynman diagrams and electroweak interaction physics*. Gif-sur-Yvette: Ed. Frontiers.
- Commins, E. D. and P. H. Bucksbaum (1983). *Weak interactions of leptons and quarks*. Cambridge: Cambridge Univ. Press.
- D'Alfaro, V., S. P. Fubini, G. Furlan, and C. Rossetti (1973). *Currents in hadron physics*. Amsterdam: North-Holland.
- Georgi, H. M. (1984). *Weak interactions and modern particle theory*. Menlo Park, CA: Benjamin-Cummings.
- Greiner, W. and J. Reinhardt (2009). *Quantum electrodynamics; 4th ed.* Berlin: Springer.
- Greiner, Walter and B. Müller (2009). *Gauge theory of weak interactions; 4th rev. version*. Berlin: Springer.
- Gunion, J. F., S. Dawson, H. E. Haber, and G. L. Kane (1990). *The Higgs hunter's guide*. Boulder, CO: Westview.
- Horejsi, J. (1994). *Introduction to electroweak unification: standard model from tree unitarity*. Singapore: World Scientific.
- Horejsi, J. (2002). *Fundamentals of electroweak theory*. Prague: The Karolinum Press.
- Kiesling, C. (1988). *Tests of the standard theory of electroweak interactions*. Berlin: Springer.
- Kinoshita, T. (1990). *Quantum electrodynamics*. Singapore: World Scientific.
- Langacker, P. G. (1995). *Precision tests of the standard electroweak model*. Singapore: World Scientific.
- Maiani, L. (2016). *Electroweak interactions*. Boca Raton, FL: CRC Press.
- Manohar, A. V. and M. B. Wise (2000). *Heavy quark physics*. Cambridge: Cambridge Univ. Press.
- Marshak, R. E., M. Riazuddin, and C. P. Ryan (1969). *Theory of weak interactions in particle physics*. New York: Wiley.
- Paschos, E. A. (2007). *Electroweak theory*. Cambridge: Cambridge Univ. Press.
- Renton, P. B. (1990). *Electroweak interactions*. Cambridge: Cambridge Univ. Press.
- Scheck, F. (2012). *Electroweak and Strong Interactions: Phenomenology, Concepts, Models*. Berlin: Springer.
- Schwinger, J. S. (1958). *Selected papers on quantum electrodynamics*. New York: Dover.
- Tenchini, R. and C. Verzegnassi (2007). *The physics of the Z and W bosons*. Singapore: World Scientific.

CP Violation

- Bigi, I. I. and A. I. Sanda (2009). *CP violation; 2nd ed.* Cambridge: Cambridge Univ. Press.
- Branco, G. C., L. Lavoura, and J. P. Silva (1999). *CP violation.* Oxford: Clarendon Press.
- Jarlskog, C. (1989). *CP violation.* Singapore: World Scientific.
- Kleinknecht, K. (2003). *Uncovering CP violation: experimental clarification in the neutral K meson and B meson systems.* Berlin: Springer.
- Sozzi, M. S. (2008). *Discrete symmetries and CP violation: from experiment to theory.* New York: Oxford Univ. Press.

top

Neutrinos

- Bahcall, J. N. (1989). *Neutrino astrophysics*. Cambridge: Cambridge Univ. Press.
- Barger, V., D. Marfatia, and K. Whisnant (2012). *The physics of neutrinos*. Princeton, NJ: Princeton Univ. Press.
- Bilenky, S. (2010). *Introduction to the Physics of Massive and Mixed Neutrinos*. Berlin, Heidelberg: Springer.
- Fukugita, M. and T. Yanagida (2003). *Physics of neutrinos: and applications to astrophysics*. Berlin: Springer.
- Giunti, C. and C. W. Kim (2007). *Fundamentals of neutrino physics and astrophysics*. Oxford: Oxford Univ.
- Kayser, B., F. Gibrat-Debu, and F. Perrier (1989). *The physics of massive neutrinos*. Singapore: World Scientific.
- Langacker, P. (2000). *Neutrinos in physics and astrophysics from 10^{-33} \rightarrow 10^{28} cm*. Singapore: World Scientific.
- Lesgourgues, J., G. Mangano, G. Miele, and S. Pastor (2013). *Neutrino cosmology*. Cambridge: Cambridge Univ. Press.
- Mohapatra, R. N. and P. B. Pal (2004). *Massive neutrinos in physics and astrophysics; 3rd ed.* Singapore: World Scientific.
- Suekane, F. (2015). *Neutrino oscillations: a practical guide to basics and applications*. Tokyo: Springer.
- Valle, J. W. and J. C. Romao (2015). *Neutrinos in high energy and astroparticle physics*. Weinheim: Wiley-VCH.
- Xing, Z.-Z. and S. Zhou (2011). *Neutrinos in particle physics, astronomy, and cosmology*. Hangzhou: Zhejiang Univ. Press.
- Zuber, K. (2012). *Neutrino physics; 2nd ed.* Boca Raton, FL: CRC Press.

top

Supersymmetry, Strings, and Grand Unification

- Acharya, B., G. Kane, and P. Kumar (2015). *Perspectives on string phenomenology*. Hackensack, NJ: World Scientific.
- Aitchison, I. (2007). *Supersymmetry in particle physics: an elementary introduction*. Cambridge: Cambridge Univ. Press.
- Baer, H. W. and X. Tata (2006). *Weak scale supersymmetry*. Cambridge: Cambridge Univ. Press.
- Bailin, D. and A. Love (1994). *Supersymmetric gauge field theory and string theory*. Bristol: IOP.
- Becker, K., M. Becker, and J. Schwarz (2007). *String theory and M-Theory: a modern introduction*. Cambridge: Cambridge Univ. Press.
- Binétruy, P. (2006). *Supersymmetry: theory, experiment, and cosmology*. Oxford: Oxford Univ. Press.
- Blumenhagen, R., D. Lüst, and S. Theisen (2013). *Basic Concepts of String Theory*. Berlin: Springer.
- Chodos, A., P. G. O. Freund, and T. W. Appelquist (1987). *Modern Kaluza-Klein theories*. Merlo Park, CA: Addison-Wesley.
- Dine, M. (2015). *Supersymmetry and string theory: beyond the standard model; 2nd ed.* Cambridge: Cambridge Univ. Press.
- Drees, M., R. M. Godbole, and P. Roy (2004). *Theory and phenomenology of sparticles*. Singapore: World Scientific.
- Gates, S. J., M. T. Grisaru, M. Rocek, and W. Siegel (1983). Superspace, or one thousand and one lessons in supersymmetry. *Front. Phys.* 58, 1–548.
- Green, M. B., J. H. Schwarz, and E. Witten (1987). *Superstring theory*. New York: Cambridge Univ. Press.
- Ibáñez, L. E. and A. M. Uranga (2012). *String theory and particle physics: an introduction to string phenomenology*. Cambridge: Cambridge Univ. Press.
- Kane, G. L. (2010). *Perspectives on supersymmetry II*. Singapore: World Scientific.
- Kiritsis, E. (2007). *String theory in a nutshell*. Princeton, NJ: Princeton Univ. Press.
- Mohapatra, R. N. (2003). *Unification and supersymmetry: the frontiers of quark-lepton physics*. Berlin: Springer.
- Müller-Kirsten, H. J. W. and A. Wiedemann (2010). *Introduction to supersymmetry; 2nd ed.* Singapore: World Scientific.
- Nastase, H. (2015). *Introduction to AdS/CFT correspondence*. Cambridge: Cambridge Univ. Press.
- Polchinski, J. (1998). *String theory*. Cambridge: Cambridge Univ. Press.
- Polonsky, N. (2001). *Supersymmetry: structure and phenomena: extensions of the standard model*. Berlin: Springer. [arXiv:hep-ph/0108236](https://arxiv.org/abs/hep-ph/0108236).

- Rickles, D. (2014). *A brief history of string theory: from dual models to M-theory*. Berlin: Springer.
- Ross, G. G. (1985). *Grand unified theories*. Reading, MA: Westview Press.
- Srivastava, P. P. (1986). *Supersymmetry, superfields and supergravity: an introduction*. Bristol: Hilger.
- Terning, J. (2006). *Modern supersymmetry: dynamics and duality*. Oxford: Clarendon Press.
- Weinberg, S. (2000). *The quantum theory of fields, vol. III*. Cambridge: Cambridge Univ. Press.
- Wess, J. and J. A. Bagger (1992). *Supersymmetry and supergravity*. Princeton, NJ: Princeton Univ. Press.
- West, P. (2012). *Introduction to strings and branes*. Cambridge: Cambridge Univ. Press.
- West, P. C. (1990). *Introduction to supersymmetry and supergravity; 2nd ed.* Singapore: World Scientific.
- Zwiebach, B. (2009). *A first course in string theory; 2nd ed.* Cambridge: Cambridge Univ. Press.

top

Astrophysics and Cosmology

- Bailin, D. and A. Love (2004). *Cosmology in gauge field theory and string theory*. Bristol: IOP.
- Barrow, J. D. and F. J. Tipler (1986). *The anthropic cosmological principle*. Oxford: Clarendon Press.
- Bertone, G. (2010). *Particle dark matter: observations, models and searches*. Cambridge: Cambridge Univ. Press.
- Das, A. (1997). *Finite temperature field theory*. Singapore: World Scientific.
- Dodelson, S. (2003). *Modern cosmology*. New York: Academic Press.
- Gorbunov, D. S. and V. A. Rubakov (2011). *Introduction to the theory of the early universe, vol I, II*. Singapore: World Scientific.
- Kolb, E. W. and M. S. Turner (1990). *The early universe*. Redwood City, CA: Addison-Wesley.
- Liddle, A. (2015, Mar). *An introduction to modern cosmology; 3rd ed*. Chichester: Wiley.
- Lyth, D. (2016). *Cosmology for physicists*. Boca Raton, FL: CRC Press.
- Majumdar, D. (2015). *Dark matter: an introduction*. Boca Raton, FL: CRC Press.
- Mukhanov, V. (2005). *Physical foundations of cosmology*. Cambridge: Cambridge Univ. Press.
- Peebles, P. J. E. (1993). *Principles of physical cosmology*. Princeton, NJ: Princeton Univ. Press.
- Peebles, P. J. E. and E. Peebles (2015). *Physical cosmology*. Princeton, NJ: Princeton Univ. Press.
- Perkins, D. H. (2009). *Particle astrophysics; 2nd ed*. Oxford: Oxford Univ. Press.
- Peter, P. and J.-P. Uzan (2009). *Primordial cosmology*. Oxford: Oxford Univ. Press.
- Roos, M. (2015). *Introduction to cosmology; 4th ed*. Chichester: Wiley.
- Weinberg, S. (1972). *Gravitation and cosmology: principles and applications of the general theory of relativity*. New York: Wiley.
- Weinberg, S. (1983). *The first three minutes: a modern view of the origin of the universe*. London: Fontana.
- Weinberg, S. (2008). *Cosmology*. Oxford: Oxford Univ. Press.

top

Groups and Symmetries

- Barnes, K. J. (2010). *Group theory for the standard model of particle physics and beyond*. Boca Raton, FL: CRC Press.
- Coleman, S. R. (1985). *Aspects of symmetry: selected Erice lectures*. Cambridge: Cambridge Univ. Press.
- Das, A. and S. Okubo (2015). *Lie groups and Lie algebras for physicists*. Hackensack, NJ: World Scientific.
- Georgi, H. M. (1999). *Lie algebras in particle physics*. Cambridge: Perseus.
- Gilmore, R. (2005). *Lie groups, Lie algebras, and some of their applications*. New York: Dover.
- Gilmore, R. (2008). *Lie groups, physics, and geometry: an introduction for physicists, engineers and chemists*. Cambridge: Cambridge Univ. Press.
- Haywood, S. (2011). *Symmetries and conservation laws in particle physics: an introduction to group theory for particle physicists*. London: Imperial Coll.
- Lee, B. W. (1972). *Chiral dynamics*. New York: Gordon and Breach.
- Ma, Z.-Q. (2007). *Group Theory for Physicists*. New Jersey, NJ: World Scientific.
- Mitra, P. (2014). *Symmetries and symmetry breaking in field theory*. Boca Raton, FL: CRC Press.
- O’Raifeartaigh, L. (1986). *Group structure of gauge theories*. Cambridge: Cambridge Univ. Press.
- Ramond, P. (2010). *Group theory: a physicist’s survey*. Cambridge: Cambridge Univ. Press.
- Tung, W.-K. (1985). *Group theory in physics*. Singapore: World Scientific.
- Zelobenko, D. P. (1973). *Compact Lie groups and their representations*. Providence, RI: AMS. Trans. from the Russian.

top

Accelerators, Detectors, and Data Analysis

- Behnke, Olaf and Kröniger, Kevin and Schott, Grégory and Schörner-Sadenius, Thomas (2013). *Data analysis in high energy physics: a practical guide to statistical methods*. Weinheim: Wiley-VCH.
- Bevington, P. R. and D. K. Robinson (2003). *Data reduction and error analysis for the physical sciences; 3rd ed.* New York: McGraw-Hill.
- Green, D. (2000). *The physics of particle detectors*. Cambridge: Cambridge Univ. Press.
- Gruppen, C. and B. Shwartz (2008). *Particle detectors; 2nd ed.* Cambridge: Cambridge Univ. Press.
- James, F. E. (2006). *Statistical methods in experimental physics; 2nd ed.* Singapore: World Scientific.
- Kleinknecht, K. (1998). *Detectors for particle radiation; 2nd ed.* Cambridge: Cambridge Univ. Press.
- Narsky, I. and F. C. Porter (2013, Dec). *Statistical analysis techniques in particle physics: fits, density and supervised learning*. Weinheim: Wiley-VCH.
- Roe, B. P. (2001). *Probability and statistics in experimental physics; 2nd ed.* Berlin: Springer.
- Sessler, A. and E. Wilson (2014). *Engines of discovery: a century of particle accelerators; Rev. and expanded ed.* Singapore: World Scientific.
- Wiedemann, H. (2015). *Particle accelerator physics; 4th ed.* Berlin: Springer.

top

Articles

- Aaboud, M. et al. (2016). Search for high-mass new phenomena in the dilepton final state using proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. *Phys. Lett. B* *761*, 372–392, [arXiv:1607.03669 \[hep-ex\]](#).
- Aad, G. et al. (2009). Expected performance of the ATLAS experiment - detector, trigger and physics. [arXiv:0901.0512 \[hep-ex\]](#).
- Aad, G. et al. (2012). Observation of a new particle in the search for the standard model Higgs boson with the ATLAS detector at the LHC. *Phys. Lett. B* *716*, 1–29, [arXiv:1207.7214 \[hep-ex\]](#).
- Aad, G. et al. (2015a). Combined measurement of the Higgs boson mass in pp collisions at $\sqrt{s} = 7$ and 8 TeV with the ATLAS and CMS experiments. *Phys. Rev. Lett.* *114*, 191803, [arXiv:1503.07589 \[hep-ex\]](#).
- Aad, G. et al. (2015b). Search for lepton-flavour-violating $H \rightarrow \mu\tau$ decays of the Higgs boson with the ATLAS detector. *JHEP* *11*, 211, [arXiv:1508.03372 \[hep-ex\]](#).
- Aad, G. et al. (2015c). Summary of the ATLAS experiments sensitivity to supersymmetry after LHC Run 1 interpreted in the phenomenological MSSM. *JHEP* *10*, 134, [arXiv:1508.06608 \[hep-ex\]](#).
- Aad, G. et al. (2016). Measurements of the Higgs boson production and decay rates and constraints on its couplings from a combined ATLAS and CMS analysis of the LHC pp collision data at $\sqrt{s} = 7$ and 8 TeV. *JHEP* *08*, 045, [arXiv:1606.02266 \[hep-ex\]](#).
- Aaij, R. et al. (2015). Observation of $J/\psi p$ resonances consistent with pentaquark states in $\Lambda_b^0 \rightarrow J/\psi K^- p$ decays. *Phys. Rev. Lett.* *115*, 072001, [arXiv:1507.03414 \[hep-ex\]](#).
- Aaltonen, T. et al. (2013). Higgs Boson studies at the Tevatron. *Phys. Rev. D* *88*, 052014, [arXiv:1303.6346 \[hep-ex\]](#).
- Aartsen, M. et al. (2013). Evidence for high-energy extraterrestrial neutrinos at the IceCube detector. *Science* *342*, 1242856, [arXiv:1311.5238 \[astro-ph.HE\]](#).
- Aartsen, M. G. et al. (2015). Flavor ratio of astrophysical neutrinos above 35 TeV in IceCube. *Phys. Rev. Lett.* *114*(17), 171102, [arXiv:1502.03376 \[astro-ph.HE\]](#).
- Aartsen, M. G. et al. (2016). Searches for sterile neutrinos with the IceCube detector. *Phys. Rev. Lett.* *117*(7), 071801, [arXiv:1605.01990 \[hep-ex\]](#).
- Aartsen, M. G. et al. (2017). PINGU: A vision for neutrino and particle physics at the South Pole. *J. Phys. G* *44*(5), 054006, [arXiv:1607.02671 \[hep-ex\]](#).
- Abazajian, K. N. et al. (2011). Cosmological and astrophysical neutrino mass measurements. *Astropart. Phys.* *35*, 177–184, [arXiv:1103.5083 \[astro-ph.CO\]](#).
- Abazajian, K. N. et al. (2012). Light sterile neutrinos: a white paper. [arXiv:1204.5379 \[hep-ph\]](#).
- Abazajian, K. N. et al. (2015). Neutrino physics from the cosmic microwave background and large scale structure. *Astropart. Phys.* *63*, 66–80, [arXiv:1309.5383 \[astro-ph.CO\]](#).
- Abazajian, K. N. and M. Kaplinghat (2016). Neutrino physics from the cosmic microwave background and large-scale structure. *Ann. Rev. Nucl. Part. Sci.* *66*(1), <http://dx.doi.org/10.1146/annurev-nucl-102014-021908>.

- Abazov, V. M. et al. (2014). Study of CP -violating charge asymmetries of single muons and like-sign dimuons in $p\bar{p}$ collisions. *Phys. Rev. D* **89**(1), 012002, [arXiv:1310.0447 \[hep-ex\]](#).
- Abbott, B. P. et al. (2016). GW151226: Observation of gravitational waves from a 22-solar-mass binary black hole coalescence. *Phys. Rev. Lett.* **116**(24), 241103, [arXiv:1606.04855 \[gr-qc\]](#).
- Abdesselam, A. et al. (2011). Boosted objects: A probe of beyond the standard model physics. *Eur. Phys. J. C* **71**, 1661, [arXiv:1012.5412 \[hep-ph\]](#).
- Abe, K. et al. (2011). Search for differences in oscillation parameters for atmospheric neutrinos and antineutrinos at Super-Kamiokande. *Phys. Rev. Lett.* **107**, 241801, [arXiv:1109.1621 \[hep-ex\]](#).
- Abe, K. et al. (2015a). Measurements of neutrino oscillation in appearance and disappearance channels by the T2K experiment with 6.6×10^{20} protons on target. *Phys. Rev. D* **91**(7), 072010, [arXiv:1502.01550 \[hep-ex\]](#).
- Abe, K. et al. (2015b). Physics potential of a long-baseline neutrino oscillation experiment using a J-PARC neutrino beam and Hyper-Kamiokande. *PTEP* **2015**, 053C02, [arXiv:1502.05199 \[hep-ex\]](#).
- Abe, K. et al. (2016). Solar neutrino measurements in Super-Kamiokande-IV. *Phys. Rev. D* **94**(5), 052010, [arXiv:1606.07538 \[hep-ex\]](#).
- Abele, H. (2008). The neutron: its properties and basic interactions. *Prog. Part. Nucl. Phys.* **60**, 1–81.
- Abers, E. S. and B. W. Lee (1973). Gauge theories. *Phys. Rept.* **9**, 1–141.
- Abouzaid, E. et al. (2008). Determination of the parity of the neutral pion via the four-electron decay. *Phys. Rev. Lett.* **100**, 182001, [arXiv:0802.2064 \[hep-ex\]](#).
- Abramowicz, H. et al. (2015). Combination of measurements of inclusive deep inelastic $e^\pm p$ scattering cross sections and QCD analysis of HERA data. *Eur. Phys. J. C* **75**(12), 580, [arXiv:1506.06042 \[hep-ex\]](#).
- Abramowicz, H. et al. (2016). Combined QCD and electroweak analysis of HERA data. *Phys. Rev. D* **93**(9), 092002, [arXiv:1603.09628 \[hep-ex\]](#).
- Acciarri, R. et al. (2015). Long-Baseline Neutrino Facility (LBNF) and Deep Underground Neutrino Experiment (DUNE). [arXiv:1512.06148 \[physics.ins-det\]](#).
- Accomando, E. et al. (2006). Workshop on CP studies and non-standard Higgs physics. [arXiv:hep-ph/0608079](#).
- Achiman, Y. and B. Stech (1978). Quark lepton symmetry and mass scales in an E_6 unified gauge model. *Phys. Lett.* **B77**, 389–393.
- Adamson, P. et al. (2012). Measurements of atmospheric neutrinos and antineutrinos in the MINOS far detector. *Phys. Rev. D* **86**, 052007, [arXiv:1208.2915 \[hep-ex\]](#).
- Adamson, P. et al. (2016a). First measurement of muon-neutrino disappearance in NO ν A. *Phys. Rev. D* **93**(5), 051104, [arXiv:1601.05037 \[hep-ex\]](#), copyright 2016 by the American Physical Society.

- Adamson, P. et al. (2016b). Limits on active to sterile neutrino oscillations from disappearance searches in the MINOS, Daya Bay, and Bugey-3 experiments. *Phys. Rev. Lett.* *117*, 151801, [arXiv:1607.01177 \[hep-ex\]](#), copyright 2016 by the American Physical Society.
- Ade, P. A. R. et al. (2016). Planck 2015 results. XIII. Cosmological parameters. *Astron. Astrophys.* *594*, A13, [arXiv:1502.01589 \[astro-ph.CO\]](#).
- Adelberger, E. G., J. H. Gundlach, B. R. Heckel, S. Hoedl, and S. Schlamminger (2009). Torsion balance experiments: A low-energy frontier of particle physics. *Prog. Part. Nucl. Phys.* *62*, 102–134.
- Ademollo, M. and R. Gatto (1964). Nonrenormalization theorem for the strangeness violating vector currents. *Phys. Rev. Lett.* *13*, 264–265.
- Adhikari, R. et al. (2017). A white paper on keV sterile neutrino dark matter. *JCAP* *1701*(01), 025.
- Adkins, G. S., C. R. Nappi, and E. Witten (1983). Static properties of nucleons in the Skyrme model. *Nucl. Phys. B**228*, 552.
- Adler, S. L. (1965a). Calculation of the axial vector coupling constant renormalization in beta decay. *Phys. Rev. Lett.* *14*, 1051–1055.
- Adler, S. L. (1965b). Consistency conditions on the strong interactions implied by a partially conserved axial vector current. *Phys. Rev.* *137*, B1022–B1033.
- Adler, S. L. (1969). Axial vector vertex in spinor electrodynamics. *Phys. Rev.* *177*, 2426–2438.
- Adler, S. L. (2004). Anomalies to all orders. [arXiv:hep-th/0405040](#).
- Adler, S. L. and W. A. Bardeen (1969). Absence of higher order corrections in the anomalous axial vector divergence equation. *Phys. Rev.* *182*, 1517–1536.
- Adrian-Martinez, S. et al. (2016). Letter of intent for KM3NeT 2.0. *J. Phys. G**43*(8), 084001, [arXiv:1601.07459 \[astro-ph.IM\]](#).
- Affleck, I. and M. Dine (1985). A new mechanism for baryogenesis. *Nucl. Phys. B**249*, 361.
- Affleck, I., M. Dine, and N. Seiberg (1985). Dynamical supersymmetry breaking in four-dimensions and its phenomenological implications. *Nucl. Phys. B**256*, 557.
- Agafonova, N. et al. (2015). Discovery of τ neutrino appearance in the CNGS neutrino beam with the OPERA experiment. *Phys. Rev. Lett.* *115*(12), 121802, [arXiv:1507.01417 \[hep-ex\]](#).
- Agashe, K., A. Delgado, M. J. May, and R. Sundrum (2003). RS1, custodial isospin and precision tests. *JHEP* *08*, 050, [arXiv:hep-ph/0308036 \[hep-ph\]](#).
- Agostini, M. et al. (2015a). A test of electric charge conservation with Borexino. *Phys. Rev. Lett.* *115*, 231802, [arXiv:1509.01223 \[hep-ex\]](#).
- Agostini, M. et al. (2015b). Spectroscopy of geoneutrinos from 2056 days of Borexino data. *Phys. Rev. D**92*(3), 031101, [arXiv:1506.04610 \[hep-ex\]](#).
- Agrawal, V., S. M. Barr, J. F. Donoghue, and D. Seckel (1998). The anthropic principle and the mass scale of the standard model. *Phys. Rev. D**57*, 5480–5492, [arXiv:hep-ph/9707380](#).

- Aguilar-Arevalo, A. et al. (2001). Evidence for neutrino oscillations from the observation of $\bar{\nu}_e$ appearance in a $\bar{\nu}_\mu$ beam. *Phys. Rev. D* **64**, 112007, [arXiv:hep-ex/0104049 \[hep-ex\]](#).
- Aguilar-Arevalo, A. et al. (2013). Improved search for $\bar{\nu}_\mu \rightarrow \bar{\nu}_e$ oscillations in the Mini-BooNE experiment. *Phys. Rev. Lett.* **110**, 161801, [arXiv:1207.4809 \[hep-ex\]](#).
- Aguilar-Arevalo, A. et al. (2015). Improved measurement of the $\pi \rightarrow e\nu$ branching ratio. *Phys. Rev. Lett.* **115**(7), 071801, [arXiv:1506.05845 \[hep-ex\]](#).
- Aguilar-Saavedra, J. A. et al. (2006). Supersymmetry parameter analysis: SPA convention and project. *Eur. Phys. J. C* **46**, 43–60, [arXiv:hep-ph/0511344](#).
- Aharmim, B. et al. (2013). Combined analysis of all three phases of solar neutrino data from the Sudbury Neutrino Observatory. *Phys. Rev. C* **88**, 025501, [arXiv:1109.0763 \[nucl-ex\]](#).
- Ahmed, S. et al. (2015). Physics potential of the ICAL detector at the India-based Neutrino Observatory (INO). [arXiv:1505.07380 \[physics.ins-det\]](#).
- Aidala, C. A., S. D. Bass, D. Hasch, and G. K. Mallot (2013). The spin structure of the nucleon. *Rev. Mod. Phys.* **85**, 655–691, [arXiv:1209.2803 \[hep-ph\]](#).
- Akhmedov, E. K. (1988). Resonant amplification of neutrino spin rotation in matter and the solar neutrino problem. *Phys. Lett.* **B213**, 64–68.
- Akhmedov, E. K. and A. Y. Smirnov (2009). Paradoxes of neutrino oscillations. *Phys. Atom. Nucl.* **72**, 1363–1381, [arXiv:0905.1903 \[hep-ph\]](#).
- Albright, C. H. (2009). Overview of neutrino mixing models and ways to differentiate among them. [arXiv:0905.0146 \[hep-ph\]](#).
- Albright, C. H., K. S. Babu, and S. M. Barr (1998). A minimality condition and atmospheric neutrino oscillations. *Phys. Rev. Lett.* **81**, 1167–1170, [arXiv:hep-ph/9802314](#).
- Alekhin, S., J. Blumlein, and S. Moch (2014). The ABM parton distributions tuned to LHC data. *Phys. Rev. D* **89**(5), 054028, [arXiv:1310.3059 \[hep-ph\]](#).
- Alexander, J. et al. (2016). Dark Sectors 2016 Workshop: Community report. [arXiv:1608.08632 \[hep-ph\]](#).
- Alford, M. G., A. Schmitt, K. Rajagopal, and T. Schafer (2008). Color superconductivity in dense quark matter. *Rev. Mod. Phys.* **80**, 1455–1515, [arXiv:0709.4635 \[hep-ph\]](#).
- Ali, A. (2016). Rare B -meson decays at the crossroads. *Int. J. Mod. Phys. A* **31**(23), 1630036, [arXiv:1607.04918 \[hep-ph\]](#).
- Allanach, B. C. (2002). SOFTSUSY: a C++ program for calculating supersymmetric spectra. *Comput. Phys. Commun.* **143**, 305–331, [arXiv:hep-ph/0104145](#).
- Allanach, B. C., A. Dedes, and H. K. Dreiner (1999). Bounds on R -parity violating couplings at the weak scale and at the GUT scale. *Phys. Rev. D* **60**, 075014, [arXiv:hep-ph/9906209 \[hep-ph\]](#).
- Alloul, A., N. D. Christensen, C. Degrande, C. Duhr, and B. Fuks (2014). FeynRules 2.0 - A complete toolbox for tree-level phenomenology. *Comput. Phys. Commun.* **185**, 2250–2300, [arXiv:1310.1921 \[hep-ph\]](#).

- Almeida, L. G., S. J. Lee, S. Pokorski, and J. D. Wells (2014). Study of the 125 GeV standard model Higgs boson partial widths and branching fractions. *Phys. Rev. D* **89**, 033006, [arXiv:1311.6721 \[hep-ph\]](#).
- Alonso, R., M. Dhen, M. Gavela, and T. Hambye (2013a). Muon conversion to electron in nuclei in type-I seesaw models. *JHEP* **1301**, 118, [arXiv:1209.2679 \[hep-ph\]](#).
- Alonso, R., M. B. Gavela, D. Hernandez, L. Merlo, and S. Rigolin (2013). Leptonic dynamical yukawa couplings. *JHEP* **08**, 069, [arXiv:1306.5922 \[hep-ph\]](#).
- Altarelli, G. (2013). Collider physics within the standard model: a primer. [arXiv:1303.2842 \[hep-ph\]](#).
- Altarelli, G. and R. Barbieri (1991). Vacuum polarization effects of new physics on electroweak processes. *Phys. Lett. B* **253**, 161–167.
- Altarelli, G. and F. Feruglio (2004). Models of neutrino masses and mixings. *New J. Phys.* **6**, 106, [arXiv:hep-ph/0405048](#).
- Altarelli, G. and F. Feruglio (2010). Discrete flavor symmetries and models of neutrino mixing. *Rev. Mod. Phys.* **82**, 2701–2729, [arXiv:1002.0211 \[hep-ph\]](#).
- Altarelli, G., F. Feruglio, and C. Hagedorn (2008). A SUSY $SU(5)$ grand unified model of tri-bimaximal mixing from A_4 . *JHEP* **03**, 052–052, [arXiv:0802.0090 \[hep-ph\]](#).
- Altarelli, G. and L. Maiani (1974). Octet enhancement of nonleptonic weak interactions in asymptotically free gauge theories. *Phys. Lett. B* **52**, 351–354.
- Altarelli, G. and G. Parisi (1977). Asymptotic freedom in parton language. *Nucl. Phys. B* **126**, 298.
- Altheimer, A. et al. (2012). Jet substructure at the Tevatron and LHC: New results, new tools, new benchmarks. *J. Phys. G* **39**, 063001, [arXiv:1201.0008 \[hep-ph\]](#).
- Altmannshofer, W., A. J. Buras, S. Gori, P. Paradisi, and D. M. Straub (2010). Anatomy and phenomenology of FCNC and CPV effects in SUSY theories. *Nucl. Phys. B* **830**, 17–94, [arXiv:0909.1333 \[hep-ph\]](#).
- Alves, D. et al. (2012). Simplified models for LHC new physics searches. *J. Phys. G* **39**, 105005, [arXiv:1105.2838 \[hep-ph\]](#).
- Alwall, J. et al. (2007). A standard format for Les Houches event files. *Comput. Phys. Commun.* **176**, 300–304, [arXiv:hep-ph/0609017 \[hep-ph\]](#).
- Alwall, J. et al. (2014). The automated computation of tree-level and next-to-leading order differential cross sections, and their matching to parton shower simulations. *JHEP* **07**, 079, [arXiv:1405.0301 \[hep-ph\]](#).
- Amaldi, U. et al. (1987). A comprehensive analysis of data pertaining to the weak neutral current and the intermediate vector boson masses. *Phys. Rev. D* **36**, 1385, copyright 1987 by the American Physical Society.
- Amaldi, U., W. de Boer, and H. Furstenau (1991). Comparison of grand unified theories with electroweak and strong coupling constants measured at LEP. *Phys. Lett. B* **260**, 447–455.

- Ambrosino, F. et al. (2011). Measurement of $\sigma(e^+e^- \rightarrow \pi^+\pi^-)$ from threshold to 0.85 GeV² using initial state radiation with the KLOE detector. *Phys. Lett. B700*, 102–110, [arXiv:1006.5313 \[hep-ex\]](#).
- Amhis, Y. et al. (2014). Averages of b -hadron, c -hadron, and τ -lepton properties as of summer 2014. [arXiv:1412.7515 \[hep-ex\]](#), and updates at www.slac.stanford.edu/xorg/hfag.
- An, F. P. et al. (2017). Measurement of electron antineutrino oscillation based on 1230 days of operation of the Daya Bay experiment. *Phys. Rev. D95*(7), 072006, [arXiv:1610.04802 \[hep-ex\]](#).
- Anchordoqui, L. A. et al. (2014). Cosmic neutrino pevatrons: a brand new pathway to astronomy, astrophysics, and particle physics. *J. High Energy Astrophysics 1-2*, 1–30, [arXiv:1312.6587 \[astro-ph.HE\]](#).
- Anchordoqui, L. A., H. Goldberg, and G. Steigman (2013). Right-handed neutrinos as the dark radiation: status and forecasts for the LHC. *Phys. Lett. B718*, 1162–1165, [arXiv:1211.0186 \[hep-ph\]](#).
- Anderson, P. W. (1963). Plasmons, gauge invariance, and mass. *Phys. Rev. 130*, 439–442.
- Androic, D. et al. (2013). First determination of the weak charge of the proton. *Phys. Rev. Lett. 111*(14), 141803, [arXiv:1307.5275 \[nucl-ex\]](#), copyright 2013 by the American Physical Society.
- Angelopoulos, A. et al. (2003). Physics at CPLEAR. *Phys. Rept. 374*, 165.
- Ansari, R. et al. (1987). Measurement of the standard model parameters from a study of W and Z bosons. *Phys. Lett. B186*, 440.
- Anselm, A. A. and A. A. Johansen (1994). Can electroweak theta term be observable? *Nucl. Phys. B412*, 553–573, [arXiv:hep-ph/9305271](#).
- Anthony, P. L. et al. (2005). Precision measurement of the weak mixing angle in Møller scattering. *Phys. Rev. Lett. 95*, 081601, [arXiv:hep-ex/0504049](#).
- Antonelli, M. et al. (2010a). An evaluation of $|V_{us}|$ and precise tests of the standard model from world data on leptonic and semileptonic kaon decays. *Eur. Phys. J. C69*, 399–424, [arXiv:1005.2323 \[hep-ph\]](#).
- Antonelli, M. et al. (2010b). Flavor physics in the quark sector. *Phys. Rept. 494*, 197–414, [arXiv:0907.5386 \[hep-ph\]](#).
- Antonelli, V., L. Miramonti, C. Pena Garay, and A. Serenelli (2013). Solar neutrinos. *Adv. High Energy Phys. 2013*, 351926, [arXiv:1208.1356 \[hep-ex\]](#).
- Antusch, S. (2013). Models for neutrino masses and mixings. *Nucl. Phys. Proc. Suppl. 235-236*, 303–309, [arXiv:1301.5511 \[hep-ph\]](#).
- Antusch, S., C. Biggio, E. Fernandez-Martinez, M. Gavela, and J. Lopez-Pavon (2006). Unitarity of the leptonic mixing matrix. *JHEP 0610*, 084, [arXiv:hep-ph/0607020 \[hep-ph\]](#).
- Antusch, S. and O. Fischer (2014). Non-unitarity of the leptonic mixing matrix: Present bounds and future sensitivities. *JHEP 10*, 094, [arXiv:1407.6607 \[hep-ph\]](#).

- Antusch, S., J. Kersten, M. Lindner, M. Ratz, and M. A. Schmidt (2005). Running neutrino mass parameters in see-saw scenarios. *JHEP* 03, 024, [arXiv:hep-ph/0501272](#).
- Aoki, S. et al. (2017). Review of lattice results concerning low-energy particle physics. *Eur. Phys. J. C* 77(2), 112, [arXiv:1607.00299 \[hep-lat\]](#).
- Aoyama, T., M. Hayakawa, T. Kinoshita, and M. Nio (2012). Complete tenth-order QED contribution to the muon $g-2$. *Phys. Rev. Lett.* 109, 111808, [arXiv:1205.5370 \[hep-ph\]](#).
- Aoyama, T., M. Hayakawa, T. Kinoshita, and M. Nio (2015). Tenth-order electron anomalous magnetic moment — contribution of diagrams without closed lepton loops. *Phys. Rev. D* 91(3), 033006, [arXiv:1412.8284 \[hep-ph\]](#).
- Appelquist, T. and J. Carazzone (1975). Infrared singularities and massive fields. *Phys. Rev. D* 11, 2856.
- Appelquist, T., H.-C. Cheng, and B. A. Dobrescu (2001). Bounds on universal extra dimensions. *Phys. Rev. D* 64, 035002, [arXiv:hep-ph/0012100](#).
- Appelquist, T., N. D. Christensen, M. Piai, and R. Shrock (2004). Flavor-changing processes in extended technicolor. *Phys. Rev. D* 70, 093010, [arXiv:hep-ph/0409035](#).
- Appelquist, T. and H. D. Politzer (1975). Orthocharmonium and e^+e^- annihilation. *Phys. Rev. Lett.* 34, 43.
- Arana-Catania, M., S. Heinemeyer, and M. J. Herrero (2014). Updated constraints on general squark flavor mixing. *Phys. Rev. D* 90(7), 075003, [arXiv:1405.6960 \[hep-ph\]](#).
- Arbey, A. et al. (2015). Physics at the e^+e^- linear collider. *Eur. Phys. J. C* 75(8), 371, [arXiv:1504.01726 \[hep-ph\]](#).
- Arbuzov, A. B. et al. (2006). ZFITTER: a semi-analytical program for fermion pair production in e^+e^- annihilation, from version 6.21 to version 6.42. *Comput. Phys. Commun.* 174, 728–758, [arXiv:hep-ph/0507146](#).
- Arkani-Hamed, N., A. G. Cohen, and H. Georgi (2001a). Electroweak symmetry breaking from dimensional deconstruction. *Phys. Lett. B* 513, 232–240, [arXiv:hep-ph/0105239](#).
- Arkani-Hamed, N., A. G. Cohen, E. Katz, and A. E. Nelson (2002a). The littlest Higgs. *JHEP* 07, 034, [arXiv:hep-ph/0206021](#).
- Arkani-Hamed, N. and S. Dimopoulos (2005). Supersymmetric unification without low energy supersymmetry and signatures for fine-tuning at the LHC. *JHEP* 06, 073, [arXiv:hep-th/0405159](#).
- Arkani-Hamed, N., S. Dimopoulos, and G. R. Dvali (1998). The hierarchy problem and new dimensions at a millimeter. *Phys. Lett. B* 429, 263–272, [arXiv:hep-ph/9803315](#).
- Arkani-Hamed, N., S. Dimopoulos, G. R. Dvali, and J. March-Russell (2002b). Neutrino masses from large extra dimensions. *Phys. Rev. D* 65, 024032, [arXiv:hep-ph/9811448](#).
- Arkani-Hamed, N., L. J. Hall, H. Murayama, D. Tucker-Smith, and N. Weiner (2001b). Small neutrino masses from supersymmetry breaking. *Phys. Rev. D* 64, 115011, [arXiv:hep-ph/0006312](#).
- Arkani-Hamed, N., T. Han, M. Mangano, and L.-T. Wang (2016). Physics opportunities of a 100 TeV proton-proton collider. *Phys. Rept.* 652, 1–49, [arXiv:1511.06495 \[hep-ph\]](#).

- Arkani-Hamed, N. and N. Weiner (2008). LHC signals for a superunified theory of dark matter. *JHEP* 12, 104, [arXiv:0810.0714 \[hep-ph\]](#).
- Armesto, N. (2006). Nuclear shadowing. *J. Phys. G32*, R367–R394, [arXiv:hep-ph/0604108 \[hep-ph\]](#).
- Armesto, N. et al. (2008). Heavy ion collisions at the LHC — last call for predictions. *J. Phys. G35*, 054001, [arXiv:0711.0974 \[hep-ph\]](#).
- Armstrong, D. S. and R. D. McKeown (2012). Parity-violating electron scattering and the electric and magnetic strange form factors of the nucleon. *Ann. Rev. Nucl. Part. Sci.* 62, 337–359, [arXiv:1207.5238 \[nucl-ex\]](#).
- Arnison, G. et al. (1986). Recent results on intermediate vector boson properties at the CERN super proton synchrotron collider. *Phys. Lett. B166*, 484.
- Arrington, J., C. D. Roberts, and J. M. Zanotti (2007). Nucleon electromagnetic form factors. *J. Phys. G34*, S23–S52, [arXiv:nucl-th/0611050](#).
- Artuso, M. et al. (2008a). B , D and K decays. *Eur. Phys. J. C57*, 309–492, [arXiv:0801.1833 \[hep-ph\]](#).
- Artuso, M., E. Barberio, and S. Stone (2009). B meson decays. *PMC Phys. A3*, 3, [arXiv:0902.3743 \[hep-ph\]](#).
- Artuso, M., G. Borissov, and A. Lenz (2016). CP violation in the B_s^0 system. *Rev. Mod. Phys.* 88(4), 045002, [arXiv:1511.09466 \[hep-ph\]](#).
- Artuso, M., B. Meadows, and A. A. Petrov (2008b). Charm meson decays. *Ann. Rev. Nucl. Part. Sci.* 58, 249–291, [arXiv:0802.2934 \[hep-ph\]](#).
- Asner, D. M. et al. (2013). Snowmass 2013: ILC Higgs white paper. [arXiv:1310.0763 \[hep-ph\]](#).
- Asztalos, S. J., L. J. Rosenberg, K. van Bibber, P. Sikivie, and K. Zioutas (2006). Searches for astrophysical and cosmological axions. *Ann. Rev. Nucl. Part. Sci.* 56, 293–326.
- Atre, A., T. Han, S. Pascoli, and B. Zhang (2009). The search for heavy Majorana neutrinos. *JHEP* 05, 030, [arXiv:0901.3589 \[hep-ph\]](#).
- Atwood, D., S. Bar-Shalom, G. Eilam, and A. Soni (2001). CP violation in top physics. *Phys. Rept.* 347, 1–222, [arXiv:hep-ph/0006032](#).
- Atwood, D., L. Reina, and A. Soni (1997). Phenomenology of two Higgs doublet models with flavor changing neutral currents. *Phys. Rev. D55*, 3156–3176, [arXiv:hep-ph/9609279](#).
- Autermann, C. (2016). Experimental status of supersymmetry after the LHC Run-I. *Prog. Part. Nucl. Phys.* 90, 125–155, [arXiv:1609.01686 \[hep-ex\]](#).
- Baak, M. et al. (2013). Working group report: Precision study of electroweak interactions. [arXiv:1310.6708 \[hep-ph\]](#).
- Babu, K. and C. N. Leung (2001). Classification of effective neutrino mass operators. *Nucl. Phys. B619*, 667–689, [arXiv:hep-ph/0106054 \[hep-ph\]](#).
- Babu, K. S. et al. (2013). Snowmass 2013 working group report: Baryon number violation. [arXiv:1311.5285 \[hep-ph\]](#).

- Babu, K. S., C. F. Kolda, and J. March-Russell (1998). Implications of generalized $Z - Z'$ mixing. *Phys. Rev. D* *57*, 6788–6792, [arXiv:hep-ph/9710441](#).
- Babu, K. S. and R. N. Mohapatra (1991). Top quark mass in a dynamical symmetry breaking scheme with radiative b quark and τ lepton masses. *Phys. Rev. Lett.* *66*, 556–559.
- Babu, K. S., J. C. Pati, and F. Wilczek (2000). Fermion masses, neutrino oscillations, and proton decay in the light of SuperKamiokande. *Nucl. Phys. B* *566*, 33–91, [arXiv:hep-ph/9812538](#).
- Baer, H., V. Barger, and H. Serce (2016). SUSY under siege from direct and indirect WIMP detection experiments. *Phys. Rev. D* *94*(11), 115019, [arXiv:1609.06735 \[hep-ph\]](#).
- Bagger, J., K. T. Matchev, and D. Pierce (1995). Precision corrections to supersymmetric unification. *Phys. Lett. B* *348*, 443–450, [arXiv:hep-ph/9501277](#).
- Baglio, J., O. Eberhardt, U. Nierste, and M. Wiebusch (2014). Benchmarks for Higgs pair production and heavy Higgs searches in the two-Higgs-doublet model of type II. *Phys. Rev. D* *90*, 015008, [arXiv:1403.1264 \[hep-ph\]](#).
- Bahcall, J. N., A. M. Serenelli, and S. Basu (2005). New solar opacities, abundances, helioseismology, and neutrino fluxes. *Astrophys. J.* *621*, L85–L88, [arXiv:astro-ph/0412440](#).
- Bahcall, J. N., A. M. Serenelli, and S. Basu (2006). 10,000 standard solar models: a Monte Carlo simulation. *Astrophys. J. Suppl.* *165*, 400–431, [arXiv:astro-ph/0511337 \[astro-ph\]](#).
- Baikov, P. A., K. G. Chetyrkin, J. H. Kuhn, and J. Rittinger (2012). Adler function, sum rules and Crewther relation of order $O(\alpha_s^4)$: the singlet case. *Phys. Lett. B* *714*, 62–65, [arXiv:1206.1288 \[hep-ph\]](#).
- Baldini, A. M. et al. (2016). Search for the lepton flavour violating decay $\mu^+ \rightarrow e^+ \gamma$ with the full dataset of the MEG experiment. *Eur. Phys. J. C* *76*(8), 434, [arXiv:1605.05081 \[hep-ex\]](#).
- Ball, R. D. et al. (2015). Parton distributions for the LHC Run II. *JHEP* *04*, 040, [arXiv:1410.8849 \[hep-ph\]](#).
- Bandurin, D. et al. (2015). Review of physics results from the Tevatron. *Int. J. Mod. Phys. A* *30*(06), 1541001, [arXiv:1409.4861 \[hep-ex\]](#).
- Banfi, A., G. P. Salam, and G. Zanderighi (2010). Phenomenology of event shapes at hadron colliders. *JHEP* *06*, 038, [arXiv:1001.4082 \[hep-ph\]](#).
- Banks, T. and L. J. Dixon (1988). Constraints on string vacua with space-time supersymmetry. *Nucl. Phys. B* *307*, 93–108.
- Banks, T. and N. Seiberg (2011). Symmetries and strings in field theory and gravity. *Phys. Rev. D* *83*, 084019, [arXiv:1011.5120 \[hep-th\]](#).
- Barate, R. et al. (2003). Search for the standard model Higgs boson at LEP. *Phys. Lett. B* *565*, 61–75, [arXiv:hep-ex/0306033](#).
- Barbier, R. et al. (2005). R -parity violating supersymmetry. *Phys. Rept.* *420*, 1–202, [arXiv:hep-ph/0406039](#).

- Barbieri, R., A. Pomarol, R. Rattazzi, and A. Strumia (2004). Electroweak symmetry breaking after LEP-1 and LEP-2. *Nucl. Phys. B703*, 127–146, [arXiv:hep-ph/0405040](#).
- Bardeen, W. A. (1969). Anomalous Ward identities in spinor field theories. *Phys. Rev.* *184*, 1848–1857.
- Bardeen, W. A., A. J. Buras, D. W. Duke, and T. Muta (1978). Deep inelastic scattering beyond the leading order in asymptotically free gauge theories. *Phys. Rev. D18*, 3998.
- Barenboim, G. and N. E. Mavromatos (2005). *CPT* violating decoherence and LSND: A possible window to Planck scale physics. *JHEP* *01*, 034, [arXiv:hep-ph/0404014](#).
- Barger, V., C.-W. Chiang, P. Langacker, and H.-S. Lee (2004). Z' mediated flavor changing neutral currents in B meson decays. *Phys. Lett. B580*, 186–196, [arXiv:hep-ph/0310073](#).
- Barger, V., S. L. Glashow, P. Langacker, and D. Marfatia (2002). No-go for detecting CP violation via neutrinoless double beta decay. *Phys. Lett. B540*, 247–251, [arXiv:hep-ph/0205290](#).
- Barger, V., J. P. Kneller, P. Langacker, D. Marfatia, and G. Steigman (2003a). Hiding relativistic degrees of freedom in the early universe. *Phys. Lett. B569*, 123–128, [arXiv:hep-ph/0306061](#).
- Barger, V., P. Langacker, and H.-S. Lee (2003b). Primordial nucleosynthesis constraints on Z' properties. *Phys. Rev. D67*, 075009, [arXiv:hep-ph/0302066](#).
- Barger, V., P. Langacker, H.-S. Lee, and G. Shaughnessy (2006). Higgs sector in extensions of the MSSM. *Phys. Rev. D73*, 115010, [arXiv:hep-ph/0603247](#).
- Barger, V., P. Langacker, M. McCaskey, M. Ramsey-Musolf, and G. Shaughnessy (2009). Complex singlet extension of the standard model. *Phys. Rev. D79*, 015018, [arXiv:0811.0393 \[hep-ph\]](#).
- Barger, V., P. Langacker, and G. Shaughnessy (2007). TeV physics and the Planck scale. *New J. Phys.* *9*, 333, [arXiv:hep-ph/0702001](#).
- Barger, V. D., M. S. Berger, and P. Ohmann (1993). Supersymmetric grand unified theories: two loop evolution of gauge and Yukawa couplings. *Phys. Rev. D47*, 1093–1113, [arXiv:hep-ph/9209232](#).
- Barger, V. D. and C. Kao (1999). Tripleton signature of minimal supergravity at the upgraded Tevatron. *Phys. Rev. D60*, 115015, [arXiv:hep-ph/9811489](#).
- Barger, V. D., P. Langacker, J. P. Leveille, and S. Pakvasa (1980a). Consequences of Majorana and Dirac mass mixing for neutrino oscillations. *Phys. Rev. Lett.* *45*, 692.
- Barger, V. D., K. Whisnant, S. Pakvasa, and R. J. N. Phillips (1980b). Matter effects on three-neutrino oscillations. *Phys. Rev. D22*, 2718.
- Barker, A. R. and S. H. Kettell (2000). Developments in rare kaon decay physics. *Ann. Rev. Nucl. Part. Sci.* *50*, 249–297, [arXiv:hep-ex/0009024](#).
- Barr, S. M. (1982). A new symmetry breaking pattern for $SO(10)$ and proton decay. *Phys. Lett. B112*, 219–222.
- Barr, S. M. (1984). A natural class of non Peccei-Quinn models. *Phys. Rev. D30*, 1805.

- Barr, S. M. and A. Zee (1990). Electric dipole moment of the electron and of the neutron. *Phys. Rev. Lett.* *65*, 21–24.
- Barry, J., W. Rodejohann, and H. Zhang (2011). Light sterile neutrinos: models and phenomenology. *JHEP* *1107*, 091, [arXiv:1105.3911 \[hep-ph\]](#).
- Bartel, W. et al. (1984). A measurement of the electroweak induced charge asymmetry in $e^+e^- \rightarrow B\bar{B}$. *Phys. Lett.* *B146*, 437.
- Bartl, A., E. Christova, K. Hohenwarter-Sodek, and T. Kernreiter (2004). Triple product correlations in top squark decays. *Phys. Rev.* *D70*, 095007, [arXiv:hep-ph/0409060](#).
- Bass, S. D. (2011). The cosmological constant puzzle. *J. Phys.* *G38*, 043201.
- Batra, P., A. Delgado, D. E. Kaplan, and T. M. P. Tait (2004). The Higgs mass bound in gauge extensions of the minimal supersymmetric standard model. *JHEP* *02*, 043, [arXiv:hep-ph/0309149 \[hep-ph\]](#).
- Baudis, L. (2016). Dark matter searches. *Annalen Phys.* *528*, 74–83, [arXiv:1509.00869 \[astro-ph.CO\]](#).
- Bayatian, G. L. et al. (2007). CMS technical design report, volume II: physics performance. *J. Phys.* *G34*, 995–1579.
- Bayes, R. et al. (2011). Experimental constraints on left-right symmetric models from muon decay. *Phys. Rev. Lett.* *106*, 041804.
- Beacom, J. F. (2010). The diffuse supernova neutrino background. *Ann. Rev. Nucl. Part. Sci.* *60*, 439–462, [arXiv:1004.3311 \[astro-ph.HE\]](#).
- Beacom, J. F. and N. F. Bell (2002). Do solar neutrinos decay? *Phys. Rev.* *D65*, 113009, [arXiv:hep-ph/0204111](#).
- Beall, G., M. Bander, and A. Soni (1982). Constraint on the mass scale of a left-right symmetric electroweak theory from the $K_L - K_S$ mass difference. *Phys. Rev. Lett.* *48*, 848.
- Beane, S. R. and N. Klco (2016). Chiral corrections to the Adler-Weisberger sum rule. *Phys. Rev.* *D94*, 116002, [arXiv:1609.01350 \[hep-ph\]](#).
- Bechtle, P. et al. (2014c). HiggsBounds – 4: Improved tests of extended Higgs sectors against exclusion bounds from LEP, the Tevatron and the LHC. *Eur. Phys. J.* *C74*(3), 2693, [arXiv:1311.0055 \[hep-ph\]](#).
- Bechtle, P. et al. (2017). The light and heavy Higgs interpretation of the MSSM. *Eur. Phys. J.* *C77*(2), 67, [arXiv:1608.00638 \[hep-ph\]](#).
- Bechtle, P., S. Heinemeyer, O. Stal, T. Stefaniak, and G. Weiglein (2014a). HiggsSignals: Confronting arbitrary Higgs sectors with measurements at the Tevatron and the LHC. *Eur. Phys. J.* *C74*(2), 2711, [arXiv:1305.1933 \[hep-ph\]](#).
- Bechtle, P., S. Heinemeyer, O. Stal, T. Stefaniak, and G. Weiglein (2014b). Probing the standard model with Higgs signal rates from the Tevatron, the LHC and a future ILC. *JHEP* *1411*, 039, [arXiv:1403.1582 \[hep-ph\]](#).
- Behrends, R. E. and A. Sirlin (1960). Effect of mass splittings on the conserved vector current. *Phys. Rev. Lett.* *4*, 186–187.

- Bekenstein, J. and M. Milgrom (1984). Does the missing mass problem signal the breakdown of Newtonian gravity? *Astrophys. J.* *286*, 7–14.
- Bélanger, G., F. Boudjema, A. Pukhov, and A. Semenov (2015). micrOMEGAs4.1: two dark matter candidates. *Comput. Phys. Commun.* *192*, 322–329, [arXiv:1407.6129 \[hep-ph\]](#).
- Bélanger, G., B. Dumont, U. Ellwanger, J. Gunion, and S. Kraml (2013). Global fit to Higgs signal strengths and couplings and implications for extended Higgs sectors. *Phys. Rev. D* *88*, 075008, [arXiv:1306.2941 \[hep-ph\]](#).
- Belitsky, A. V. and A. V. Radyushkin (2005). Unraveling hadron structure with generalized parton distributions. *Phys. Rept.* *418*, 1–387, [arXiv:hep-ph/0504030 \[hep-ph\]](#).
- Bell, J. S. and R. Jackiw (1969). A PCAC puzzle: $\pi^0 \rightarrow \gamma\gamma$ in the sigma model. *Nuovo Cim.* *A60*, 47–61.
- Bell, N. F., V. Cirigliano, M. J. Ramsey-Musolf, P. Vogel, and M. B. Wise (2005). How magnetic is the Dirac neutrino? *Phys. Rev. Lett.* *95*, 151802, [arXiv:hep-ph/0504134 \[hep-ph\]](#).
- Bell, N. F., M. Gorchtein, M. J. Ramsey-Musolf, P. Vogel, and P. Wang (2006). Model independent bounds on magnetic moments of Majorana neutrinos. *Phys. Lett.* *B642*, 377–383, [arXiv:hep-ph/0606248 \[hep-ph\]](#).
- Bellerive, A., J. R. Klein, A. B. McDonald, A. J. Noble, and A. W. P. Poon (2016). The Sudbury Neutrino Observatory. *Nucl. Phys.* *B908*, 30–51, [arXiv:1602.02469 \[nucl-ex\]](#).
- Bellini, G. et al. (2014a). Final results of Borexino phase-I on low energy solar neutrino spectroscopy. *Phys. Rev. D* *89*, 112007, [arXiv:1308.0443 \[hep-ex\]](#), copyright 2014 by the American Physical Society.
- Bellini, G. et al. (2014b). Neutrinos from the primary proton-proton fusion process in the Sun. *Nature* *512*(7515), 383–386.
- Bellm, J. et al. (2016). Herwig 7.0/Herwig++ 3.0 release note. *Eur. Phys. J.* *C76*(4), 196, [arXiv:1512.01178 \[hep-ph\]](#).
- Belyaev, A., N. D. Christensen, and A. Pukhov (2013). CalcHEP 3.4 for collider physics within and beyond the standard model. *Comput. Phys. Commun.* *184*, 1729–1769, [arXiv:1207.6082 \[hep-ph\]](#).
- Benayoun, M. et al. (2014). Workshop proceedings: Hadronic contributions to the muon anomalous magnetic moment. $(g - 2)_\mu$: Quo vadis? [arXiv:1407.4021 \[hep-ph\]](#).
- Bennett, G. W. et al. (2006). Final report of the muon E821 anomalous magnetic moment measurement at BNL. *Phys. Rev. D* *73*, 072003, [arXiv:hep-ex/0602035](#).
- Benson, D., I. I. Bigi, T. Mannel, and N. Uraltsev (2003). Imprecated, yet impeccable: on the theoretical evaluation of $\Gamma(B \rightarrow X_c \ell \nu)$. *Nucl. Phys.* *B665*, 367–401, [arXiv:hep-ph/0302262](#).
- Benvenuti, A. C. et al. (1974). Observation of muonless neutrino induced inelastic interactions. *Phys. Rev. Lett.* *32*, 800–803.
- Berenstein, D. (2014). TeV-scale strings. *Ann. Rev. Nucl. Part. Sci.* *64*, 197–219, [arXiv:1401.4491 \[hep-th\]](#).

- Berger, C. F., J. S. Gainer, J. L. Hewett, and T. G. Rizzo (2009). Supersymmetry without prejudice. *JHEP* *02*, 023, [arXiv:0812.0980](#) [hep-ph].
- Berman, S. M. and A. Sirlin (1962). Some considerations on the radiative corrections to muon and neutron decay. *Ann. Phys.* *20*, 20–43.
- Bernabei, R. et al. (2010). New results from DAMA/LIBRA. *Eur. Phys. J. C* *67*, 39–49, [arXiv:1002.1028](#) [astro-ph.GA].
- Bernabéu, J. and F. Martínez-Vidal (2015). Time-reversal violation. *Ann. Rev. Nucl. Part. Sci.* *65*(1), 403–427.
- Bernard, V. (2008). Chiral perturbation theory and baryon properties. *Prog. Part. Nucl. Phys.* *60*, 82–160, [arXiv:0706.0312](#) [hep-ph].
- Bernardi, G. and M. Herndon (2014). Searches for the standard model Higgs boson at hadron colliders at $\sqrt{s} = 2, 7$ and 8 TeV until the discovery of the 125 GeV boson. *Rev. Mod. Phys.* *86*, 479, [arXiv:1210.0021](#) [hep-ex].
- Bernreuther, W. (2002). *CP* violation and baryogenesis. *Lect. Notes Phys.* *591*, 237–293, [arXiv:hep-ph/0205279](#).
- Bernstein, A. M. and B. R. Holstein (2013). Neutral pion lifetime measurements and the QCD chiral anomaly. *Rev. Mod. Phys.* *85*, 49, [arXiv:1112.4809](#) [hep-ph].
- Bertone, G. and D. Hooper (2016). A history of dark matter. [arXiv:1605.04909](#) [astro-ph.CO].
- Bertone, G., D. Hooper, and J. Silk (2005). Particle dark matter: evidence, candidates and constraints. *Phys. Rept.* *405*, 279–390, [arXiv:hep-ph/0404175](#).
- Bethke, S. (2007). Experimental tests of asymptotic freedom. *Prog. Part. Nucl. Phys.* *58*, 351–386, [arXiv:hep-ex/0606035](#).
- Betts, S. et al. (2013). Development of a relic neutrino detection experiment at PTOLEMY: Princeton tritium observatory for light, early-Universe, massive-neutrino yield. [arXiv:1307.4738](#) [astro-ph.IM].
- Bevan, A. J. et al. (2014). The physics of the *B* factories. *Eur. Phys. J. C* *74*, 3026, [arXiv:1406.6311](#) [hep-ex].
- Bhattacharya, T. et al. (2012). Probing novel scalar and tensor interactions from (ultra)cold neutrons to the LHC. *Phys. Rev. D* *85*, 054512, [arXiv:1110.6448](#) [hep-ph].
- Bicer, M. et al. (2014). First look at the physics case of TLEP. *JHEP* *01*, 164, [arXiv:1308.6176](#) [hep-ex].
- Bigi, I. I. Y., M. A. Shifman, and N. Uraltsev (1997). Aspects of heavy quark theory. *Ann. Rev. Nucl. Part. Sci.* *47*, 591–661, [arXiv:hep-ph/9703290](#).
- Bijnens, J. and G. Ecker (2014). Mesonic low-energy constants. *Ann. Rev. Nucl. Part. Sci.* *64*, 149–174, [arXiv:1405.6488](#) [hep-ph].
- Bilenky, S. M. and C. Giunti (2015). Neutrinoless double-beta decay: a probe of physics beyond the standard model. *Int. J. Mod. Phys. A* *30*(04n05), 1530001, [arXiv:1411.4791](#) [hep-ph].

- Billar, S. D. (2013). Probing Majorana neutrinos in the regime of the normal mass hierarchy. *Phys. Rev. D* **87**(7), 071301, [arXiv:1306.5654 \[physics.ins-det\]](#).
- Bjorken, J. D. (1969). Asymptotic sum rules at infinite momentum. *Phys. Rev.* **179**, 1547–1553.
- Blake, T., T. Gershon, and G. Hiller (2015). Rare b hadron decays at the LHC. *Ann. Rev. Nucl. Part. Sci.* **65**, 113–143, [arXiv:1501.03309 \[hep-ex\]](#).
- Blankenburg, G., J. Ellis, and G. Isidori (2012). Flavour-changing decays of a 125 GeV Higgs-like particle. *Phys. Lett. B* **712**, 386–390, [arXiv:1202.5704 \[hep-ph\]](#).
- Blennow, M. and A. Y. Smirnov (2013). Neutrino propagation in matter. *Adv. High Energy Phys.* **2013**, 972485, [arXiv:1306.2903 \[hep-ph\]](#).
- Bloom, E. D. and F. J. Gilman (1971). Scaling and the behavior of nucleon resonances in inelastic electron-nucleon scattering. *Phys. Rev. D* **4**, 2901.
- Blumenhagen, R., V. Braun, T. W. Grimm, and T. Weigand (2009a). GUTs in type IIB orientifold compactifications. *Nucl. Phys. B* **815**, 1–94, [arXiv:0811.2936 \[hep-th\]](#).
- Blumenhagen, R., M. Cvetič, S. Kachru, and T. Weigand (2009b). D-brane instantons in type II orientifolds. *Ann. Rev. Nucl. Part. Sci.* **59**, 269–296, [arXiv:0902.3251 \[hep-th\]](#).
- Blumenhagen, R., M. Cvetič, P. Langacker, and G. Shiu (2005). Toward realistic intersecting D-brane models. *Ann. Rev. Nucl. Part. Sci.* **55**, 71, [arXiv:hep-th/0502005](#).
- Blumenhagen, R., M. Cvetič, and T. Weigand (2007a). Spacetime instanton corrections in 4D string vacua — the seesaw mechanism for D-brane models. *Nucl. Phys. B* **771**, 113–142, [arXiv:hep-th/0609191](#).
- Blumenhagen, R., B. Kors, D. Lust, and S. Stieberger (2007b). Four-dimensional string compactifications with D-branes, orientifolds and fluxes. *Phys. Rept.* **445**, 1–193, [arXiv:hep-th/0610327 \[hep-th\]](#).
- Blumlein, J. (2013). The theory of deeply inelastic scattering. *Prog. Part. Nucl. Phys.* **69**, 28–84, [arXiv:1208.6087 \[hep-ph\]](#).
- Bodwin, G. T., E. Braaten, and G. P. Lepage (1995). Rigorous QCD analysis of inclusive annihilation and production of heavy quarkonium. *Phys. Rev. D* **51**, 1125–1171, [arXiv:hep-ph/9407339](#).
- Bona, M. et al. (2006). The unitarity triangle fit in the standard model and hadronic parameters from lattice QCD: a reappraisal after the measurements of Δm_s and $BR(B \rightarrow \tau\nu_\tau)$. *JHEP* **10**, 081, [arXiv:hep-ph/0606167 \[hep-ph\]](#).
- Boos, E. et al. (2004). CompHEP 4.4: Automatic computations from Lagrangians to events. *Nucl. Instrum. Meth. A* **534**, 250–259, [arXiv:hep-ph/0403113 \[hep-ph\]](#).
- Boos, E., O. Brandt, D. Denisov, S. Denisov, and P. Grannis (2015). The top quark (20 years after its discovery). *Phys. Usp.* **58**(12), 1133–1158, [arXiv:1509.03325 \[hep-ex\]](#).
- Boucenna, S. M., S. Morisi, and J. W. Valle (2014). The low-scale approach to neutrino masses. *Adv. High Energy Phys.* **2014**, 831598, [arXiv:1404.3751 \[hep-ph\]](#).
- Bouchendira, R., P. Clade, S. Guellati-Khelifa, F. Nez, and F. Biraben (2011). New determination of the fine structure constant and test of the quantum electrodynamics. *Phys. Rev. Lett.* **106**, 080801, [arXiv:1012.3627 \[physics.atom-ph\]](#).

- Bouso, R. and J. Polchinski (2000). Quantization of four-form fluxes and dynamical neutralization of the cosmological constant. *JHEP* *06*, 006, [arXiv:hep-th/0004134](#).
- Boyarsky, A., O. Ruchayskiy, and M. Shaposhnikov (2009). The role of sterile neutrinos in cosmology and astrophysics. *Ann. Rev. Nucl. Part. Sci.* *59*, 191–214, [arXiv:0901.0011 \[hep-ph\]](#).
- Boyle, P. A. et al. (2013). Emerging understanding of the $\Delta I = 1/2$ rule from lattice QCD. *Phys. Rev. Lett.* *110*(15), 152001, [arXiv:1212.1474 \[hep-lat\]](#).
- Brambilla, N. et al. (2011). Heavy quarkonium: progress, puzzles, and opportunities. *Eur. Phys. J. C* *71*, 1534, [arXiv:1010.5827 \[hep-ph\]](#).
- Brambilla, N. et al. (2014). QCD and strongly coupled gauge theories: Challenges and perspectives. *Eur. Phys. J. C* *74*(10), 2981, [arXiv:1404.3723 \[hep-ph\]](#).
- Branchina, V., E. Messina, and M. Sher (2015). Lifetime of the electroweak vacuum and sensitivity to Planck scale physics. *Phys. Rev. D* *91*, 013003, [arXiv:1408.5302 \[hep-ph\]](#).
- Branco, G. et al. (2012). Theory and phenomenology of two-Higgs-doublet models. *Phys. Rept.* *516*, 1–102, [arXiv:1106.0034 \[hep-ph\]](#).
- Brandenberger, R. H. (2013). Probing particle physics from top down with cosmic strings. *The Universe* *1*(4), 6–23, [arXiv:1401.4619 \[astro-ph.CO\]](#).
- Bressi, G. et al. (2011). Testing the neutrality of matter by acoustic means in a spherical resonator. *Phys. Rev. A* *83*(5), 052101, [arXiv:1102.2766 \[physics.atom-ph\]](#).
- Brock, R. et al. (1995). Handbook of perturbative QCD: Version 1.0. *Rev. Mod. Phys.* *67*, 157–248.
- Brod, J. and M. Gorbahn (2012). Next-to-next-to-leading-order charm-quark contribution to the CP violation parameter ϵ_K and ΔM_K . *Phys. Rev. Lett.* *108*, 121801, [arXiv:1108.2036 \[hep-ph\]](#).
- Brodsky, S. J., T. Kinoshita, and H. Terazawa (1971). Two photon mechanism of particle production by high-energy colliding beams. *Phys. Rev. D* *4*, 1532–1557.
- Brooijmans, G. et al. (2012). Les Houches 2011: Physics at TeV colliders new physics working group report. [arXiv:1203.1488 \[hep-ph\]](#).
- Bryman, D., W. J. Marciano, R. Tschirhart, and T. Yamanaka (2011). Rare kaon and pion decays: Incisive probes for new physics beyond the standard model. *Ann. Rev. Nucl. Part. Sci.* *61*, 331–354.
- Buchalla, G., A. J. Buras, and M. E. Lautenbacher (1996). Weak decays beyond leading logarithms. *Rev. Mod. Phys.* *68*, 1125–1144, [arXiv:hep-ph/9512380](#).
- Buchalla, G., G. Hiller, Y. Nir, and G. Raz (2005). The pattern of CP asymmetries in $b \rightarrow s$ transitions. *JHEP* *09*, 074, [arXiv:hep-ph/0503151](#).
- Buchmueller, O. et al. (2014). The CMSSM and NUHM1 after LHC Run 1. *Eur. Phys. J. C* *74*(6), 2922, [arXiv:1312.5250 \[hep-ph\]](#).
- Buchmuller, W. and D. Wyler (1986). Effective Lagrangian analysis of new interactions and flavor conservation. *Nucl. Phys. B* *268*, 621.

- Buckley, A. et al. (2011). General-purpose event generators for LHC physics. *Phys. Rept.* 504, 145–233, [arXiv:1101.2599 \[hep-ph\]](#).
- Buckley, A. et al. (2015). LHAPDF6: parton density access in the LHC precision era. *Eur. Phys. J. C* 75, 132, [arXiv:1412.7420 \[hep-ph\]](#).
- Buras, A. J. (1993). A 1993 look at the lower bound on the top quark mass from CP violation. *Phys. Lett. B* 317, 449–453, [arXiv:hep-ph/9307318](#).
- Buras, A. J. (2005). Flavour physics and CP violation. [arXiv:hep-ph/0505175](#).
- Buras, A. J. (2011). Climbing NLO and NNLO summits of weak decays. [arXiv:1102.5650 \[hep-ph\]](#).
- Buras, A. J., D. Buttazzo, J. Girrbach-Noe, and R. Knegjens (2015a). $K^+ \rightarrow \pi^+ \nu \bar{\nu}$ and $K_L \rightarrow \pi^0 \nu \bar{\nu}$ in the standard model: status and perspectives. *JHEP* 11, 033, [arXiv:1503.02693 \[hep-ph\]](#).
- Buras, A. J., M. V. Carlucci, S. Gori, and G. Isidori (2010a). Higgs-mediated FC-NCs: natural flavour conservation vs. minimal flavour violation. *JHEP* 1010, 009, [arXiv:1005.5310 \[hep-ph\]](#).
- Buras, A. J., J. R. Ellis, M. K. Gaillard, and D. V. Nanopoulos (1978). Aspects of the grand unification of strong, weak and electromagnetic interactions. *Nucl. Phys. B* 135, 66–92.
- Buras, A. J., R. Fleischer, S. Recksiegel, and F. Schwab (2004). Anatomy of prominent B and K decays and signatures of CP -violating new physics in the electroweak penguin sector. *Nucl. Phys. B* 697, 133–206, [arXiv:hep-ph/0402112](#).
- Buras, A. J., J.-M. Gérard, and W. A. Bardeen (2014). Large N approach to kaon decays and mixing 28 years later: $\Delta I = 1/2$ rule, \hat{B}_K and ΔM_K . *Eur. Phys. J. C* 74, 2871, [arXiv:1401.1385 \[hep-ph\]](#).
- Buras, A. J. and J. Girrbach (2014). Towards the identification of new physics through quark flavour violating processes. *Rept. Prog. Phys.* 77, 086201, [arXiv:1306.3775 \[hep-ph\]](#).
- Buras, A. J., M. Gorbahn, S. Jäger, and M. Jamin (2015b). Improved anatomy of ϵ'/ϵ in the standard model. *JHEP* 11, 202, [arXiv:1507.06345 \[hep-ph\]](#).
- Buras, A. J., D. Guadagnoli, and G. Isidori (2010b). On ϵ_K beyond lowest order in the operator product expansion. *Phys. Lett. B* 688, 309–313, [arXiv:1002.3612 \[hep-ph\]](#).
- Burda, P., R. Gregory, and I. Moss (2016). The fate of the Higgs vacuum. *JHEP* 06, 025, [arXiv:1601.02152 \[hep-th\]](#).
- Burgess, C. P. (2007). Introduction to effective field theory. *Ann. Rev. Nucl. Part. Sci.* 57, 329–362, [arXiv:hep-th/0701053](#).
- Burgess, C. P., S. Godfrey, H. Konig, D. London, and I. Maksymyk (1994). Bounding anomalous gauge boson couplings. *Phys. Rev. D* 50, 7011–7024, [arXiv:hep-ph/9307223](#).
- Burkardt, M., C. A. Miller, and W. D. Nowak (2010). Spin-polarized high-energy scattering of charged leptons on nucleons. *Rept. Prog. Phys.* 73, 016201, [arXiv:0812.2208 \[hep-ph\]](#).
- Bustamante, M., J. F. Beacom, and W. Winter (2015). Theoretically palatable flavor combinations of astrophysical neutrinos. *Phys. Rev. Lett.* 115(16), 161302, [arXiv:1506.02645 \[astro-ph.HE\]](#).

- Butler, J. N. et al. (2013). Snowmass 2013 working group report: Quark flavor physics. [arXiv:1311.1076 \[hep-ex\]](#).
- Buttazzo, D. et al. (2013). Investigating the near-criticality of the Higgs boson. *JHEP* *1312*, 089, [arXiv:1307.3536](#).
- Butterworth, J. M., A. R. Davison, M. Rubin, and G. P. Salam (2008). Jet substructure as a new Higgs search channel at the LHC. *Phys. Rev. Lett.* *100*, 242001, [arXiv:0802.2470 \[hep-ph\]](#).
- Cabibbo, N. (1963). Unitary symmetry and leptonic decays. *Phys. Rev. Lett.* *10*, 531–532.
- Cabibbo, N. and L. Maiani (1982). The vanishing of order G mechanical effects of cosmic massive neutrinos on bulk matter. *Phys. Lett.* *B114*, 115.
- Cabibbo, N., L. Maiani, G. Parisi, and R. Petronzio (1979). Bounds on the fermions and Higgs boson masses in grand unified theories. *Nucl. Phys.* *B158*, 295.
- Cabibbo, N., E. C. Swallow, and R. Winston (2003). Semileptonic hyperon decays. *Ann. Rev. Nucl. Part. Sci.* *53*, 39–75, [arXiv:hep-ph/0307298](#).
- Cacciari, M., G. P. Salam, and G. Soyez (2012). FastJet user manual. *Eur. Phys. J.* *C72*, 1896, [arXiv:1111.6097 \[hep-ph\]](#).
- Cahn, R. N. et al. (2013). White paper: measuring the neutrino mass hierarchy. [arXiv:1307.5487 \[hep-ex\]](#).
- Cahn, R. N. and H. Harari (1980). Bounds on the masses of neutral generation changing gauge bosons. *Nucl. Phys.* *B176*, 135–152.
- Calibbi, L., G. Ferretti, D. Milstead, C. Petersson, and R. Pöttgen (2016). Baryon number violation in supersymmetry: n - \bar{n} oscillations as a probe beyond the LHC. *JHEP* *05*, 144, [arXiv:1602.04821 \[hep-ph\]](#).
- Callan, C. G., J., S. R. Coleman, J. Wess, and B. Zumino (1969). Structure of phenomenological Lagrangians. 2. *Phys. Rev.* *177*, 2247–2250.
- Callan, C. G., J., R. F. Dashen, and D. J. Gross (1976). The structure of the gauge theory vacuum. *Phys. Lett.* *B63*, 334–340.
- Callan, C. G., J. and D. J. Gross (1969). High-energy electroproduction and the constitution of the electric current. *Phys. Rev. Lett.* *22*, 156–159.
- Camargo-Molina, J. E., B. Garbrecht, B. O’Leary, W. Porod, and F. Staub (2014). Constraining the Natural MSSM through tunneling to color-breaking vacua at zero and non-zero temperature. *Phys. Lett.* *B737*, 156–161, [arXiv:1405.7376 \[hep-ph\]](#).
- Camilleri, L., E. Lisi, and J. F. Wilkerson (2008). Neutrino masses and mixings: status and prospects. *Ann. Rev. Nucl. Part. Sci.* *58*, 343–369.
- Campbell, J. M., J. W. Huston, and W. J. Stirling (2007). Hard interactions of quarks and gluons: a primer for LHC physics. *Rept. Prog. Phys.* *70*, 89, [arXiv:hep-ph/0611148](#).
- Canetti, L., M. Drewes, and M. Shaposhnikov (2012). Matter and antimatter in the universe. *New J. Phys.* *14*, 095012, [arXiv:1204.4186 \[hep-ph\]](#).

- Cao, Q.-H., Z. Li, J.-H. Yu, and C. P. Yuan (2012). Discovery and identification of W' and Z' in $SU(2) \times SU(2) \times U(1)$ models at the LHC. *Phys. Rev. D* **86**, 095010, [arXiv:1205.3769 \[hep-ph\]](#).
- Capozzi, F., E. Lisi, A. Marrone, D. Montanino, and A. Palazzo (2016). Neutrino masses and mixings: status of known and unknown 3ν parameters. *Nucl. Phys. B* **908**, 218–234, [arXiv:1601.07777 \[hep-ph\]](#).
- Capstick, S. and W. Roberts (2000). Quark models of baryon masses and decays. *Prog. Part. Nucl. Phys.* **45**, S241–S331, [arXiv:nucl-th/0008028](#).
- Carena, M., G. Nardini, M. Quiros, and C. E. M. Wagner (2013). MSSM electroweak baryogenesis and LHC data. *JHEP* **02**, 001, [arXiv:1207.6330 \[hep-ph\]](#).
- Carena, M. S. and H. E. Haber (2003). Higgs boson theory and phenomenology. *Prog. Part. Nucl. Phys.* **50**, 63–152, [arXiv:hep-ph/0208209](#).
- Carena, M. S., M. Olechowski, S. Pokorski, and C. E. M. Wagner (1994). Electroweak symmetry breaking and bottom–top Yukawa unification. *Nucl. Phys. B* **426**, 269–300, [arXiv:hep-ph/9402253](#).
- Carena, M. S., S. Pokorski, and C. E. M. Wagner (1993). On the unification of couplings in the minimal supersymmetric standard model. *Nucl. Phys. B* **406**, 59–89, [arXiv:hep-ph/9303202](#).
- Carlson, C. E. (2015). The proton radius puzzle. *Prog. Part. Nucl. Phys.* **82**, 59–77, [arXiv:1502.05314 \[hep-ph\]](#).
- Carter, A. B. and A. I. Sanda (1981). CP violation in B meson decays. *Phys. Rev. D* **23**, 1567.
- Casas, J. and A. Ibarra (2001). Oscillating neutrinos and $\mu \rightarrow e, \gamma$. *Nucl. Phys. B* **618**, 171–204, [arXiv:hep-ph/0103065 \[hep-ph\]](#).
- Casas, J. A., A. Lleyda, and C. Munoz (1996). Strong constraints on the parameter space of the MSSM from charge and color breaking minima. *Nucl. Phys. B* **471**, 3–58, [arXiv:hep-ph/9507294](#).
- Casas, J. A. and C. Munoz (1993). A natural solution to the μ problem. *Phys. Lett. B* **306**, 288–294, [arXiv:hep-ph/9302227](#).
- Chacko, Z., H.-S. Goh, and R. Harnik (2006). The twin Higgs: natural electroweak breaking from mirror symmetry. *Phys. Rev. Lett.* **96**, 231802, [arXiv:hep-ph/0506256](#).
- Chang, S., R. Dermisek, J. F. Gunion, and N. Weiner (2008). Nonstandard Higgs boson decays. *Ann. Rev. Nucl. Part. Sci.* **58**, 75–98, [arXiv:0801.4554 \[hep-ph\]](#).
- Chanowitz, M. S. (2002). Electroweak data and the Higgs boson mass: a case for new physics. *Phys. Rev. D* **66**, 073002, [arXiv:hep-ph/0207123](#).
- Chanowitz, M. S., M. A. Furman, and I. Hinchliffe (1978). Weak interactions of ultraheavy fermions. *Phys. Lett. B* **78**, 285.
- Chanowitz, M. S. and M. K. Gaillard (1985). The TeV physics of strongly interacting W 's and Z 's. *Nucl. Phys. B* **261**, 379.

- Chanowitz, M. S., M. Golden, and H. Georgi (1987). Low-energy theorems for strongly interacting W 's and Z 's. *Phys. Rev. D* **36**, 1490.
- Charles, J. et al. (2005). CP violation and the CKM matrix: assessing the impact of the asymmetric B factories. *Eur. Phys. J. C* **41**, 1–131, [arXiv:hep-ph/0406184](https://arxiv.org/abs/hep-ph/0406184), and updates at <http://ckmfitter.in2p3.fr>.
- Charles, J. et al. (2015). Current status of the standard model CKM fit and constraints on $\Delta F = 2$ new physics. *Phys. Rev. D* **91**(7), 073007, [arXiv:1501.05013](https://arxiv.org/abs/1501.05013) [[hep-ph](#)].
- Chatrchyan, S. et al. (2012). Observation of a new boson at a mass of 125 GeV with the CMS experiment at the LHC. *Phys. Lett. B* **716**, 30–61, [arXiv:1207.7235](https://arxiv.org/abs/1207.7235) [[hep-ex](#)].
- Chau, L.-L. (1983). Quark mixing in weak interactions. *Phys. Rept.* **95**, 1.
- Chen, C.-R., F. Larios, and C. P. Yuan (2005). General analysis of single top production and W helicity in top decay. *Phys. Lett. B* **631**, 126–132, [arXiv:hep-ph/0503040](https://arxiv.org/abs/hep-ph/0503040).
- Chen, H.-X., W. Chen, X. Liu, and S.-L. Zhu (2016). The hidden-charm pentaquark and tetraquark states. *Phys. Rept.* **639**, 1–121, [arXiv:1601.02092](https://arxiv.org/abs/1601.02092) [[hep-ph](#)].
- Chen, M.-C. and J. Huang (2011). TeV scale models of neutrino masses and their phenomenology. *Mod. Phys. Lett. A* **26**, 1147–1167, [arXiv:1105.3188](https://arxiv.org/abs/1105.3188) [[hep-ph](#)].
- Cheng, H.-C. and I. Low (2003). TeV symmetry and the little hierarchy problem. *JHEP* **09**, 051, [arXiv:hep-ph/0308199](https://arxiv.org/abs/hep-ph/0308199).
- Cheng, T. P. (1976). The Zweig rule and the πn sigma term. *Phys. Rev. D* **13**, 2161.
- Cheng, T. P., E. Eichten, and L.-F. Li (1974). Higgs phenomena in asymptotically free gauge theories. *Phys. Rev. D* **9**, 2259.
- Cheng, T.-P. and L.-F. Li (1977). Muon number nonconservation effects in a gauge theory with $V + A$ currents and heavy neutral leptons. *Phys. Rev. D* **16**, 1425.
- Cheung, K.-M. (2001). Constraints on electron-quark contact interactions and implications to models of leptoquarks and extra Z bosons. *Phys. Lett. B* **517**, 167–176, [arXiv:hep-ph/0106251](https://arxiv.org/abs/hep-ph/0106251).
- Chikashige, Y., R. N. Mohapatra, and R. D. Peccei (1981). Are there real Goldstone bosons associated with broken lepton number? *Phys. Lett. B* **98**, 265.
- Chivukula, S. R., P. Ittisamai, and E. H. Simmons (2015). Distinguishing flavor nonuniversal colorons from Z' bosons at the LHC. *Phys. Rev. D* **91**(5), 055021, [arXiv:1406.2003](https://arxiv.org/abs/1406.2003) [[hep-ph](#)].
- Cho, G.-C., K. Hagiwara, and S. Matsumoto (1998). Constraints on four-Fermi contact interactions from low-energy electroweak experiments. *Eur. Phys. J. C* **5**, 155–165, [arXiv:hep-ph/9707334](https://arxiv.org/abs/hep-ph/9707334).
- Cho, G.-C., K. Hagiwara, Y. Matsumoto, and D. Nomura (2011). The MSSM confronts the precision electroweak data and the muon $g-2$. *JHEP* **11**, 068, [arXiv:1104.1769](https://arxiv.org/abs/1104.1769) [[hep-ph](#)].
- Chodos, A., R. L. Jaffe, K. Johnson, C. B. Thorn, and V. F. Weisskopf (1974). A new extended model of hadrons. *Phys. Rev. D* **9**, 3471–3495.

- Choi, J. H. et al. (2016). Observation of energy and baseline dependent reactor antineutrino disappearance in the RENO experiment. *Phys. Rev. Lett.* *116*(21), 211801, [arXiv:1511.05849 \[hep-ex\]](#).
- Christenson, J. H., J. W. Cronin, V. L. Fitch, and R. Turlay (1964). Evidence for the 2π decay of the K_2^0 meson. *Phys. Rev. Lett.* *13*, 138–140.
- Chung, D. J. H. et al. (2005). The soft supersymmetry-breaking Lagrangian: theory and applications. *Phys. Rept.* *407*, 1–203, [arXiv:hep-ph/0312378](#).
- Chupp, T. and M. Ramsey-Musolf (2015). Electric dipole moments: a global analysis. *Phys. Rev. C* *91*(3), 035502, [arXiv:1407.1064 \[hep-ph\]](#).
- Cianfrani, F. and O. M. Lecian (2007). E. C. G. Stueckelberg: a forerunner of modern physics. *Nuovo Cim.* *122B*, 123–133, [arXiv:physics/0701340](#).
- Cirelli, M., G. Marandella, A. Strumia, and F. Vissani (2005). Probing oscillations into sterile neutrinos with cosmology, astrophysics and experiments. *Nucl. Phys. B* *708*, 215–267, [arXiv:hep-ph/0403158](#).
- Cirigliano, V., G. Ecker, H. Neufeld, A. Pich, and J. Portoles (2012). Kaon decays in the standard model. *Rev. Mod. Phys.* *84*, 399, [arXiv:1107.6001 \[hep-ph\]](#).
- Cirigliano, V., S. Gardner, and B. Holstein (2013). Beta decays and non-standard interactions in the LHC era. *Prog. Part. Nucl. Phys.* *71*, 93–118, [arXiv:1303.6953 \[hep-ph\]](#).
- Cirigliano, V. and M. J. Ramsey-Musolf (2013). Low energy probes of physics beyond the standard model. *Prog. Part. Nucl. Phys.* *71*, 2–20, [arXiv:1304.0017 \[hep-ph\]](#).
- Cleaver, G., M. Cvetič, J. R. Espinosa, L. L. Everett, and P. Langacker (1998). Intermediate scales, μ parameter, and fermion masses from string models. *Phys. Rev. D* *57*, 2701–2715, [arXiv:hep-ph/9705391](#).
- Clesse, S. and J. García-Bellido (2016). Detecting the gravitational wave background from primordial black hole dark matter. [arXiv:1610.08479 \[astro-ph.CO\]](#).
- Cline, J. M. (2006). Baryogenesis, In *Les Houches Summer School*. [arXiv:hep-ph/0609145 \[hep-ph\]](#).
- Cocco, A. G., G. Mangano, and M. Messina (2007). Probing low energy neutrino backgrounds with neutrino capture on beta decaying nuclei. *JCAP* *0706*, 015, [arXiv:hep-ph/0703075 \[hep-ph\]](#).
- Cohen, A. G., S. L. Glashow, and Z. Ligeti (2009). Disentangling neutrino oscillations. *Phys. Lett. B* *678*, 191–196, [arXiv:0810.4602 \[hep-ph\]](#).
- Cohen, A. G. and D. B. Kaplan (1987). Thermodynamic generation of the baryon asymmetry. *Phys. Lett. B* *199*, 251.
- Colangelo, P. and A. Khodjamirian (2000). QCD sum rules, a modern perspective. [arXiv:hep-ph/0010175](#).
- Coleman, S. R. (1966). The invariance of the vacuum is the invariance of the world. *J. Math. Phys.* *7*, 787.
- Coleman, S. R. and D. J. Gross (1973). Price of asymptotic freedom. *Phys. Rev. Lett.* *31*, 851–854.

- Coleman, S. R. and J. Mandula (1967). All possible symmetries of the S matrix. *Phys. Rev.* *159*, 1251–1256.
- Coleman, S. R. and E. Weinberg (1973). Radiative corrections as the origin of spontaneous symmetry breaking. *Phys. Rev. D* *7*, 1888–1910.
- Coleman, S. R., J. Wess, and B. Zumino (1969). Structure of phenomenological Lagrangians. 1. *Phys. Rev.* *177*, 2239–2247.
- Collin, G. H., C. A. Argüelles, J. M. Conrad, and M. H. Shaevitz (2016). First constraints on the complete neutrino mixing matrix with a sterile neutrino. *Phys. Rev. Lett.* *117*(22), 221801, [arXiv:1607.00011 \[hep-ph\]](#).
- Collins, J. C. and D. E. Soper (1987). The theorems of perturbative QCD. *Ann. Rev. Nucl. Part. Sci.* *37*, 383–409.
- Combridge, B. L., J. Kripfganz, and J. Ranft (1977). Hadron production at large transverse momentum and QCD. *Phys. Lett. B* *70*, 234.
- Conlon, J. P. and D. Cremades (2007). The neutrino suppression scale from large volumes. *Phys. Rev. Lett.* *99*, 041803, [arXiv:hep-ph/0611144](#).
- Conrad, J., C. Ignarra, G. Karagiorgi, M. Shaevitz, and J. Spitz (2013a). Sterile neutrino fits to short baseline neutrino oscillation measurements. *Adv. High Energy Phys.* *2013*, 163897, [arXiv:1207.4765 \[hep-ex\]](#).
- Conrad, J. M., W. C. Louis, and M. H. Shaevitz (2013b). The LSND and Mini-BooNE oscillation searches at high Δm^2 . *Ann. Rev. Nucl. Part. Sci.* *63*, 45–67, [arXiv:1306.6494 \[hep-ex\]](#).
- Conrad, J. M., M. H. Shaevitz, and T. Bolton (1998). Precision measurements with high energy neutrino beams. *Rev. Mod. Phys.* *70*, 1341–1392, [arXiv:hep-ex/9707015](#).
- Contino, R., M. Ghezzi, C. Grojean, M. Mühlleitner, and M. Spira (2013). Effective Lagrangian for a light Higgs-like scalar. *JHEP* *1307*, 035, [arXiv:1303.3876 \[hep-ph\]](#).
- Contino, R., M. Ghezzi, C. Grojean, M. Mühlleitner, and M. Spira (2014). eHDECAY: an implementation of the Higgs effective Lagrangian into HDECAY. *Comput. Phys. Commun.* *185*, 3412–3423, [arXiv:1403.3381 \[hep-ph\]](#).
- Copeland, E. J., M. Sami, and S. Tsujikawa (2006). Dynamics of dark energy. *Int. J. Mod. Phys. D* *15*, 1753–1936, [arXiv:hep-th/0603057 \[hep-th\]](#).
- Costa, G., J. R. Ellis, G. L. Fogli, D. V. Nanopoulos, and F. Zwirner (1988). Neutral currents within and beyond the standard model. *Nucl. Phys. B* *297*, 244.
- Cowan, C. L., F. Reines, F. B. Harrison, H. W. Kruse, and A. D. McGuire (1956). Detection of the free neutrino: A confirmation. *Science* *124*, 103–104.
- Craig, N., F. D’Eramo, P. Draper, S. Thomas, and H. Zhang (2015). The hunt for the rest of the Higgs bosons. *JHEP* *06*, 137, [arXiv:1504.04630 \[hep-ph\]](#).
- Crewther, R. J., P. Di Vecchia, G. Veneziano, and E. Witten (1979). Chiral estimate of the electric dipole moment of the neutron in quantum chromodynamics. *Phys. Lett. B* *88*, 123, [Erratum: *Phys. Lett. B* *91*, 487 (1980)].

- Csáki, C., C. Grojean, L. Pilo, and J. Terning (2004). Towards a realistic model of Higgsless electroweak symmetry breaking. *Phys. Rev. Lett.* *92*, 101802, [arXiv:hep-ph/0308038](#).
- Csáki, C., C. Grojean, and J. Terning (2016). Alternatives to an elementary Higgs. *Rev. Mod. Phys.* *88*(4), 045001, [arXiv:1512.00468 \[hep-ph\]](#).
- Csáki, C. and P. Tanedo (2015). Beyond the standard model. In *2013 European School of High-Energy Physics*, Paradfurdo, Hungary. [arXiv:1602.04228 \[hep-ph\]](#).
- Curtin, D. et al. (2014). Exotic decays of the 125 GeV Higgs boson. *Phys. Rev. D* *90*(7), 075004, [arXiv:1312.4992 \[hep-ph\]](#).
- Cushman, P. et al. (2013). Snowmass 2013: WIMP dark matter direct detection. [arXiv:1310.8327 \[hep-ex\]](#).
- Cuyppers, F. and S. Davidson (1998). Bileptons: present limits and future prospects. *Eur. Phys. J. C* *2*, 503–528, [arXiv:hep-ph/9609487](#).
- Cvetič, M., D. A. Demir, J. R. Espinosa, L. L. Everett, and P. Langacker (1997). Electroweak breaking and the μ problem in supergravity models with an additional $U(1)$. *Phys. Rev. D* *56*, 2861–2885, [arXiv:hep-ph/9703317](#).
- Cvetič, M. and S. Godfrey (1995). Discovery and identification of extra gauge bosons. [arXiv:hep-ph/9504216](#).
- Cvetič, M. and J. Halverson (2011). TASI lectures: particle physics from perturbative and non-perturbative effects in D-braneworlds. [arXiv:1101.2907 \[hep-th\]](#).
- Cvetič, M., J. Halverson, P. Langacker, and R. Richter (2010). The Weinberg operator and a lower string scale in orientifold compactifications. *JHEP* *1010*, 094, [arXiv:1001.3148 \[hep-th\]](#).
- Cvetič, M. and P. Langacker (1996). Implications of abelian extended gauge structures from string models. *Phys. Rev. D* *54*, 3570–3579, [arXiv:hep-ph/9511378](#).
- Cvetič, M. and P. Langacker (2008). D-instanton generated Dirac neutrino masses. *Phys. Rev. D* *78*, 066012, [arXiv:0803.2876 \[hep-th\]](#).
- Cyburt, R. H., B. D. Fields, K. A. Olive, and T.-H. Yeh (2016). Big bang nucleosynthesis: 2015. *Rev. Mod. Phys.* *88*, 015004, [arXiv:1505.01076 \[astro-ph.CO\]](#).
- Czarnecki, A., J. G. Korner, and J. H. Piclum (2010). Helicity fractions of W bosons from top quark decays at NNLO in QCD. *Phys. Rev. D* *81*, 111503, [arXiv:1005.2625 \[hep-ph\]](#).
- Czarnecki, A. and W. J. Marciano (2000). Polarized Moeller scattering asymmetries. *Int. J. Mod. Phys. A* *15*, 2365–2376, [arXiv:hep-ph/0003049](#).
- Czarnecki, A. and W. J. Marciano (2001). The muon anomalous magnetic moment: a harbinger for ‘new physics’. *Phys. Rev. D* *64*, 013014, [arXiv:hep-ph/0102122](#).
- Czarnecki, A., W. J. Marciano, and A. Sirlin (2004). Precision measurements and CKM unitarity. *Phys. Rev. D* *70*, 093006, [arXiv:hep-ph/0406324](#).
- D’Ambrosio, G., G. F. Giudice, G. Isidori, and A. Strumia (2002). Minimal flavour violation: an effective field theory approach. *Nucl. Phys. B* *645*, 155–187, [arXiv:hep-ph/0207036](#).
- Damour, T. and J. F. Donoghue (2008). Constraints on the variability of quark masses from nuclear binding. *Phys. Rev. D* *78*, 014014, [arXiv:0712.2968 \[hep-ph\]](#).

- Danby, G. et al. (1962). Observation of high-energy neutrino reactions and the existence of two kinds of neutrinos. *Phys. Rev. Lett.* *9*, 36–44.
- Dashen, R. F. (1971). Some features of chiral symmetry breaking. *Phys. Rev. D* *3*, 1879–1889.
- Datta, A., L. Everett, and P. Ramond (2005). Cabibbo haze in lepton mixing. *Phys. Lett. B* *620*, 42–51, [arXiv:hep-ph/0503222](#).
- Davidson, S., S. Forte, P. Gambino, N. Rius, and A. Strumia (2002). Old and new physics interpretations of the NuTeV anomaly. *JHEP* *02*, 037, [arXiv:hep-ph/0112302](#).
- Davidson, S., E. Nardi, and Y. Nir (2008). Leptogenesis. *Phys. Rept.* *466*, 105–177, [arXiv:0802.2962 \[hep-ph\]](#).
- Davier, M., A. Hocker, and Z. Zhang (2006). The physics of hadronic tau decays. *Rev. Mod. Phys.* *78*, 1043–1109, [arXiv:hep-ph/0507078](#).
- Davier, M., A. Hoecker, B. Malaescu, and Z. Zhang (2011). Reevaluation of the hadronic contributions to the muon $g - 2$ and to $\alpha(M_Z)$. *Eur. Phys. J. C* *71*, 1515, [arXiv:1010.4180 \[hep-ph\]](#), [Erratum: *Eur. Phys. J. C* *72*, 1874 (2012)].
- Davies, C. T. H. et al. (2004). High-precision lattice QCD confronts experiment. *Phys. Rev. Lett.* *92*, 022001, [arXiv:hep-lat/0304004](#).
- Davoudiasl, H., R. Kitano, G. D. Kribs, H. Murayama, and P. J. Steinhardt (2004). Gravitational baryogenesis. *Phys. Rev. Lett.* *93*, 201301, [arXiv:hep-ph/0403019](#).
- Dawson, S. (1985). The effective W approximation. *Nucl. Phys. B* *249*, 42–60.
- Dawson, S. et al. (2013). Snowmass 2013 working group report: Higgs. [arXiv:1310.8361 \[hep-ex\]](#).
- de Favereau, J. et al. (2014). DELPHES 3, A modular framework for fast simulation of a generic collider experiment. *JHEP* *02*, 057, [arXiv:1307.6346 \[hep-ex\]](#).
- de Florian, D. et al. (2016). Handbook of LHC Higgs cross sections: 4. Deciphering the nature of the Higgs sector. [arXiv:1610.07922 \[hep-ph\]](#).
- de Gouvêa, A. (2016). Neutrino mass models. *Ann. Rev. Nucl. Part. Sci.* *66*(1), 197–217.
- de Gouvêa, A. et al. (2013). Snowmass 2013 working group report: neutrinos. [arXiv:1310.4340 \[hep-ex\]](#).
- de Gouvêa, A., A. Friedland, and H. Murayama (2000). The dark side of the solar neutrino parameter space. *Phys. Lett. B* *490*, 125–130, [arXiv:hep-ph/0002064 \[hep-ph\]](#).
- de Gouvêa, A. and W.-C. Huang (2012). Constraining the (low-energy) type-I seesaw. *Phys. Rev. D* *85*, 053006, [arXiv:1110.6122 \[hep-ph\]](#).
- de Gouvêa, A., W.-C. Huang, and J. Jenkins (2009). Pseudo-Dirac neutrinos in the new standard model. *Phys. Rev. D* *80*, 073007, [arXiv:0906.1611 \[hep-ph\]](#).
- de Gouvêa, A. and J. Jenkins (2008). A survey of lepton number violation via effective operators. *Phys. Rev. D* *77*, 013008, [arXiv:0708.1344 \[hep-ph\]](#).
- de Gouvêa, A. and A. Kobach (2016). Global constraints on a heavy neutrino. *Phys. Rev. D* *93*(3), 033005, [arXiv:1511.00683 \[hep-ph\]](#).

- de Gouvêa, A. and H. Murayama (2015). Neutrino mixing anarchy: alive and kicking. *Phys. Lett. B* *747*, 479–483, [arXiv:1204.1249 \[hep-ph\]](#).
- de Gouvêa, A. and P. Vogel (2013). Lepton flavor and number conservation, and physics beyond the standard model. *Prog. Part. Nucl. Phys.* *71*, 75–92, [arXiv:1303.4097 \[hep-ph\]](#).
- De Roeck, A. and R. S. Thorne (2011). Structure functions. *Prog. Part. Nucl. Phys.* *66*, 727–781, [arXiv:1103.0555 \[hep-ph\]](#).
- De Rujula, A., M. B. Gavela, P. Hernandez, and E. Masso (1992). The selfcouplings of vector bosons: does LEP-1 obviate LEP-2? *Nucl. Phys. B* *384*, 3–58.
- De Rujula, A., H. Georgi, and S. L. Glashow (1975). Hadron masses in a gauge theory. *Phys. Rev. D* *12*, 147–162.
- de Swart, J. J. (1963). The octet model and its Clebsch-Gordan coefficients. *Rev. Mod. Phys.* *35*, 916–939.
- de Vries, J. et al. (2014). A study of the parity-odd nucleon-nucleon potential. *Eur. Phys. J. A* *50*, 108, [arXiv:1404.1576 \[nucl-th\]](#).
- Dedes, A., C. Hugonie, S. Moretti, and K. Tamvakis (2001). Phenomenology of a new minimal supersymmetric extension of the standard model. *Phys. Rev. D* *63*, 055009, [arXiv:hep-ph/0009125](#).
- Degrassi, G. et al. (2012). Higgs mass and vacuum stability in the standard model at NNLO. *JHEP* *1208*, 098, [arXiv:1205.6497 \[hep-ph\]](#).
- Delgado, A., A. Pomarol, and M. Quiros (2000). Electroweak and flavor physics in extensions of the standard model with large extra dimensions. *JHEP* *01*, 030, [arXiv:hep-ph/9911252](#).
- Déliot, F., N. Hadley, S. Parke, and T. Schwarz (2014). Properties of the top quark. *Ann. Rev. Nucl. Part. Sci.* *64*, 363–381.
- Dell’Oro, S., S. Marcocci, M. Viel, and F. Vissani (2016). Neutrinoless double beta decay: 2015 review. *Adv. High Energy Phys.* *2016*, 2162659, [arXiv:1601.07512 \[hep-ph\]](#).
- Delsart, P.-A., K. L. Geerlings, J. Huston, B. T. Martin, and C. K. Vermilion (2012). SpartyJet 4.0 user’s manual. [arXiv:1201.3617 \[hep-ex\]](#).
- Demir, D. A., L. L. Everett, and P. Langacker (2008). Dirac neutrino masses from generalized supersymmetry breaking. *Phys. Rev. Lett.* *100*, 091804, [arXiv:0712.1341 \[hep-ph\]](#).
- Denef, F. and M. R. Douglas (2004). Distributions of flux vacua. *JHEP* *05*, 072, [arXiv:hep-th/0404116](#).
- Deniz, M. et al. (2010). Measurement of $\bar{\nu}_e$ -electron scattering cross-section with a CsI(Tl) scintillating crystal array at the Kuo-Sheng Nuclear Power Reactor. *Phys. Rev. D* *81*, 072001, [arXiv:0911.1597 \[hep-ex\]](#).
- Denner, A., S. Heinemeyer, I. Puljak, D. Rebuszi, and M. Spira (2011). Standard model Higgs-boson branching ratios with uncertainties. *Eur. Phys. J. C* *71*, 1753, [arXiv:1107.5909 \[hep-ph\]](#).
- d’Enterria, D. and P. Z. Skands (2015). High-precision α_s measurements from LHC to FCC-ee. [arXiv:1512.05194 \[hep-ph\]](#).

- DeTar, C. and U. M. Heller (2009). QCD thermodynamics from the lattice. *Eur. Phys. J. A41*, 405–437, [arXiv:0905.2949 \[hep-lat\]](#).
- Deur, A., S. J. Brodsky, and G. F. de Teramond (2016). The QCD running coupling. *Prog. Part. Nucl. Phys.* 90, 1–74, [arXiv:1604.08082 \[hep-ph\]](#).
- Diaconu, C., T. Haas, M. Medinnis, K. Rith, and A. Wagner (2010). Physics accomplishments of HERA. *Ann. Rev. Nucl. Part. Sci.* 60, 101–128.
- Diaz, J. S. and A. Kostelecky (2012). Lorentz- and *CPT*-violating models for neutrino oscillations. *Phys. Rev. D85*, 016013, [arXiv:1108.1799 \[hep-ph\]](#).
- Diehl, M. (2003). Generalized parton distributions. *Phys. Rept.* 388, 41–277, [arXiv:hep-ph/0307382 \[hep-ph\]](#).
- Dienes, K. R. (1997). String theory and the path to unification: a review of recent developments. *Phys. Rept.* 287, 447–525, [arXiv:hep-th/9602045](#).
- Dienes, K. R., E. Dudas, and T. Gherghetta (1999a). Grand unification at intermediate mass scales through extra dimensions. *Nucl. Phys. B537*, 47–108, [arXiv:hep-ph/9806292](#).
- Dienes, K. R., E. Dudas, and T. Gherghetta (1999b). Light neutrinos without heavy mass scales: a higher-dimensional seesaw mechanism. *Nucl. Phys. B557*, 25, [arXiv:hep-ph/9811428](#).
- Dienes, K. R., C. F. Kolda, and J. March-Russell (1997). Kinetic mixing and the supersymmetric gauge hierarchy. *Nucl. Phys. B492*, 104–118, [arXiv:hep-ph/9610479](#).
- Dietrich, D. D. and F. Sannino (2007). Conformal window of $SU(N)$ gauge theories with fermions in higher dimensional representations. *Phys. Rev. D75*, 085018, [arXiv:hep-ph/0611341 \[hep-ph\]](#).
- Dimopoulos, S. and H. Georgi (1981). Softly broken supersymmetry and $SU(5)$. *Nucl. Phys. B193*, 150.
- Dimopoulos, S., S. Raby, and F. Wilczek (1981). Supersymmetry and the scale of unification. *Phys. Rev. D24*, 1681–1683.
- Dimopoulos, S., S. Raby, and F. Wilczek (1982). Proton decay in supersymmetric models. *Phys. Lett. B112*, 133.
- Dimopoulos, S. and D. W. Sutter (1995). The supersymmetric flavor problem. *Nucl. Phys. B452*, 496–512, [arXiv:hep-ph/9504415](#).
- Dine, M. (2000). The strong *CP* problem. [arXiv:hep-ph/0011376](#).
- Dine, M. (2015a). Naturalness under stress. *Ann. Rev. Nucl. Part. Sci.* 65, 43–62, [arXiv:1501.01035 \[hep-ph\]](#).
- Dine, M. and A. Kusenko (2004). The origin of the matter-antimatter asymmetry. *Rev. Mod. Phys.* 76, 1, [arXiv:hep-ph/0303065](#).
- Ding, G.-J., L. L. Everett, and A. J. Stuart (2012). Golden ratio neutrino mixing and A_5 flavor symmetry. *Nucl. Phys. B857*, 219–253, [arXiv:1110.1688 \[hep-ph\]](#).
- Dittmaier, S. and M. Schumacher (2013). The Higgs boson in the standard model — from LEP to LHC: expectations, searches, and discovery of a candidate. *Prog. Part. Nucl. Phys.* 70, 1–54, [arXiv:1211.4828 \[hep-ph\]](#).

- Diwan, M. V., V. Galymov, X. Qian, and A. Rubbia (2016). Long-baseline neutrino experiments. *Ann. Rev. Nucl. Part. Sci.* *66*, 47–71, [arXiv:1608.06237 \[hep-ex\]](#).
- Dixon, L. J. (2014). European School of High-Energy Physics, 2012: A brief introduction to modern amplitude methods. [arXiv:1310.5353 \[hep-ph\]](#).
- Djouadi, A. (2008a). The anatomy of electro-weak symmetry breaking. I: The Higgs boson in the standard model. *Phys. Rept.* *457*, 1–216, [arXiv:hep-ph/0503172](#).
- Djouadi, A. (2008b). The anatomy of electro-weak symmetry breaking. II. The Higgs bosons in the minimal supersymmetric model. *Phys. Rept.* *459*, 1–241, [arXiv:hep-ph/0503173](#).
- Djouadi, A., J.-L. Kneur, and G. Moultaka (2007). SuSpect: A Fortran code for the supersymmetric and Higgs particle spectrum in the MSSM. *Comput. Phys. Commun.* *176*, 426–455, [arXiv:hep-ph/0211331 \[hep-ph\]](#).
- Dolan, L. and R. Jackiw (1974). Symmetry behavior at finite temperature. *Phys. Rev. D* *9*, 3320–3341.
- Dolgov, A. D. (2002). Neutrinos in cosmology. *Phys. Rept.* *370*, 333–535, [arXiv:hep-ph/0202122](#).
- Domokos, S. K., J. A. Harvey, and N. Mann (2009). The Pomeron contribution to pp and $p\bar{p}$ scattering in AdS/QCD. *Phys. Rev. D* *80*, 126015, [arXiv:0907.1084 \[hep-ph\]](#).
- Donini, A., P. Hernandez, J. Lopez-Pavon, M. Maltoni, and T. Schwetz (2012). The minimal 3+2 neutrino model versus oscillation anomalies. *JHEP* *1207*, 161, [arXiv:1205.5230 \[hep-ph\]](#).
- Donnachie, A. and P. V. Landshoff (2013). pp and $p\bar{p}$ total cross sections and elastic scattering. *Phys. Lett. B* *727*, 500–505, [arXiv:1309.1292 \[hep-ph\]](#), [Erratum: *Phys. Lett. B* *750*, 669 (2015)].
- Donoghue, J. F. (2016). The multiverse and particle physics. *Ann. Rev. Nucl. Part. Sci.* *66*(1), 1–21, [arXiv:1601.05136 \[hep-ph\]](#).
- Dorsch, G. C., S. J. Huber, and J. M. No (2013). A strong electroweak phase transition in the 2HDM after LHC8. *JHEP* *10*, 029, [arXiv:1305.6610 \[hep-ph\]](#).
- Doršner, I., S. Fajfer, A. Greljo, J. F. Kamenik, and N. Košnik (2016). Physics of leptoquarks in precision experiments and at particle colliders. *Phys. Rept.* *641*, 1–68, [arXiv:1603.04993 \[hep-ph\]](#).
- Dragoun, O. and D. Vénos (2016). Constraints on the active and sterile neutrino masses from beta-ray spectra: past, present and future. *J. Phys.* *3*, 77–113, [arXiv:1504.07496 \[hep-ex\]](#).
- Draper, P. and H. Rzehak (2016). A review of Higgs mass calculations in supersymmetric models. *Phys. Rept.* *619*, 1–24, [arXiv:1601.01890 \[hep-ph\]](#).
- Drees, M., H. Dreiner, D. Schmeier, J. Tattersall, and J. S. Kim (2015). CheckMATE: Confronting your favourite new physics model with LHC data. *Comput. Phys. Commun.* *187*, 227–265, [arXiv:1312.2591 \[hep-ph\]](#).
- Dreiner, H. K., H. E. Haber, and S. P. Martin (2010). Two-component spinor techniques and Feynman rules for quantum field theory and supersymmetry. *Phys. Rept.* *494*, 1–196, [arXiv:0812.1594 \[hep-ph\]](#).

- Drell, S. D., D. J. Levy, and T.-M. Yan (1969). A theory of deep inelastic lepton-nucleon scattering and lepton pair annihilation processes. 1. *Phys. Rev.* *187*, 2159–2171.
- Drell, S. D. and T.-M. Yan (1971). Partons and their applications at high energies. *Ann. Phys.* *66*, 578.
- Drewes, M. and B. Garbrecht (2015). Experimental and cosmological constraints on heavy neutrinos. [arXiv:1502.00477 \[hep-ph\]](#).
- Drexlin, G., V. Hannen, S. Mertens, and C. Weinheimer (2013). Current direct neutrino mass experiments. *Adv. High Energy Phys.* *2013*, 293986, [arXiv:1307.0101 \[physics.ins-det\]](#).
- Duan, H., G. M. Fuller, and Y.-Z. Qian (2010). Collective neutrino oscillations. *Ann. Rev. Nucl. Part. Sci.* *60*, 569–594, [arXiv:1001.2799 \[hep-ph\]](#).
- Dubbers, D. and M. G. Schmidt (2011). The neutron and its role in cosmology and particle physics. *Rev. Mod. Phys.* *83*, 1111–1171, [arXiv:1105.3694 \[hep-ph\]](#).
- Dulat, S. et al. (2016). The CT14 global analysis of quantum chromodynamics. *Phys. Rev. D* *93*, 033006, [arXiv:1506.07443 \[hep-ph\]](#).
- Dürr, S. et al. (2008). Ab initio determination of light hadron masses. *Science* *322*, 1224–1227.
- Eberhardt, O. et al. (2012). Impact of a Higgs boson at a mass of 126 GeV on the standard model with three and four fermion generations. *Phys. Rev. Lett.* *109*, 241802, [arXiv:1209.1101 \[hep-ph\]](#).
- Eberle, B., A. Ringwald, L. Song, and T. J. Weiler (2004). Relic neutrino absorption spectroscopy. *Phys. Rev. D* *70*, 023007, [arXiv:hep-ph/0401203](#).
- Eichten, E., S. Godfrey, H. Mahlke, and J. L. Rosner (2008). Quarkonia and their transitions. *Rev. Mod. Phys.* *80*, 1161–1193, [arXiv:hep-ph/0701208 \[hep-ph\]](#).
- Eichten, E., I. Hinchliffe, K. D. Lane, and C. Quigg (1984). Super collider physics. *Rev. Mod. Phys.* *56*, 579–707.
- Eichten, E., K. Lane, and A. Martin (2012). A Higgs impostor in low-scale technicolor. [arXiv:1210.5462 \[hep-ph\]](#).
- Eichten, E. and K. D. Lane (1980). Dynamical breaking of weak interaction symmetries. *Phys. Lett.* *B90*, 125–130.
- Eichten, E., K. D. Lane, and M. E. Peskin (1983). New tests for quark and lepton substructure. *Phys. Rev. Lett.* *50*, 811–814.
- Eidelman, S. and F. Jegerlehner (1995). Hadronic contributions to $g - 2$ of the leptons and to the effective fine structure constant $\alpha(M_Z^2)$. *Z. Phys.* *C67*, 585–602, [arXiv:hep-ph/9502298](#).
- Elias-Miro, J. et al. (2012). Higgs mass implications on the stability of the electroweak vacuum. *Phys. Lett.* *B709*, 222–228, [arXiv:1112.3022 \[hep-ph\]](#).
- Elias-Miro, J., J. Espinosa, E. Masso, and A. Pomarol (2013). Higgs windows to new physics through $d = 6$ operators: constraints and one-loop anomalous dimensions. *JHEP* *1311*, 066, [arXiv:1308.1879 \[hep-ph\]](#).

- Ellis, J., F. Moortgat, G. Moortgat-Pick, J. M. Smillie, and J. Tattersall (2009). Measurement of CP violation in stop cascade decays at the LHC. *Eur. Phys. J. C60*, 633–651, [arXiv:0809.1607 \[hep-ph\]](#).
- Ellis, J., V. Sanz, and T. You (2015). The effective standard model after LHC Run I. *JHEP 03*, 157, [arXiv:1410.7703 \[hep-ph\]](#).
- Ellis, J. R., J. F. Gunion, H. E. Haber, L. Roszkowski, and F. Zwirner (1989). Higgs bosons in a nonminimal supersymmetric model. *Phys. Rev. D39*, 844.
- Ellis, J. R., S. Kelley, and D. V. Nanopoulos (1990). Precision LEP data, supersymmetric GUTs and string unification. *Phys. Lett. B249*, 441–448.
- Ellis, J. R., J. S. Lee, and A. Pilaftsis (2008). Electric dipole moments in the MSSM reloaded. *JHEP 10*, 049, [arXiv:0808.1819 \[hep-ph\]](#).
- Ellis, J. R., D. V. Nanopoulos, and S. Rudaz (1982). GUTs 3: SUSY GUTs 2. *Nucl. Phys. B202*, 43.
- Ellis, J. R., G. Ridolfi, and F. Zwirner (1991). Radiative corrections to the masses of supersymmetric Higgs bosons. *Phys. Lett. B257*, 83–91.
- Ellis, S. D., J. Huston, K. Hatakeyama, P. Loch, and M. Tonnesmann (2008). Jets in hadron-hadron collisions. *Prog. Part. Nucl. Phys. 60*, 484–551, [arXiv:0712.2447 \[hep-ph\]](#).
- Ellwanger, U., C. Hugonie, and A. M. Teixeira (2010). The next-to-minimal supersymmetric standard model. *Phys. Rept. 496*, 1–77, [arXiv:0910.1785 \[hep-ph\]](#).
- Engel, J., M. J. Ramsey-Musolf, and U. van Kolck (2013). Electric dipole moments of nucleons, nuclei, and atoms: the standard model and beyond. *Prog. Part. Nucl. Phys. 71*, 21–74, [arXiv:1303.2371 \[nucl-th\]](#).
- Englert, C. et al. (2014). Precision measurements of Higgs couplings: implications for new physics scales. *J. Phys. G41*, 113001, [arXiv:1403.7191 \[hep-ph\]](#).
- Englert, F. and R. Brout (1964). Broken symmetry and the mass of gauge vector mesons. *Phys. Rev. Lett. 13*, 321–322.
- Epelbaum, E., H.-W. Hammer, and U.-G. Meissner (2009). Modern theory of nuclear forces. *Rev. Mod. Phys. 81*, 1773–1825, [arXiv:0811.1338 \[nucl-th\]](#).
- Erlar, J. (1999). Global fits to electroweak data using GAPP. [arXiv:hep-ph/0005084](#).
- Erlar, J. (2000). Chiral models of weak scale supersymmetry. *Nucl. Phys. B586*, 73–91, [arXiv:hep-ph/0006051](#).
- Erlar, J., C. J. Horowitz, S. Mantry, and P. A. Souder (2014). Weak polarized electron scattering. *Ann. Rev. Nucl. Part. Sci. 64*, 269–298, [arXiv:1401.6199 \[hep-ph\]](#).
- Erlar, J., A. Kurylov, and M. J. Ramsey-Musolf (2003). The weak charge of the proton and new physics. *Phys. Rev. D68*, 016006, [arXiv:hep-ph/0302149](#).
- Erlar, J., P. Langacker, and T. Li (2002). The $Z - Z'$ mass hierarchy in a supersymmetric model with a secluded $U(1)'$ breaking sector. *Phys. Rev. D66*, 015002, [arXiv:hep-ph/0205001](#).
- Erlar, J. and D. M. Pierce (1998). Bounds on supersymmetry from electroweak precision analysis. *Nucl. Phys. B526*, 53–80, [arXiv:hep-ph/9801238](#).

- Erlar, J. and M. J. Ramsey-Musolf (2005). The weak mixing angle at low energies. *Phys. Rev. D* *72*, 073003, [arXiv:hep-ph/0409169](#).
- Erlar, J. and S. Su (2013). The weak neutral current. *Prog. Part. Nucl. Phys.* *71*, 119–149, [arXiv:1303.5522 \[hep-ph\]](#).
- Esmaili, A. and O. L. G. Peres (2012). KATRIN sensitivity to sterile neutrino mass in the shadow of lightest neutrino mass. *Phys. Rev. D* *85*, 117301, [arXiv:1203.2632 \[hep-ph\]](#).
- Espinosa, J. R. (2016). Implications of the top (and Higgs) mass for vacuum stability. *PoS TOP2015*, 043, [arXiv:1512.01222 \[hep-ph\]](#).
- Espinosa, J. R. and M. Quiros (1993). Upper bounds on the lightest Higgs boson mass in general supersymmetric standard models. *Phys. Lett. B* *302*, 51–58, [arXiv:hep-ph/9212305](#).
- Espinosa, J. R. and M. Quiros (1995). Improved metastability bounds on the standard model Higgs mass. *Phys. Lett. B* *353*, 257–266, [arXiv:hep-ph/9504241 \[hep-ph\]](#).
- Essig, R. et al. (2013). Snowmass 2013 working group report: New light weakly coupled particles. [arXiv:1311.0029 \[hep-ph\]](#).
- Esteban, I. et al. (2017). Updated fit to three neutrino mixing: exploring the accelerator-reactor complementarity. *JHEP* *01*, 087, [arXiv:1611.01514 \[hep-ph\]](#), and updates at [www.nu-fit.org](#). Updated from M. C. Gonzalez-Garcia et al., *JHEP*, *1411*, 052.
- Everett, L. L. (2006). Viewing lepton mixing through the Cabibbo haze. *Phys. Rev. D* *73*, 013011, [arXiv:hep-ph/0510256 \[hep-ph\]](#).
- Everett, L. L., I.-W. Kim, P. Ouyang, and K. M. Zurek (2008). Deflected mirage mediation: a framework for generalized supersymmetry breaking. *Phys. Rev. Lett.* *101*, 101803, [arXiv:0804.0592 \[hep-ph\]](#).
- Faessler, A., M. Gonzalez, S. Kovalenko, and F. Simkovic (2014). Arbitrary mass Majorana neutrinos in neutrinoless double beta decay. *Phys. Rev. D* *90*, 096010, [arXiv:1408.6077 \[hep-ph\]](#).
- Faessler, A., R. Hodak, S. Kovalenko, and F. Simkovic (2017). Can one measure the cosmic neutrino background? *Int. J. Mod. Phys. E* *26*, 1740008, [arXiv:1602.03347 \[nucl-th\]](#).
- Famaey, B. and S. McGaugh (2012). Modified Newtonian dynamics (MOND): Observational phenomenology and relativistic extensions. *Living Rev. Rel.* *15*, 10, [arXiv:1112.3960 \[astro-ph.CO\]](#).
- Farrar, G. R. and P. Fayet (1978). Phenomenology of the production, decay, and detection of new hadronic states associated with supersymmetry. *Phys. Lett. B* *76*, 575–579.
- Fayet, P. (1975). Supergauge invariant extension of the Higgs mechanism and a model for the electron and its neutrino. *Nucl. Phys. B* *90*, 104–124.
- Fayet, P. and S. Ferrara (1977). Supersymmetry. *Phys. Rept.* *32*, 249–334.
- Fayet, P. and J. Iliopoulos (1974). Spontaneously broken supergauge symmetries and Goldstone spinors. *Phys. Lett. B* *51*, 461–464.
- Feger, R. and T. W. Kephart (2015). LieARTA Mathematica application for Lie algebras and representation theory. *Comput. Phys. Commun.* *192*, 166–195, [arXiv:1206.6379 \[math-ph\]](#).

- Feldman, G., J. Hartnell, and T. Kobayashi (2013). Long-baseline neutrino oscillation experiments. *Adv. High Energy Phys.* 2013, 475749, [arXiv:1210.1778 \[hep-ex\]](#).
- Feng, J. L. (2010). Dark matter candidates from particle physics and methods of detection. *Ann. Rev. Astron. Astrophys.* 48, 495–545, [arXiv:1003.0904 \[astro-ph.CO\]](#).
- Feng, J. L. (2013). Naturalness and the status of supersymmetry. *Ann. Rev. Nucl. Part. Sci.* 63, 351–382, [arXiv:1302.6587 \[hep-ph\]](#).
- Feng, J. L., J.-F. Grivaz, and J. Nachtman (2010). Searches for supersymmetry at high-energy colliders. *Rev. Mod. Phys.* 82, 699–727, [arXiv:0903.0046 \[hep-ex\]](#).
- Feruglio, F. and A. Paris (2011). The golden ratio prediction for the solar angle from a natural model with A_5 flavour symmetry. *JHEP* 1103, 101, [arXiv:1101.0393 \[hep-ph\]](#).
- Feynman, R. P. and M. Gell-Mann (1958). Theory of the Fermi interaction. *Phys. Rev.* 109, 193–198.
- Field, R. D. and R. P. Feynman (1977). Quark elastic scattering as a source of high transverse momentum mesons. *Phys. Rev. D* 15, 2590–2616.
- Fields, B. D., K. Kainulainen, and K. A. Olive (1997). Nucleosynthesis limits on the mass of long lived tau and muon neutrinos. *Astropart. Phys.* 6, 169, [arXiv:hep-ph/9512321](#).
- Flacher, H. et al. (2009). Gfitter-revisiting the global electroweak fit of the standard model and beyond. *Eur. Phys. J. C* 60, 543–583, [arXiv:0811.0009 \[hep-ph\]](#), [Erratum: *Eur. Phys. J. C* 71, 1718 (2011)].
- Florkowski, W. (2014). Basic phenomenology for relativistic heavy-ion collisions. *Acta Phys. Polon. B* 45(12), 2329–2354, [arXiv:1410.7904 \[nucl-th\]](#).
- Fogli, G., E. Lisi, A. Marrone, A. Palazzo, and A. Rotunno (2008). Hints of $\theta_{13} > 0$ from global neutrino data analysis. *Phys. Rev. Lett.* 101, 141801, [arXiv:0806.2649 \[hep-ph\]](#).
- Fong, C. S., E. Nardi, and A. Riotto (2012). Leptogenesis in the Universe. *Adv. High Energy Phys.* 2012, 158303, [arXiv:1301.3062 \[hep-ph\]](#).
- Foot, R., M. J. Thomson, and R. Volkas (1996). Large neutrino asymmetries from neutrino oscillations. *Phys. Rev. D* 53, 5349–5353, [arXiv:hep-ph/9509327 \[hep-ph\]](#).
- Forero, D. V., M. Tortola, and J. W. F. Valle (2014). Neutrino oscillations refitted. *Phys. Rev. D* 90(9), 093006, [arXiv:1405.7540 \[hep-ph\]](#).
- Formaggio, J. A. and G. P. Zeller (2012). From eV to EeV: neutrino cross sections across energy scales. *Rev. Mod. Phys.* 84, 1307, [arXiv:1305.7513 \[hep-ex\]](#).
- Frampton, P. H., P. Q. Hung, and M. Sher (2000). Quarks and leptons beyond the third generation. *Phys. Rept.* 330, 263, [arXiv:hep-ph/9903387 \[hep-ph\]](#).
- Frank, M., L. Selbuz, L. Solmaz, and I. Turan (2013). Higgs bosons in supersymmetric $U(1)'$ models with CP violation. *Phys. Rev. D* 87(7), 075007, [arXiv:1302.3427 \[hep-ph\]](#).
- Friedland, A., C. Lunardini, and C. Pena-Garay (2004). Solar neutrinos as probes of neutrino-matter interactions. *Phys. Lett. B* 594, 347, [arXiv:hep-ph/0402266](#).
- Friedman, J. I. and H. W. Kendall (1972). Deep inelastic electron scattering. *Ann. Rev. Nucl. Part. Sci.* 22, 203–254.

- Frieman, J., M. Turner, and D. Huterer (2008). Dark energy and the accelerating universe. *Ann. Rev. Astron. Astrophys.* *46*, 385–432, [arXiv:0803.0982 \[astro-ph\]](#).
- Fritzsch, H., M. Gell-Mann, and H. Leutwyler (1973). Advantages of the color octet gluon picture. *Phys. Lett. B* *47*, 365–368.
- Fritzsch, H. and P. Minkowski (1975). Unified interactions of leptons and hadrons. *Ann. Phys.* *93*, 193–266.
- Froggatt, C. D. and H. B. Nielsen (1979). Hierarchy of quark masses, Cabibbo angles and CP violation. *Nucl. Phys. B* *147*, 277.
- Froissart, M. (1961). Asymptotic behavior and subtractions in the Mandelstam representation. *Phys. Rev.* *123*, 1053–1057.
- Fubini, S. and G. Furlan (1965). Renormalization effects for partially conserved currents. *Physics* *1*, 229–247.
- Fujikawa, K., B. W. Lee, and A. I. Sanda (1972). Generalized renormalizable gauge formulation of spontaneously broken gauge theories. *Phys. Rev. D* *6*, 2923–2943.
- Fukuda, Y. et al. (1998). Evidence for oscillation of atmospheric neutrinos. *Phys. Rev. Lett.* *81*, 1562–1567, [arXiv:hep-ex/9807003](#).
- Fukugita, M. and T. Yanagida (1986). Baryogenesis without grand unification. *Phys. Lett. B* *174*, 45.
- Fukuyama, T. (2012). Searching for new physics beyond the standard model in electric dipole moment. *Int. J. Mod. Phys. A* *27*, 1230015, [arXiv:1201.4252 \[hep-ph\]](#).
- Gabbiani, F., E. Gabrielli, A. Masiero, and L. Silvestrini (1996). A complete analysis of FCNC and CP constraints in general SUSY extensions of the standard model. *Nucl. Phys. B* *477*, 321–352, [arXiv:hep-ph/9604387](#).
- Gagliardi, C. A., R. E. Tribble, and N. J. Williams (2005). Global analysis of muon decay measurements. *Phys. Rev. D* *72*, 073002, [arXiv:hep-ph/0509069](#).
- Gaillard, J. M. and G. Sauvage (1984). Hyperon beta decays. *Ann. Rev. Nucl. Part. Sci.* *34*, 351–402.
- Gaillard, M. K. and B. W. Lee (1974a). $\Delta I = 1/2$ rule for nonleptonic decays in asymptotically free field theories. *Phys. Rev. Lett.* *33*, 108.
- Gaillard, M. K. and B. W. Lee (1974b). Rare decay modes of the K -Mesons in gauge theories. *Phys. Rev. D* *10*, 897.
- Gaillard, M. K., B. W. Lee, and J. L. Rosner (1975). Search for charm. *Rev. Mod. Phys.* *47*, 277.
- Gaisser, T. and F. Halzen (2014). IceCube. *Ann. Rev. Nucl. Part. Sci.* *64*, 101–123.
- Gandhi, R., C. Quigg, M. H. Reno, and I. Sarcevic (1998). Neutrino interactions at ultrahigh-energies. *Phys. Rev. D* *58*, 093009, [arXiv:hep-ph/9807264 \[hep-ph\]](#).
- Gando, A. et al. (2011). Partial radiogenic heat model for Earth revealed by geoneutrino measurements. *Nature Geo.* *4*, 647–651.

- Gando, A. et al. (2013). Reactor on-off antineutrino measurement with KamLAND. *Phys. Rev. D* **88**(3), 033001, [arXiv:1303.4667 \[hep-ex\]](#), copyright 2013 by the American Physical Society.
- Gando, A. et al. (2016). Search for Majorana neutrinos near the inverted mass hierarchy region with KamLAND-Zen. *Phys. Rev. Lett.* **117**(8), 082503, [arXiv:1605.02889 \[hep-ex\]](#).
- Gariazzo, S., C. Giunti, M. Laveder, Y. F. Li, and E. M. Zavanin (2016). Light sterile neutrinos. *J. Phys. G* **43**, 033001, [arXiv:1507.08204 \[hep-ph\]](#).
- Garvey, G. T., D. A. Harris, H. A. Tanaka, R. Tayloe, and G. P. Zeller (2015). Recent advances and open questions in neutrino-induced quasi-elastic scattering and single photon production. *Phys. Rept.* **580**, 1–45, [arXiv:1412.4294 \[hep-ex\]](#).
- Gaskins, J. M. (2016). A review of indirect searches for particle dark matter. *Contemp. Phys.* **57**, 496–525, [arXiv:1604.00014 \[astro-ph.HE\]](#).
- Gasser, J. and H. Leutwyler (1982). Quark masses. *Phys. Rept.* **87**, 77–169.
- Gavela, M., D. Hernandez, T. Ota, and W. Winter (2009). Large gauge invariant non-standard neutrino interactions. *Phys. Rev. D* **79**, 013007, [arXiv:0809.3451 \[hep-ph\]](#).
- Gell-Mann, M. and M. Levy (1960). The axial vector current in beta decay. *Nuovo Cim.* **16**, 705.
- Gell-Mann, M., R. J. Oakes, and B. Renner (1968). Behavior of current divergences under $SU(3) \times SU(3)$. *Phys. Rev.* **175**, 2195–2199.
- Gell-Mann, M., P. Ramond, and R. Slansky (1979). Complex spinors and unified theories, in *Supergravity*, P. van Nieuwenhuizen and D. Z. Freedman (eds.). Amsterdam: North Holland. [arXiv:1306.4669 \[hep-th\]](#).
- Gelmini, G. B. (2005). Prospect for relic neutrino searches. *Phys. Scripta T121*, 131–136, [arXiv:hep-ph/0412305](#).
- Gelmini, G. B. (2015). TASI 2014: The hunt for dark matter. [arXiv:1502.01320 \[hep-ph\]](#).
- Gelmini, G. B. and M. Roncadelli (1981). Left-handed neutrino mass scale and spontaneously broken lepton number. *Phys. Lett.* **B99**, 411.
- Georgi, H. (1975). The state-of-the-art gauge theories. *AIP Conf. Proc.* **23**, 575–582.
- Georgi, H. and S. L. Glashow (1972). Gauge theories without anomalies. *Phys. Rev. D* **6**, 429.
- Georgi, H. and S. L. Glashow (1974). Unity of all elementary particle forces. *Phys. Rev. Lett.* **32**, 438–441.
- Georgi, H. and C. Jarlskog (1979). A new lepton-quark mass relation in a unified theory. *Phys. Lett.* **B86**, 297–300.
- Georgi, H., H. R. Quinn, and S. Weinberg (1974). Hierarchy of interactions in unified gauge theories. *Phys. Rev. Lett.* **33**, 451–454.
- Georgi, H. M., S. L. Glashow, and S. Nussinov (1981). Unconventional model of neutrino masses. *Nucl. Phys.* **B193**, 297.

- Gershon, T. and V. V. Gligorov (2017). *CP violation in the B system*. *Rept. Prog. Phys.* 80, 046201, [arXiv:1607.06746 \[hep-ex\]](#).
- Gershtein, Y. et al. (2013). Snowmass 2013 working group report: New particles, forces, and dimensions. [arXiv:1311.0299 \[hep-ex\]](#).
- Gervais, J.-L. and B. Sakita (1971). Field theory interpretation of supergauges in dual models. *Nucl. Phys. B* 34, 632–639.
- Gherghetta, T. (2011). TASI 09: A holographic view of beyond the standard model physics. [arXiv:1008.2570 \[hep-ph\]](#).
- Giardino, P. P., K. Kannike, I. Masina, M. Raidal, and A. Strumia (2014). The universal Higgs fit. *JHEP* 1405, 046, [arXiv:1303.3570 \[hep-ph\]](#).
- Giedt, J., G. L. Kane, P. Langacker, and B. D. Nelson (2005). Massive neutrinos and (heterotic) string theory. *Phys. Rev. D* 71, 115013, [arXiv:hep-th/0502032](#).
- Ginges, J. S. M. and V. V. Flambaum (2004). Violations of fundamental symmetries in atoms and tests of unification theories of elementary particles. *Phys. Rept.* 397, 63–154, [arXiv:physics/0309054](#).
- Giudice, G. F. (2008). Naturally speaking: the naturalness criterion and physics at the LHC. [arXiv:0801.2562 \[hep-ph\]](#).
- Giudice, G. F. and A. Masiero (1988). A natural solution to the μ problem in supergravity theories. *Phys. Lett. B* 206, 480–484.
- Giudice, G. F., P. Paradisi, and M. Passera (2012). Testing new physics with the electron $g - 2$. *JHEP* 11, 113, [arXiv:1208.6583 \[hep-ph\]](#).
- Giudice, G. F. and R. Rattazzi (1999). Theories with gauge-mediated supersymmetry breaking. *Phys. Rept.* 322, 419–499, [arXiv:hep-ph/9801271](#).
- Giunti, C. et al. (2016). Electromagnetic neutrinos in laboratory experiments and astrophysics. *Annalen Phys.* 528, 198–215, [arXiv:1506.05387 \[hep-ph\]](#).
- Giunti, C., C. W. Kim, and U. W. Lee (1991). Running coupling constants and grand unification models. *Mod. Phys. Lett. A* 6, 1745–1755.
- Giunti, C. and A. Studenikin (2015). Neutrino electromagnetic interactions: a window to new physics. *Rev. Mod. Phys.* 87, 531, [arXiv:1403.6344 \[hep-ph\]](#).
- Glashow, S. L. (1960). Resonant scattering of antineutrinos. *Phys. Rev.* 118, 316–317.
- Glashow, S. L. (1961). Partial symmetries of weak interactions. *Nucl. Phys.* 22, 579–588.
- Glashow, S. L., A. Halprin, P. I. Krastev, C. N. Leung, and J. T. Pantaleone (1997). Remarks on neutrino tests of special relativity. *Phys. Rev. D* 56, 2433–2434, [arXiv:hep-ph/9703454](#).
- Glashow, S. L., J. Iliopoulos, and L. Maiani (1970). Weak interactions with lepton-hadron symmetry. *Phys. Rev. D* 2, 1285–1292.
- Glashow, S. L. and S. Weinberg (1968). Breaking chiral symmetry. *Phys. Rev. Lett.* 20, 224–227.

- Glashow, S. L. and S. Weinberg (1977). Natural conservation laws for neutral currents. *Phys. Rev. D* **15**, 1958.
- Gleisberg, T. et al. (2009). Event generation with SHERPA 1.1. *JHEP* **02**, 007, [arXiv:0811.4622 \[hep-ph\]](#).
- Godfrey, S. and N. Isgur (1985). Mesons in a relativized quark model with chromodynamics. *Phys. Rev. D* **32**, 189–231.
- Golden, M. and L. Randall (1991). Radiative corrections to electroweak parameters in technicolor theories. *Nucl. Phys. B* **361**, 3–23.
- Goldstone, J. (1961). Field theories with superconductor solutions. *Nuovo Cim.* **19**, 154–164.
- Goldstone, J., A. Salam, and S. Weinberg (1962). Broken symmetries. *Phys. Rev.* **127**, 965–970.
- Golowich, E., J. Hewett, S. Pakvasa, and A. A. Petrov (2007). Implications of D^0 - \bar{D}^0 mixing for new physics. *Phys. Rev. D* **76**, 095009, [arXiv:0705.3650 \[hep-ph\]](#).
- Gomez-Bock, M., M. Mondragon, M. Muhlleitner, M. Spira, and P. M. Zerwas (2007). Concepts of electroweak symmetry breaking and Higgs physics. [arXiv:0712.2419 \[hep-ph\]](#).
- Gondolo, P. et al. (2004). DarkSUSY: computing supersymmetric dark matter properties numerically. *JCAP* **0407**, 008, [arXiv:astro-ph/0406204](#).
- Gonzalez-Garcia, M. C. and M. Maltoni (2008). Phenomenology with massive neutrinos. *Phys. Rept.* **460**, 1–129, [arXiv:0704.1800 \[hep-ph\]](#).
- Gonzalez-Garcia, M. C. and M. Maltoni (2013). Determination of matter potential from global analysis of neutrino oscillation data. *JHEP* **1309**, 152, [arXiv:1307.3092](#).
- Gorbahn, M., S. Jager, U. Nierste, and S. Trine (2011). The supersymmetric Higgs sector and $B - \bar{B}$ mixing for large $\tan \beta$. *Phys. Rev. D* **84**, 034030, [arXiv:0901.2065 \[hep-ph\]](#).
- Gorringe, T. and H. W. Fearing (2004). Induced pseudoscalar coupling of the proton weak interaction. *Rev. Mod. Phys.* **76**, 31–91, [arXiv:nucl-th/0206039](#).
- Gorringe, T. P. and D. W. Hertzog (2015). Precision muon physics. *Prog. Part. Nucl. Phys.* **84**, 73–123, [arXiv:1506.01465 \[hep-ex\]](#).
- Gounaris, G. et al. (1996). Triple gauge boson couplings. [arXiv:hep-ph/9601233](#).
- Gounaris, G. J. and J. J. Sakurai (1968). Finite width corrections to the vector meson dominance prediction for $\rho \rightarrow e^+e^-$. *Phys. Rev. Lett.* **21**, 244.
- Graham, P. W. et al. (2015a). Experimental searches for the axion and axion-like particles. *Ann. Rev. Nucl. Part. Sci.* **65**, 485–514, [arXiv:1602.00039 \[hep-ex\]](#).
- Graham, P. W., D. E. Kaplan, and S. Rajendran (2015b). Cosmological relaxation of the electroweak scale. *Phys. Rev. Lett.* **115**(22), 221801, [arXiv:1504.07551 \[hep-ph\]](#).
- Graham, P. W. and S. Rajendran (2013). New observables for direct detection of axion dark matter. *Phys. Rev. D* **88**, 035023, [arXiv:1306.6088 \[hep-ph\]](#).
- Green, A. M. (2015). Primordial black holes: sirens of the early Universe. *Fundam. Theor. Phys.* **178**, 129–149, [arXiv:1403.1198 \[gr-qc\]](#).

- Greenberg, O. W. (2008). Discovery of the color degree of freedom in particle physics: a personal perspective. [arXiv:0803.0992 \[physics.hist-ph\]](#).
- Grisaru, M. T., W. Siegel, and M. Rocek (1979). Improved methods for supergraphs. *Nucl. Phys. B* *159*, 429.
- Gronau, M. and D. London (1990). Isospin analysis of CP asymmetries in B decays. *Phys. Rev. Lett.* *65*, 3381–3384.
- Gross, D. J. (2005). The discovery of asymptotic freedom and the emergence of QCD. *Rev. Mod. Phys.* *77*, 837–849.
- Gross, D. J. and F. Wilczek (1973). Ultraviolet behavior of nonabelian gauge theories. *Phys. Rev. Lett.* *30*, 1343–1346.
- Grossman, Y. and S. Rakshit (2004). Neutrino masses in R -parity violating supersymmetric models. *Phys. Rev. D* *69*, 093002, [arXiv:hep-ph/0311310](#).
- Grothaus, P., M. Fairbairn, and J. Monroe (2014). Directional dark matter detection beyond the neutrino bound. *Phys. Rev. D* *90*(5), 055018, [arXiv:1406.5047 \[hep-ph\]](#).
- Grunewald, M. W. (1999). Experimental tests of the electroweak standard model at high energies. *Phys. Rept.* *322*, 125–346.
- Grzadkowski, B., M. Iskrzynski, M. Misiak, and J. Rosiek (2010). Dimension-six terms in the standard model Lagrangian. *JHEP* *10*, 085, [arXiv:1008.4884 \[hep-ph\]](#).
- Gunion, J. F. and H. E. Haber (1986). Higgs bosons in supersymmetric models. 1. *Nucl. Phys. B* *272*, 1.
- Gupta, R. (1997). Introduction to lattice QCD. [arXiv:hep-lat/9807028](#).
- Guralnik, G. S., C. R. Hagen, and T. W. B. Kibble (1964). Global conservation laws and massless particles. *Phys. Rev. Lett.* *13*, 585–587.
- Guth, A. H. (1981). The inflationary universe: a possible solution to the horizon and flatness problems. *Phys. Rev. D* *23*, 347–356.
- Guzowski, P. et al. (2015). Combined limit on the neutrino mass from neutrinoless double- β decay and constraints on sterile Majorana neutrinos. *Phys. Rev. D* *92*(1), 012002, [arXiv:1504.03600 \[hep-ex\]](#).
- Haag, R. (1958). Quantum field theories with composite particles and asymptotic conditions. *Phys. Rev.* *112*, 669–673.
- Haag, R., J. T. Lopuszanski, and M. Sohnius (1975). All possible generators of supersymmetries of the S matrix. *Nucl. Phys. B* *88*, 257.
- Haber, H. E. and R. Hempfling (1991). Can the mass of the lightest Higgs boson of the minimal supersymmetric model be larger than M_Z ? *Phys. Rev. Lett.* *66*, 1815–1818.
- Haber, H. E. and G. L. Kane (1985). The search for supersymmetry: probing physics beyond the standard model. *Phys. Rept.* *117*, 75–263.
- Hagiwara, K., S. Ishihara, R. Szalapski, and D. Zeppenfeld (1993). Low-energy effects of new interactions in the electroweak boson sector. *Phys. Rev. D* *48*, 2182–2203.

- Hagiwara, K., R. Liao, A. D. Martin, D. Nomura, and T. Teubner (2011). $(g-2)_\mu$ and $\alpha(M_Z^2)$ re-evaluated using new precise data. *J. Phys. G38*, 085003, [arXiv:1105.3149 \[hep-ph\]](#).
- Hagiwara, K. and D. Zeppenfeld (1986). Helicity amplitudes for heavy lepton production in e^+e^- annihilation. *Nucl. Phys. B274*, 1.
- Hahn, T. (2001). Generating Feynman diagrams and amplitudes with FeynArts 3. *Comput. Phys. Commun. 140*, 418–431, [arXiv:hep-ph/0012260](#).
- Hahn, T., S. Heinemeyer, W. Hollik, H. Rzehak, and G. Weiglein (2014). High-precision predictions for the light CP -even Higgs boson mass of the minimal supersymmetric standard model. *Phys. Rev. Lett. 112*(14), 141801, [arXiv:1312.4937 \[hep-ph\]](#).
- Hall, L. J., H. Murayama, and N. Weiner (2000). Neutrino mass anarchy. *Phys. Rev. Lett. 84*, 2572–2575, [arXiv:hep-ph/9911341](#).
- Hall, L. J., D. Pinner, and J. T. Ruderman (2012). A natural SUSY Higgs near 126 GeV. *JHEP 1204*, 131, [arXiv:1112.2703 \[hep-ph\]](#).
- Hall, L. J., D. Pinner, and J. T. Ruderman (2014). The weak scale from BBN. *JHEP 12*, 134, [arXiv:1409.0551 \[hep-ph\]](#).
- Hall, L. J. and S. Weinberg (1993). Flavor changing scalar interactions. *Phys. Rev. D48*, 979–983, [arXiv:hep-ph/9303241](#).
- Hambye, T. (2012). Leptogenesis: beyond the minimal type I seesaw scenario. *New J. Phys. 14*, 125014, [arXiv:1212.2888 \[hep-ph\]](#).
- Hambye, T., B. Hassanain, J. March-Russell, and M. Schwelling (2007). Four-point functions and kaon decays in a minimal AdS/QCD model. *Phys. Rev. D76*, 125017, [arXiv:hep-ph/0612010 \[hep-ph\]](#).
- Hambye, T., E. Ma, and U. Sarkar (2001). Supersymmetric triplet Higgs model of neutrino masses and leptogenesis. *Nucl. Phys. B602*, 23–38, [arXiv:hep-ph/0011192](#).
- Hambye, T. and K. Riesselmann (1997). SM Higgs mass bounds from theory. [arXiv:hep-ph/9708416](#).
- Hamzaoui, C., M. Pospelov, and M. Toharia (1999). Higgs-mediated FCNC in supersymmetric models with large $\tan\beta$. *Phys. Rev. D59*, 095005, [arXiv:hep-ph/9807350](#).
- Han, T. (2005). Collider phenomenology: basic knowledge and techniques. [arXiv:hep-ph/0508097](#).
- Han, T., P. Langacker, Z. Liu, and L.-T. Wang (2013). Diagnosis of a new neutral gauge boson at the LHC and ILC for Snowmass 2013. [arXiv:1308.2738 \[hep-ph\]](#).
- Han, Z. (2008). Effective theories and electroweak precision constraints. *Int. J. Mod. Phys. A23*, 2653–2685, [arXiv:0807.0490 \[hep-ph\]](#).
- Han, Z. and W. Skiba (2005). Effective theory analysis of precision electroweak data. *Phys. Rev. D71*, 075009, [arXiv:hep-ph/0412166](#).
- Hanneke, D., S. Fogwell, and G. Gabrielse (2008). New measurement of the electron magnetic moment and the fine structure constant. *Phys. Rev. Lett. 100*, 120801, [arXiv:0801.1134 \[physics.atom-ph\]](#).

- Hannestad, S., I. Tamborra, and T. Tram (2012). Thermalisation of light sterile neutrinos in the early universe. *JCAP* 1207, 025, [arXiv:1204.5861 \[astro-ph.CO\]](#).
- Harari, H. (1984). Composite models for quarks and leptons. *Phys. Rept.* 104, 159.
- Hardy, J. C. and I. S. Towner (2015). Superaligned $0^+ \rightarrow 0^+$ nuclear β decays: 2014 critical survey, with precise results for V_{ud} and CKM unitarity. *Phys. Rev. C* 91(2), 025501, [arXiv:1411.5987 \[nucl-ex\]](#).
- Harland-Lang, L. A., A. D. Martin, P. Motylinski, and R. S. Thorne (2015). Parton distributions in the LHC era: MMHT 2014 PDFs. *Eur. Phys. J. C* 75(5), 204, [arXiv:1412.3989 \[hep-ph\]](#).
- Harnew, N. (2016). Future flavour physics experiments. *Annalen Phys.* 528, 102–107.
- Harrison, P. F., D. H. Perkins, and W. G. Scott (2002). Tri-bimaximal mixing and the neutrino oscillation data. *Phys. Lett. B* 530, 167, [arXiv:hep-ph/0202074](#).
- Hasenfratz, A., K. Jansen, C. B. Lang, T. Neuhaus, and H. Yoneyama (1987). The triviality bound of the four component ϕ^4 model. *Phys. Lett. B* 199, 531.
- Hasert, F. J. et al. (1973). Observation of neutrino-like interactions without muon or electron in the Gargamelle neutrino experiment. *Phys. Lett. B* 46, 138–140.
- Hata, N., S. Bludman, and P. Langacker (1994). Astrophysical solutions are incompatible with the solar neutrino data. *Phys. Rev. D* 49, 3622–3625, [arXiv:hep-ph/9306212](#).
- Haxton, W., R. Robertson, and A. M. Serenelli (2013). Solar neutrinos: status and prospects. *Ann. Rev. Astron. Astrophys.* 51, 21–61, [arXiv:1208.5723 \[astro-ph.SR\]](#).
- Haxton, W. C. and B. R. Holstein (2013). Hadronic parity violation. *Prog. Part. Nucl. Phys.* 71, 185–203, [arXiv:1303.4132 \[nucl-th\]](#).
- Haxton, W. C., C. P. Liu, and M. J. Ramsey-Musolf (2002). Nuclear anapole moments. *Phys. Rev. C* 65, 045502, [arXiv:nucl-th/0109014](#).
- Haxton, W. C. and C. E. Wieman (2001). Atomic parity nonconservation and nuclear anapole moments. *Ann. Rev. Nucl. Part. Sci.* 51, 261–293, [arXiv:nucl-th/0104026](#).
- Hayes, A., J. Friar, G. Garvey, G. Jungman, and G. Jonkmans (2014). Systematic Uncertainties in the Analysis of the Reactor Neutrino Anomaly. *Phys. Rev. Lett.* 112, 202501, [arXiv:1309.4146 \[nucl-th\]](#).
- Hayes, A. C. and P. Vogel (2016). Reactor neutrino spectra. *Ann. Rev. Nucl. Part. Sci.* 66, 219–244, [arXiv:1605.02047 \[hep-ph\]](#).
- Heckman, J. J. (2010). Particle physics implications of F-theory. *Ann. Rev. Nucl. Part. Sci.* 60, 237–265, [arXiv:1001.0577 \[hep-th\]](#).
- Heeck, J. and H. Zhang (2013). Exotic charges, multicomponent dark matter and light sterile neutrinos. *JHEP* 1305, 164, [arXiv:1211.0538 \[hep-ph\]](#).
- Heinemeyer, S. et al. (2013). Handbook of LHC Higgs cross sections: 3. Higgs properties. [arXiv:1307.1347 \[hep-ph\]](#).
- Heinemeyer, S., W. Hollik, and G. Weiglein (2000). FeynHiggs: A program for the calculation of the masses of the neutral CP even Higgs bosons in the MSSM. *Comput. Phys. Commun.* 124, 76–89, [arXiv:hep-ph/9812320 \[hep-ph\]](#).

- Heinemeyer, S., W. Hollik, and G. Weiglein (2006). Electroweak precision observables in the minimal supersymmetric standard model. *Phys. Rept.* 425, 265–368, [arXiv:hep-ph/0412214](#).
- Herczeg, P. (2001). Beta decay beyond the standard model. *Prog. Part. Nucl. Phys.* 46, 413–457.
- Herrero, M. (2015). The Higgs system in and beyond the standard model. *Springer Proc. Phys.* 161, 188–252, [arXiv:1401.7270 \[hep-ph\]](#).
- Hewett, J. L. and T. G. Rizzo (1989). Low-energy phenomenology of superstring inspired $E(6)$ models. *Phys. Rept.* 183, 193.
- Hewett, J. L. and M. Spiropulu (2002). Particle physics probes of extra spacetime dimensions. *Ann. Rev. Nucl. Part. Sci.* 52, 397–424, [arXiv:hep-ph/0205106](#).
- Hey, A. J. G. and R. L. Kelly (1983). Baryon spectroscopy. *Phys. Rept.* 96, 71.
- Higgs, P. W. (1964). Broken symmetries, massless particles and gauge fields. *Phys. Lett.* 12, 132–133.
- Higgs, P. W. (1966). Spontaneous symmetry breakdown without massless bosons. *Phys. Rev.* 145, 1156–1163.
- Hill, C. T., S. Pokorski, and J. Wang (2001). Gauge invariant effective Lagrangian for Kaluza-Klein modes. *Phys. Rev. D* 64, 105005, [arXiv:hep-th/0104035](#).
- Hill, C. T. and E. H. Simmons (2003). Strong dynamics and electroweak symmetry breaking. *Phys. Rept.* 381, 235–402, [arXiv:hep-ph/0203079](#).
- Hillairet, A. et al. (2012). Precision muon decay measurements and improved constraints on the weak interaction. *Phys. Rev. D* 85, 092013, [arXiv:1112.3606 \[hep-ex\]](#).
- Hinchliffe, I., F. E. Paige, M. D. Shapiro, J. Soderqvist, and W. Yao (1997). Precision SUSY measurements at CERN LHC. *Phys. Rev. D* 55, 5520–5540, [arXiv:hep-ph/9610544 \[hep-ph\]](#).
- Hinshaw, G. et al. (2013). Nine-year Wilkinson microwave anisotropy probe (WMAP) observations: cosmological parameter results. *Astrophys. J. Suppl.* 208, 19, [arXiv:1212.5226 \[astro-ph.CO\]](#).
- Hisano, J., T. Moroi, K. Tobe, and M. Yamaguchi (1996). Lepton flavor violation via right-handed neutrino Yukawa couplings in supersymmetric standard model. *Phys. Rev. D* 53, 2442–2459, [arXiv:hep-ph/9510309 \[hep-ph\]](#).
- Hogan, C. J. (2000). Why the universe is just so. *Rev. Mod. Phys.* 72, 1149–1161, [arXiv:astro-ph/9909295](#).
- Holdom, B. (1986). Two $U(1)$'s and ϵ charge shifts. *Phys. Lett. B* 166, 196.
- Hooper, D. (2010). TASI 2008: Particle dark matter. [arXiv:0901.4090 \[hep-ph\]](#).
- Hu, W., R. Barkana, and A. Gruzinov (2000). Cold and fuzzy dark matter. *Phys. Rev. Lett.* 85, 1158–1161, [arXiv:astro-ph/0003365 \[astro-ph\]](#).
- Huang, P., A. Joglekar, B. Li, and C. E. M. Wagner (2016). Probing the electroweak phase transition at the LHC. *Phys. Rev. D* 93(5), 055049, [arXiv:1512.00068 \[hep-ph\]](#).

- Huber, P. (2011). On the determination of anti-neutrino spectra from nuclear reactors. *Phys. Rev. C84*, 024617, [arXiv:1106.0687 \[hep-ph\]](#).
- Huber, P., J. Kopp, M. Lindner, M. Rolinec, and W. Winter (2007). New features in the simulation of neutrino oscillation experiments with GLOBES 3.0: general long baseline experiment simulator. *Comput. Phys. Commun.* 177, 432–438, [arXiv:hep-ph/0701187 \[hep-ph\]](#).
- Hui, L., J. P. Ostriker, S. Tremaine, and E. Witten (2017). On the hypothesis that cosmological dark matter is composed of ultra-light bosons. *Phys. Rev. D95*(4), 043541, [arXiv:1610.08297 \[astro-ph.CO\]](#).
- Hyde-Wright, C. E. and K. de Jager (2004). Electromagnetic form factors of the nucleon and Compton scattering. *Ann. Rev. Nucl. Part. Sci.* 54, 217–267, [arXiv:nuc1-ex/0507001](#).
- Ibáñez, L. E. and G. G. Ross (1992). Discrete gauge symmetries and the origin of baryon and lepton number conservation in supersymmetric versions of the standard model. *Nucl. Phys. B368*, 3–37.
- Ibáñez, L. E. and G. G. Ross (2007). Supersymmetric Higgs and radiative electroweak breaking. *Comptes Rendus Physique* 8, 1013–1028, [arXiv:hep-ph/0702046](#).
- Ibáñez, L. E. and A. M. Uranga (2007). Neutrino Majorana masses from string theory instanton effects. *JHEP* 03, 052, [arXiv:hep-th/0609213](#).
- Ibrahim, T. and P. Nath (2008). CP violation from standard model to strings. *Rev. Mod. Phys.* 80, 577–631, [arXiv:0705.2008 \[hep-ph\]](#).
- Inami, T. and C. S. Lim (1981). Effects of superheavy quarks and leptons in low-energy weak processes $K_L \rightarrow \mu\bar{\mu}$, $K^+ \rightarrow \pi^+\nu\bar{\nu}$, and $K^0 \leftrightarrow \bar{K}^0$. *Prog. Theor. Phys.* 65, 297.
- Intriligator, K. A. and N. Seiberg (2007). Lectures on supersymmetry breaking. *Class. Quant. Grav.* 24, S741–S772, [arXiv:hep-ph/0702069](#).
- Intriligator, K. A., N. Seiberg, and D. Shih (2006). Dynamical SUSY breaking in meta-stable vacua. *JHEP* 04, 021, [arXiv:hep-th/0602239](#).
- Isgur, N. and M. B. Wise (1989). Weak decays of heavy mesons in the static quark approximation. *Phys. Lett. B232*, 113.
- Ishimori, H. et al. (2010). Non-abelian discrete symmetries in particle physics. *Prog. Theor. Phys. Suppl.* 183, 1–163, [arXiv:1003.3552 \[hep-th\]](#).
- Isidori, G., Y. Nir, and G. Perez (2010). Flavor physics constraints for physics beyond the standard model. *Ann. Rev. Nucl. Part. Sci.* 60, 355, [arXiv:1002.0900 \[hep-ph\]](#).
- Isidori, G., G. Ridolfi, and A. Strumia (2001). On the metastability of the standard model vacuum. *Nucl. Phys. B609*, 387–409, [arXiv:hep-ph/0104016](#).
- Jackiw, R. and C. Rebbi (1976). Vacuum periodicity in a Yang-Mills quantum theory. *Phys. Rev. Lett.* 37, 172–175.
- Jackson, J. D., S. B. Treiman, and H. W. Wyld (1957). Possible tests of time reversal invariance in beta decay. *Phys. Rev.* 106, 517–521.
- Jaeckel, J. and A. Ringwald (2010). The low-energy frontier of particle physics. *Ann. Rev. Nucl. Part. Sci.* 60, 405–437, [arXiv:1002.0329 \[hep-ph\]](#).

- Jaffe, R. L. (2005). Exotica. *Phys. Rept.* 409, 1–45, [arXiv:hep-ph/0409065](#) [hep-ph].
- Jegerlehner, F. and A. Nyffeler (2009). The muon $g - 2$. *Phys. Rept.* 477, 1–110, [arXiv:0902.3360](#) [hep-ph].
- Jimenez-Delgado, P. and E. Reya (2014). Delineating parton distributions and the strong coupling. *Phys. Rev. D* 89(7), 074049, [arXiv:1403.1852](#) [hep-ph].
- Joyce, A., L. Lombriser, and F. Schmidt (2016). Dark energy vs. modified gravity. *Ann. Rev. Nucl. Part. Sci.* 66, 95–122, [arXiv:1601.06133](#) [astro-ph.CO].
- Jungman, G., M. Kamionkowski, and K. Griest (1996). Supersymmetric dark matter. *Phys. Rept.* 267, 195–373, [arXiv:hep-ph/9506380](#).
- Kachru, S., R. Kallosh, A. Linde, and S. P. Trivedi (2003). De Sitter vacua in string theory. *Phys. Rev. D* 68, 046005, [arXiv:hep-th/0301240](#).
- Kajita, T. (2014). The measurement of neutrino properties with atmospheric neutrinos. *Ann. Rev. Nucl. Part. Sci.* 64, 343–362.
- Kajita, T., E. Kearns, and M. Shiozawa (2016). Establishing atmospheric neutrino oscillations with Super-Kamiokande. *Nucl. Phys. B* 908, 14–29.
- Kajiyama, Y., M. Raidal, and A. Strumia (2007). The golden ratio prediction for the solar neutrino mixing. *Phys. Rev. D* 76, 117301, [arXiv:0705.4559](#) [hep-ph].
- Kane, G. L., C. F. Kolda, and J. D. Wells (1993). Calculable upper limit on the mass of the lightest Higgs boson in any perturbatively valid supersymmetric theory. *Phys. Rev. Lett.* 70, 2686–2689, [arXiv:hep-ph/9210242](#).
- Kane, G. L., G. A. Ladinsky, and C. P. Yuan (1992). Using the top quark for testing standard-model polarization and CP predictions. *Phys. Rev. D* 45(1), 124–141.
- Kane, G. L. and M. E. Peskin (1982). A constraint from B decay on models with no t quark. *Nucl. Phys. B* 195, 29.
- Kane, G. L., W. W. Repko, and W. B. Rolnick (1984). The effective W^\pm, Z^0 approximation for high-energy collisions. *Phys. Lett. B* 148, 367–372.
- Kang, J., P. Langacker, and B. D. Nelson (2008). Theory and phenomenology of exotic isosinglet quarks and squarks. *Phys. Rev. D* 77, 035003, [arXiv:0708.2701](#) [hep-ph].
- Kang, J.-H., P. Langacker, and T. Li (2005). Neutrino masses in supersymmetric $SU(3)_C \times SU(2)_L \times U(1)_Y \times U(1)'$ models. *Phys. Rev. D* 71, 015012, [arXiv:hep-ph/0411404](#).
- Kaplan, D. B. and A. Manohar (1988). Strange matrix elements in the proton from neutral current experiments. *Nucl. Phys. B* 310, 527.
- Kaplan, D. B. and A. V. Manohar (1986). Current mass ratios of the light quarks. *Phys. Rev. Lett.* 56, 2004.
- Kaplan, D. B., A. E. Nelson, and N. Weiner (2004). Neutrino oscillations as a probe of dark energy. *Phys. Rev. Lett.* 93, 091801, [arXiv:hep-ph/0401099](#).
- Karshenboim, S. G. (2005). Precision physics of simple atoms: QED tests, nuclear structure and fundamental constants. *Phys. Rept.* 422, 1–63, [arXiv:hep-ph/0509010](#).

- Katz, U. and C. Spiering (2012). High-energy neutrino astrophysics: status and perspectives. *Prog. Part. Nucl. Phys.* 67, 651–704, [arXiv:1111.0507 \[astro-ph.HE\]](#).
- Kawamura, Y. (2001). Triplet-doublet splitting, proton stability and extra dimension. *Prog. Theor. Phys.* 105, 999–1006, [arXiv:hep-ph/0012125](#).
- Kawasaki, M. and K. Nakayama (2013). Axions: theory and cosmological role. *Ann. Rev. Nucl. Part. Sci.* 63, 69–95, [arXiv:1301.1123 \[hep-ph\]](#).
- Kayser, B., G. T. Garvey, E. Fischbach, and S. P. Rosen (1974). Are neutrinos always lefthanded? *Phys. Lett. B* 52, 385.
- Kayser, B., J. Kopp, R. Roberston, and P. Vogel (2010). On a theory of neutrino oscillations with entanglement. *Phys. Rev. D* 82, 093003, [arXiv:1006.2372 \[hep-ph\]](#).
- Kennedy, D. C. and P. Langacker (1990). Precision electroweak experiments and heavy physics: a global analysis. *Phys. Rev. Lett.* 65, 2967–2970.
- Khachatryan, V. et al. (2015a). Observation of the rare $B_s^0 \rightarrow \mu^+ \mu^-$ decay from the combined analysis of CMS and LHCb data. *Nature* 522, 68–72, [arXiv:1411.4413 \[hep-ex\]](#).
- Khachatryan, V. et al. (2015b). Search for lepton-flavour-violating decays of the Higgs boson. *Phys. Lett. B* 749, 337–362, [arXiv:1502.07400 \[hep-ex\]](#).
- Khachatryan, V. et al. (2016a). Measurement of the W boson helicity fractions in the decays of top quark pairs to lepton+jets final states produced in pp collisions at $\sqrt{s} = 8$ TeV. *Phys. Lett. B* 762, 512–534, [arXiv:1605.09047 \[hep-ex\]](#).
- Khachatryan, V. et al. (2016b). Phenomenological MSSM interpretation of CMS searches in pp collisions at $\sqrt{s} = 7$ and 8 TeV. *JHEP* 10, 129, [arXiv:1606.03577 \[hep-ex\]](#).
- Khachatryan, V. et al. (2017). Search for narrow resonances in dilepton mass spectra in proton-proton collisions at $\sqrt{s} = 13$ TeV and combination with 8 TeV data. *Phys. Lett. B* 768, 57–80, [arXiv:1609.05391 \[hep-ex\]](#).
- Kibble, T. W. B. (1967). Symmetry breaking in non-abelian gauge theories. *Phys. Rev.* 155, 1554–1561.
- Kilian, W., T. Ohl, and J. Reuter (2011). WHIZARD: Simulating multi-particle processes at LHC and ILC. *Eur. Phys. J. C* 71, 1742, [arXiv:0708.4233 \[hep-ph\]](#).
- Kim, J. E. and G. Carosi (2010). Axions and the strong CP problem. *Rev. Mod. Phys.* 82, 557–602, [arXiv:0807.3125 \[hep-ph\]](#).
- Kim, J. E., P. Langacker, M. Levine, and H. H. Williams (1981). A theoretical and experimental review of the weak neutral current: a determination of its structure and limits on deviations from the minimal $SU(2) \times U(1)$ electroweak theory. *Rev. Mod. Phys.* 53, 211.
- Kim, J. E. and H. P. Nilles (1984). The μ problem and the strong CP problem. *Phys. Lett. B* 138, 150.
- King, S. F. (2015). Models of neutrino mass, mixing and CP violation. *J. Phys. G* 42, 123001, [arXiv:1510.02091 \[hep-ph\]](#).
- King, S. F., A. Merle, S. Morisi, Y. Shimizu, and M. Tanimoto (2014). Neutrino mass and mixing: from theory to experiment. *New J. Phys.* 16, 045018, [arXiv:1402.4271 \[hep-ph\]](#).

- King, S. F., S. Moretti, and R. Nevzorov (2006). Theory and phenomenology of an exceptional supersymmetric standard model. *Phys. Rev. D* **73**, 035009, [arXiv:hep-ph/0510419](#).
- Kinoshita, T. and A. Sirlin (1957). Muon decay with parity nonconserving interactions and radiative corrections in the two-component theory. *Phys. Rev.* **107**, 593–599.
- Kinoshita, T. and A. Sirlin (1959). Radiative corrections to Fermi interactions. *Phys. Rev.* **113**, 1652–1660.
- Kitano, R., H. Ooguri, and Y. Ookouchi (2010). Supersymmetry breaking and gauge mediation. *Ann. Rev. Nucl. Part. Sci.* **60**, 491–511, [arXiv:1001.4535 \[hep-th\]](#).
- Klapdor-Kleingrothaus, H. V. and I. V. Krivosheina (2006). The evidence for the observation of $\beta\beta_{0\nu}$ decay: the identification of $\beta\beta_{0\nu}$ events from the full spectra. *Mod. Phys. Lett. A* **21**, 1547–1566.
- Klasen, M., M. Pohl, and G. Sigl (2015). Indirect and direct search for dark matter. *Prog. Part. Nucl. Phys.* **85**, 1–32, [arXiv:1507.03800 \[hep-ph\]](#).
- Klebanov, I. R. (2000). TASI lectures: introduction to the AdS/CFT correspondence. [arXiv:hep-th/0009139](#).
- Klempt, E. and J.-M. Richard (2010). Baryon spectroscopy. *Rev. Mod. Phys.* **82**, 1095–1153, [arXiv:0901.2055 \[hep-ph\]](#).
- Klempt, E. and A. Zaitsev (2007). Glueballs, hybrids, multiquarks. experimental facts versus QCD inspired concepts. *Phys. Rept.* **454**, 1–202, [arXiv:0708.4016 \[hep-ph\]](#).
- Klinkhamer, F. R. and N. S. Manton (1984). A saddle point solution in the Weinberg-Salam theory. *Phys. Rev. D* **30**, 2212.
- Kluth, S. (2006). Tests of quantum chromo dynamics at e^+e^- colliders. *Rept. Prog. Phys.* **69**, 1771–1846, [arXiv:hep-ex/0603011 \[hep-ex\]](#).
- Kobayashi, M. and T. Maskawa (1973). CP violation in the renormalizable theory of weak interaction. *Prog. Theor. Phys.* **49**, 652–657.
- Kodama, K. et al. (2001). Observation of tau-neutrino interactions. *Phys. Lett. B* **504**, 218–224, [arXiv:hep-ex/0012035](#).
- Komargodski, Z. and N. Seiberg (2009). μ and general gauge mediation. *JHEP* **03**, 072, [arXiv:0812.3900 \[hep-ph\]](#).
- Konopinski, E. J. and H. M. Mahmoud (1953). The universal Fermi interaction. *Phys. Rev.* **92**, 1045–1049.
- Kopp, J., P. A. N. Machado, M. Maltoni, and T. Schwetz (2013). Sterile neutrino oscillations: the global picture. *JHEP* **1305**, 050, [arXiv:1303.3011 \[hep-ph\]](#).
- Kostelecky, V. A. and N. Russell (2011). Data tables for Lorentz and CPT violation. *Rev. Mod. Phys.* **83**, 11–31, [arXiv:0801.0287 \[hep-ph\]](#).
- Kraan, A. C., J. B. Hansen, and P. Nevski (2007). Discovery potential of R-hadrons with the ATLAS detector. *Eur. Phys. J. C* **49**, 623–640, [arXiv:hep-ex/0511014 \[hep-ex\]](#).
- Krauss, L. M. and S. Tremaine (1988). Test of the weak equivalence principle for neutrinos and photons. *Phys. Rev. Lett.* **60**, 176.

- Kronfeld, A. S. (2012). Twenty-first century lattice gauge theory: results from the QCD Lagrangian. *Ann. Rev. Nucl. Part. Sci.* *62*, 265–284, [arXiv:1203.1204](#) [hep-lat].
- Kronfeld, A. S. and C. Quigg (2010). Resource letter: quantum chromodynamics. *Am. J. Phys.* *78*, 1081–1116, [arXiv:1002.5032](#) [hep-ph].
- Kröniger, K., A. B. Meyer, and P. Uwer (2015). Top-quark physics at the LHC. In T. Schörner-Sadenius (Ed.), *The Large Hadron Collider: Harvest of Run 1*, pp. 259–300. [arXiv:1506.02800](#) [hep-ex].
- Kuipers, J., T. Ueda, J. A. M. Vermaseren, and J. Vollinga (2013). FORM version 4.0. *Comput. Phys. Commun.* *184*, 1453–1467, [arXiv:1203.6543](#) [cs.SC].
- Kumar, K. S., S. Mantry, W. J. Marciano, and P. A. Souder (2013). Low energy measurements of the weak mixing angle. *Ann. Rev. Nucl. Part. Sci.* *63*, 237–267, [arXiv:1302.6263](#) [hep-ex].
- Kuno, Y. and Y. Okada (2001). Muon decay and physics beyond the standard model. *Rev. Mod. Phys.* *73*, 151–202, [arXiv:hep-ph/9909265](#).
- Kuo, T.-K. and J. T. Pantaleone (1989). Neutrino oscillations in matter. *Rev. Mod. Phys.* *61*, 937.
- Kusenko, A. (2009). Sterile neutrinos: The dark side of the light fermions. *Phys. Rept.* *481*, 1–28, [arXiv:0906.2968](#) [hep-ph].
- Kusenko, A., P. Langacker, and G. Segre (1996). Phase transitions and vacuum tunneling into charge and color breaking minima in the MSSM. *Phys. Rev. D* *54*, 5824–5834, [arXiv:hep-ph/9602414](#).
- Kuti, J., L. Lin, and Y. Shen (1988). Upper bound on the Higgs mass in the standard model. *Phys. Rev. Lett.* *61*, 678.
- Kuzmin, V. A. (1970). *CP*-noninvariance and baryon asymmetry of universe. *JETP Lett.* *12*, 228–230.
- Kuzmin, V. A., V. A. Rubakov, and M. E. Shaposhnikov (1985). On the anomalous electroweak baryon number nonconservation in the early universe. *Phys. Lett. B* *155*, 36.
- Lalak, Z., M. Lewicki, and P. Olszewski (2014). Higher-order scalar interactions and SM vacuum stability. *JHEP* *05*, 119, [arXiv:1402.3826](#) [hep-ph].
- Landau, L. (1948). On the angular momentum of a two-photon system. *Dokl. Akad. Nauk Ser. Fiz.* *60*, 207–209.
- Langacker, P. (1977). The general treatment of second class currents in field theory. *Phys. Rev. D* *15*, 2386.
- Langacker, P. (1981). Grand unified theories and proton decay. *Phys. Rept.* *72*, 185.
- Langacker, P. (1989a). Implications of recent $M_{Z,W}$ and neutral current measurements for the top quark mass. *Phys. Rev. Lett.* *63*, 1920.
- Langacker, P. (1989b). Is the standard model unique? *Comments Nucl. Part. Phys.* *19*, 1.
- Langacker, P. (1991). *W* and *Z* physics. In *TeV Physics*, ed T. Huang et al., Gordon and Breach, New York, 1991.

- Langacker, P. (1993). Five phases of weak neutral current experiments from the perspective of a theorist. [arXiv:hep-ph/9305255](#).
- Langacker, P. (1998). A mechanism for ordinary-sterile neutrino mixing. *Phys. Rev. D* **58**, 093017, [arXiv:hep-ph/9805281](#).
- Langacker, P. (2005). Neutrino physics. *Int. J. Mod. Phys. A* **20**, 5254–5265, [arXiv:hep-ph/0411116](#).
- Langacker, P. (2009). The physics of heavy Z' gauge bosons. *Rev. Mod. Phys.* **81**, 1199–1228, [arXiv:0801.1345 \[hep-ph\]](#).
- Langacker, P. (2012). Neutrino masses from the top down. *Ann. Rev. Nucl. Part. Sci.* **62**, 215–235, [arXiv:1112.5992 \[hep-ph\]](#).
- Langacker, P., J. P. Leveille, and J. Sheiman (1983). On the detection of cosmological neutrinos by coherent scattering. *Phys. Rev. D* **27**, 1228.
- Langacker, P. and D. London (1988a). Lepton number violation and massless nonorthogonal neutrinos. *Phys. Rev. D* **38**, 907.
- Langacker, P. and D. London (1988b). Mixing between ordinary and exotic fermions. *Phys. Rev. D* **38**, 886.
- Langacker, P. and D. London (1989). Analysis of muon decay with lepton number nonconserving interactions. *Phys. Rev. D* **39**, 266.
- Langacker, P. and M.-X. Luo (1991). Implications of precision electroweak experiments for m_t , ρ_0 , $\sin^2 \theta_W$ and grand unification. *Phys. Rev. D* **44**, 817–822.
- Langacker, P., M.-X. Luo, and A. K. Mann (1992). High precision electroweak experiments: a global search for new physics beyond the standard model. *Rev. Mod. Phys.* **64**, 87–192.
- Langacker, P. and H. Pagels (1973). Nonrenormalization theorem in the chiral symmetry limit. *Phys. Rev. Lett.* **30**, 630–633.
- Langacker, P. and H. Pagels (1979). Light quark mass spectrum in quantum chromodynamics. *Phys. Rev. D* **19**, 2070.
- Langacker, P., G. Paz, L.-T. Wang, and I. Yavin (2007). A T -odd observable sensitive to CP violating phases in squark decay. *JHEP* **07**, 055, [arXiv:hep-ph/0702068](#).
- Langacker, P., G. Paz, and I. Yavin (2009). Scalar potentials and accidental symmetries in supersymmetric $U(1)'$ models. *Phys. Lett. B* **671**, 245–249, [arXiv:0811.1196 \[hep-ph\]](#).
- Langacker, P. and S.-Y. Pi (1980). Magnetic monopoles in grand unified theories. *Phys. Rev. Lett.* **45**, 1.
- Langacker, P. and M. Plumacher (2000). Flavor changing effects in theories with a heavy Z' boson with family non-universal couplings. *Phys. Rev. D* **62**, 013006, [arXiv:hep-ph/0001204](#).
- Langacker, P. and N. Polonsky (1993). Uncertainties in coupling constant unification. *Phys. Rev. D* **47**, 4028–4045, [arXiv:hep-ph/9210235](#).
- Langacker, P. and N. Polonsky (1994). The bottom mass prediction in supersymmetric grand unification: uncertainties and constraints. *Phys. Rev. D* **49**, 1454–1467, [arXiv:hep-ph/9306205](#).

- Langacker, P. and N. Polonsky (1995). The strong coupling, unification, and recent data. *Phys. Rev. D* **52**, 3081–3086, [arXiv:hep-ph/9503214](#).
- Langacker, P., R. W. Robinett, and J. L. Rosner (1984). New heavy gauge bosons in pp and $p\bar{p}$ collisions. *Phys. Rev. D* **30**, 1470.
- Langacker, P. and S. Uma Sankar (1989). Bounds on the mass of W_R and the $W_L - W_R$ mixing angle ξ in general $SU(2)_L \times SU(2)_R \times U(1)$ models. *Phys. Rev. D* **40**, 1569–1585.
- Langacker, P. and J. Wang (1998). Neutrino anti-neutrino transitions. *Phys. Rev. D* **58**, 093004, [arXiv:hep-ph/9802383](#).
- Lazauskas, R., P. Vogel, and C. Volpe (2008). Charged current cross section for massive cosmological neutrinos impinging on radioactive nuclei. *J. Phys. G* **35**, 025001, [arXiv:0710.5312 \[astro-ph\]](#).
- Leader, E. and C. Lorcé (2014). The angular momentum controversy: what’s it all about and does it matter? *Phys. Rept.* **541**(3), 163–248, [arXiv:1309.4235 \[hep-ph\]](#).
- Lebedev, O. et al. (2008). The heterotic road to the MSSM with R parity. *Phys. Rev. D* **77**, 046013, [arXiv:0708.2691 \[hep-th\]](#).
- Lebrun, P. et al. (2012). The CLIC programme: towards a staged e^+e^- linear collider exploring the terascale: CLIC conceptual design report. [arXiv:1209.2543 \[physics.ins-det\]](#).
- Lee, B. W., C. Quigg, and H. B. Thacker (1977). Weak interactions at very high-energies: the role of the Higgs boson mass. *Phys. Rev. D* **16**, 1519.
- Lee, B. W. and R. E. Shrock (1977). Natural suppression of symmetry violation in gauge theories: muon-lepton and electron lepton number nonconservation. *Phys. Rev. D* **16**, 1444.
- Lee, B. W. and J. Zinn-Justin (1972). Spontaneously broken gauge symmetries. 1. Preliminaries. *Phys. Rev. D* **5**, 3121–3137.
- Lee, B. W. and J. Zinn-Justin (1973). Spontaneously broken gauge symmetries. 4. General gauge formulation. *Phys. Rev. D* **7**, 1049–1056.
- Lee, J. S., M. Carena, J. Ellis, A. Pilaftsis, and C. E. M. Wagner (2013). CPsuperH2.3: an updated tool for phenomenology in the MSSM with explicit CP violation. *Comput. Phys. Commun.* **184**, 1220–1233, [arXiv:1208.2212 \[hep-ph\]](#).
- Lee, T. D. and C.-N. Yang (1956). Question of parity conservation in weak interactions. *Phys. Rev.* **104**, 254–258.
- Lees, J. P. et al. (2012). Observation of time reversal violation in the B^0 meson system. *Phys. Rev. Lett.* **109**, 211801, [arXiv:1207.5832 \[hep-ex\]](#).
- Leike, A. (1999). The phenomenology of extra neutral gauge bosons. *Phys. Rept.* **317**, 143–250, [arXiv:hep-ph/9805494](#).
- Lenz, A. and U. Nierste (2011). Numerical updates of lifetimes and mixing parameters of B mesons. [arXiv:1102.4274 \[hep-ph\]](#).
- Lepage, G. P. and S. J. Brodsky (1980). Exclusive processes in perturbative quantum chromodynamics. *Phys. Rev. D* **22**, 2157.

- Lepage, G. P., P. B. Mackenzie, and M. E. Peskin (2014). Expected precision of Higgs boson partial widths within the standard model. [arXiv:1404.0319 \[hep-ph\]](#).
- Lesgourgues, J. and S. Pastor (2012). Neutrino mass from cosmology. *Adv. High Energy Phys.* 2012, 608515, [arXiv:1212.6154 \[hep-ph\]](#).
- Leutwyler, H. (2014). On the history of the strong interaction. *Mod. Phys. Lett. A*29, 1430023, [arXiv:1211.6777 \[physics.hist-ph\]](#).
- Leutwyler, H. and M. Roos (1984). Determination of the elements $V(us)$ and $V(ud)$ of the Kobayashi-Maskawa matrix. *Z. Phys. C*25, 91.
- Li, L.-F. (1974). Group theory of the spontaneously broken gauge symmetries. *Phys. Rev. D*9, 1723–1739.
- Liberati, S. (2013). Tests of Lorentz invariance: a 2013 update. *Class. Quant. Grav.* 30, 133001, [arXiv:1304.5795 \[gr-qc\]](#).
- Lim, C.-S. and W. J. Marciano (1988). Resonant spin-flavor precession of solar and supernova neutrinos. *Phys. Rev. D*37, 1368.
- Linde, A. (2017). A brief history of the multiverse. *Rept. Prog. Phys.* 80(2), 022001, [arXiv:1512.01203 \[hep-th\]](#).
- Linde, A. D. (1983). Decay of the false vacuum at finite temperature. *Nucl. Phys. B*216, 421.
- Linde, A. D. (1986). Eternal chaotic inflation. *Mod. Phys. Lett. A*1, 81.
- Linde, A. D. (2008). Inflationary cosmology. *Lect. Notes Phys.* 738, 1–54, [arXiv:0705.0164 \[hep-th\]](#).
- Lipkin, H. J. (1984). The theoretical basis and phenomenology of the OZI rule. *Nucl. Phys. B*244, 147.
- Lisanti, M. (2016). TASI 2015: Lectures on dark matter physics. [arXiv:1603.03797 \[hep-ph\]](#).
- Llewellyn Smith, C. H. (1983). On the determination of $\sin^2 \theta_W$ in semileptonic neutrino interactions. *Nucl. Phys. B*228, 205.
- Logan, H. E. (2014). TASI 2013 lectures on Higgs physics within and beyond the standard model. [arXiv:1406.1786 \[hep-ph\]](#).
- Long, A. J., C. Lunardini, and E. Sabancilar (2014). Detecting non-relativistic cosmic neutrinos by capture on tritium: phenomenology and physics potential. *JCAP* 1408, 038, [arXiv:1405.7654 \[hep-ph\]](#).
- Longo, M. J. (1988). New precision tests of the Einstein equivalence principle from SN1987A. *Phys. Rev. Lett.* 60, 173.
- Lu, X. and H. Murayama (2014). Neutrino mass anarchy and the universe. *JHEP* 1408, 101, [arXiv:1405.0547 \[hep-ph\]](#).
- Ludhova, L. and S. Zavatarelli (2013). Studying the Earth with geoneutrinos. [arXiv:1310.3961 \[hep-ex\]](#).

- Luhn, C. and P. Ramond (2008). Anomaly conditions for non-abelian finite family symmetries. *JHEP* 07, 085, [arXiv:0805.1736 \[hep-ph\]](#).
- Luo, M.-x., H.-w. Wang, and Y. Xiao (2003). Two loop renormalization group equations in general gauge field theories. *Phys. Rev. D* 67, 065019, [arXiv:hep-ph/0211440 \[hep-ph\]](#).
- Luscher, M. and P. Weisz (1989). Scaling laws and triviality bounds in the lattice ϕ^4 theory. 3. N component model. *Nucl. Phys. B* 318, 705.
- Luty, M. A. (2005). 2004 TASI lectures on supersymmetry breaking. [arXiv:hep-th/0509029](#).
- Lykken, J. D. (1996a). Introduction to supersymmetry. [arXiv:hep-th/9612114](#).
- Lykken, J. D. (1996b). Weak scale superstrings. *Phys. Rev. D* 54, 3693–3697, [arXiv:hep-th/9603133](#).
- Lyth, D. H. and A. Riotto (1999). Particle physics models of inflation and the cosmological density perturbation. *Phys. Rept.* 314, 1–146, [arXiv:hep-ph/9807278](#).
- Ma, E. (1996). Neutrino masses in an extended gauge model with $E(6)$ particle content. *Phys. Lett. B* 380, 286–290, [arXiv:hep-ph/9507348](#).
- Ma, E. (2004). $A(4)$ origin of the neutrino mass matrix. *Phys. Rev. D* 70, 031901, [arXiv:hep-ph/0404199](#).
- Ma, E. (2009). Neutrino mass: mechanisms and models. [arXiv:0905.0221 \[hep-ph\]](#).
- Ma, E. and U. Sarkar (1998). Neutrino masses and leptogenesis with heavy Higgs triplets. *Phys. Rev. Lett.* 80, 5716–5719, [arXiv:hep-ph/9802445](#).
- Maalampi, J. and M. Roos (1990). Physics of mirror fermions. *Phys. Rept.* 186, 53.
- Machleidt, R. and D. R. Entem (2011). Chiral effective field theory and nuclear forces. *Phys. Rept.* 503, 1–75, [arXiv:1105.2919 \[nucl-th\]](#).
- Maiezza, A., M. Nemevsek, F. Nesti, and G. Senjanovic (2010). Left-right symmetry at LHC. *Phys. Rev. D* 82, 055022, [arXiv:1005.5160 \[hep-ph\]](#).
- Maki, Z., M. Nakagawa, and S. Sakata (1962). Remarks on the unified model of elementary particles. *Prog. Theor. Phys.* 28, 870.
- Maksymyk, I., C. P. Burgess, and D. London (1994). Beyond S , T and U . *Phys. Rev. D* 50, 529–535, [arXiv:hep-ph/9306267](#).
- Maldacena, J. M. (1998). The large N limit of superconformal field theories and supergravity. *Adv. Theor. Math. Phys.* 2, 231–252, [arXiv:hep-th/9711200](#).
- Maltoni, M. and A. Yu. Smirnov (2016). Solar neutrinos and neutrino physics. *Eur. Phys. J. A* 52(4), 87, [arXiv:1507.05287 \[hep-ph\]](#).
- Mangano, M. L., M. Moretti, F. Piccinini, R. Pittau, and A. D. Polosa (2003). ALPGEN, a generator for hard multiparton processes in hadronic collisions. *JHEP* 07, 001, [arXiv:hep-ph/0206293](#).
- Mangano, M. L. and T. J. Stelzer (2005). Tools for the simulation of hard hadronic collisions. *Ann. Rev. Nucl. Part. Sci.* 55, 555–588.

- Maniatis, M. (2010). The next-to-minimal supersymmetric extension of the standard model reviewed. *Int. J. Mod. Phys. A25*, 3505–3602, [arXiv:0906.0777 \[hep-ph\]](#).
- Marciano, W. J. and J. L. Rosner (1990). Atomic parity violation as a probe of new physics. *Phys. Rev. Lett.* *65*, 2963–2966.
- Marciano, W. J. and A. I. Sanda (1977). Exotic decays of the muon and heavy leptons in gauge theories. *Phys. Lett.* *B67*, 303.
- Marciano, W. J. and A. Sirlin (1980). Radiative corrections to neutrino induced neutral current phenomena in the $SU(2) \times U(1)$ theory. *Phys. Rev.* *D22*, 2695.
- Marciano, W. J. and A. Sirlin (1981). Precise $SU(5)$ predictions for $\sin^2 \theta_W$, $m(W)$ and $m(Z)$. *Phys. Rev. Lett.* *46*, 163.
- Marsh, D. J. E. (2016). Axion cosmology. *Phys. Rept.* *643*, 1–79, [arXiv:1510.07633 \[astro-ph.CO\]](#).
- Martin, S. P. (1997). A supersymmetry primer. [arXiv:hep-ph/9709356 \[hep-ph\]](#), [Adv. Ser. Direct. High Energy Phys. 18, 1 (1998)].
- Martin, S. P. and M. T. Vaughn (1994). Two loop renormalization group equations for soft supersymmetry breaking couplings. *Phys. Rev.* *D50*, 2282, [arXiv:hep-ph/9311340](#).
- Masiero, A., D. V. Nanopoulos, and A. I. Sanda (1986). Observable physics from superstring exotic particles: small Dirac neutrino masses. *Phys. Rev. Lett.* *57*, 663–666.
- Masiero, A., S. K. Vempati, and O. Vives (2004). Massive neutrinos and flavour violation. *New J. Phys.* *6*, 202, [arXiv:hep-ph/0407325](#).
- Mason, D. et al. (2007). Measurement of the nucleon strange-antistrange asymmetry at next-to-leading order in QCD from NuTeV dimuon data. *Phys. Rev. Lett.* *99*, 192001.
- Mateu, V. and A. Pich (2005). $V(us)$ determination from hyperon semileptonic decays. *JHEP* *10*, 041, [arXiv:hep-ph/0509045](#).
- Meade, P., N. Seiberg, and D. Shih (2009). General gauge mediation. *Prog. Theor. Phys. Suppl.* *177*, 143–158, [arXiv:0801.3278 \[hep-ph\]](#).
- Mele, S. (2006). Measurements of the running of the electromagnetic coupling at LEP. [arXiv:hep-ex/0610037](#).
- Melnikov, K. and T. Ritbergen (2000). The three-loop relation between the MS-bar and the pole quark masses. *Phys. Lett.* *B482*, 99–108, [arXiv:hep-ph/9912391](#).
- Melnitchouk, W., R. Ent, and C. Keppel (2005). Quark-hadron duality in electron scattering. *Phys. Rept.* *406*, 127–301, [arXiv:hep-ph/0501217 \[hep-ph\]](#).
- Melzer-Pellmann, I. and P. Pralavorio (2014). Lessons for SUSY from the LHC after the first run. *Eur. Phys. J. C74*, 2801, [arXiv:1404.7191 \[hep-ex\]](#).
- Mention, G. et al. (2011). The reactor antineutrino anomaly. *Phys. Rev.* *D83*, 073006, [arXiv:1101.2755 \[hep-ex\]](#).
- Merle, A. (2013). keV neutrino model building. *Int. J. Mod. Phys. D22*, 1330020, [arXiv:1302.2625 \[hep-ph\]](#).

- Metz, A. and A. Vossen (2016). Parton fragmentation functions. *Prog. Part. Nucl. Phys.* *91*, 136–202, [arXiv:1607.02521 \[hep-ex\]](#).
- Michel, L. (1950). Interaction between four half spin particles and the decay of the μ meson. *Proc. Phys. Soc. A63*, 514–531.
- Mihara, S., J. P. Miller, P. Paradisi, and G. Piredda (2013). Charged lepton flavor-violation experiments. *Ann. Rev. Nucl. Part. Sci.* *63*, 531–552.
- Mikheyev, S. P. and A. Y. Smirnov (1985). Resonance enhancement of oscillations in matter and solar neutrino spectroscopy. *Sov. J. Nucl. Phys.* *42*, 913–917.
- Miller, J. P., E. de Rafael, and B. L. Roberts (2007). Muon $g - 2$: review of theory and experiment. *Rept. Prog. Phys.* *70*, 795, [arXiv:hep-ph/0703049](#).
- Minakata, H. and A. Y. Smirnov (2004). Neutrino mixing and quark-lepton complementarity. *Phys. Rev. D70*, 073009, [arXiv:hep-ph/0405088](#).
- Minkowski, P. (1977). $\mu \rightarrow e\gamma$ at a rate of one out of 1-billion muon decays? *Phys. Lett. B67*, 421.
- Miranda, O. G., M. A. Tortola, and J. W. F. Valle (2006). Are solar neutrino oscillations robust? *JHEP* *10*, 008, [arXiv:hep-ph/0406280](#).
- Mirizzi, A. et al. (2016). Supernova neutrinos: production, oscillations and detection. *Riv. Nuovo Cim.* *39*(1-2), 1–112, [arXiv:1508.00785 \[astro-ph.HE\]](#).
- Mishra, S. R. and F. Sciulli (1989). Deep inelastic lepton-nucleon scattering. *Ann. Rev. Nucl. Part. Sci.* *39*, 259–310.
- Misiak, M., S. Pokorski, and J. Rosiek (1998). Supersymmetry and FCNC effects. *Adv. Ser. Direct. High Energy Phys.* *15*, 795–828, [arXiv:hep-ph/9703442](#).
- Mnich, J. (1996). Experimental tests of the standard model in $e^+e^- \rightarrow f\bar{f}$ at the Z resonance. *Phys. Rept.* *271*, 181–266, copyright 1996, with permission from Elsevier.
- Mohapatra, R. N. et al. (2007). Theory of neutrinos: a white paper. *Rept. Prog. Phys.* *70*, 1757–1867, [arXiv:hep-ph/0510213](#).
- Mohapatra, R. N. and J. C. Pati (1975). Left-right gauge symmetry and an isoconjugate model of CP violation. *Phys. Rev. D11*, 566–571.
- Mohapatra, R. N. and G. Senjanovic (1980). Neutrino mass and spontaneous parity non-conservation. *Phys. Rev. Lett.* *44*, 912.
- Mohapatra, R. N. and A. Y. Smirnov (2006). Neutrino mass and new physics. *Ann. Rev. Nucl. Part. Sci.* *56*, 569–628, [arXiv:hep-ph/0603118](#).
- Mohapatra, R. N. and J. W. F. Valle (1986). Neutrino mass and baryon number nonconservation in superstring models. *Phys. Rev. D34*, 1642.
- Mohr, P. J., B. N. Taylor, and D. B. Newell (2012). CODATA recommended values of the fundamental physical constants: 2010. *Rev. Mod. Phys.* *84*, 1527–1605, [arXiv:1203.5425 \[physics.atom-ph\]](#), and 2014 update in [arXiv:1507.07956 \[physics.atom-ph\]](#).
- Moretti, S., L. Lonnblad, and T. Sjöstrand (1998). New and old jet clustering algorithms for electron - positron events. *JHEP* *08*, 001, [arXiv:hep-ph/9804296 \[hep-ph\]](#).

- Mori, T. et al. (1989). Measurements of the e^+e^- total hadronic cross-section and a determination of m_Z and Λ_{MS} . *Phys. Lett. B218*, 499.
- Morrissey, D. E., T. Plehn, and T. M. P. Tait (2012). Physics searches at the LHC. *Phys. Rept. 515*, 1–113, [arXiv:0912.3259 \[hep-ph\]](#).
- Morrissey, D. E. and M. J. Ramsey-Musolf (2012). Electroweak baryogenesis. *New J. Phys. 14*, 125003, [arXiv:1206.2942 \[hep-ph\]](#).
- Murray, W. and V. Sharma (2015). Properties of the Higgs boson discovered at the Large Hadron Collider. *Ann. Rev. Nucl. Part. Sci. 65*, 515–554.
- Nakaya, T. and R. K. Plunkett (2016). Neutrino oscillations with the MINOS, MINOS+, T2K, and NO ν A experiments. *New J. Phys. 18*(1), 015009, [arXiv:1507.08134 \[hep-ex\]](#).
- Nambu, Y. (1960). Axial vector current conservation in weak interactions. *Phys. Rev. Lett. 4*, 380–382.
- Nambu, Y. and M. Y. Han (1974). Three triplets, paraquarks, and colored quarks. *Phys. Rev. D10*, 674–683.
- Nambu, Y. and G. Jona-Lasinio (1961). Dynamical model of elementary particles based on an analogy with superconductivity. I. *Phys. Rev. 122*, 345–358.
- Nath, P. et al. (2010). The hunt for new physics at the Large Hadron Collider. *Nucl. Phys. Proc. Suppl. 200-202*, 185–417, [arXiv:1001.2693 \[hep-ph\]](#).
- Nath, P. and P. Fileviez Perez (2007). Proton stability in grand unified theories, in strings, and in branes. *Phys. Rept. 441*, 191–317, [arXiv:hep-ph/0601023](#).
- Nelson, A. E. (1984). Calculation of θ Barr. *Phys. Lett. B143*, 165.
- Neubert, M. (1994). Heavy quark symmetry. *Phys. Rept. 245*, 259–396, [arXiv:hep-ph/9306320](#).
- Neubert, M. (2005). Effective field theory and heavy quark physics. [arXiv:hep-ph/0512222](#).
- Neveu, A. and J. H. Schwarz (1971). Factorizable dual model of pions. *Nucl. Phys. B31*, 86–112.
- Nielsen, H. B. and P. Olesen (1973). Vortex line models for dual strings. *Nucl. Phys. B61*, 45–61.
- Nilles, H. P. (1984). Supersymmetry, supergravity and particle physics. *Phys. Rept. 110*, 1.
- Nir, Y. (2005). CP violation in meson decays. [arXiv:hep-ph/0510413](#).
- Nir, Y. (2015). Flavour physics and CP violation. [arXiv:1605.00433 \[hep-ph\]](#).
- Nisius, R. (2000). The Photon structure from deep inelastic electron photon scattering. *Phys. Rept. 332*, 165–317, [arXiv:hep-ex/9912049 \[hep-ex\]](#).
- Novikov, V. A., L. B. Okun, and M. I. Vysotsky (1993). On the electroweak one loop corrections. *Nucl. Phys. B397*, 35–83.
- Nunokawa, H., S. J. Parke, and J. W. F. Valle (2008). CP violation and neutrino oscillations. *Prog. Part. Nucl. Phys. 60*, 338–402, [arXiv:0710.0554 \[hep-ph\]](#).

- Oakes, R. J. (1969). $SU(2) \times SU(2)$ breaking and the Cabibbo angle. *Phys. Lett. B29*, 683–685.
- Ochs, W. (2013). The status of glueballs. *J. Phys. G40*, 043001, [arXiv:1301.5183 \[hep-ph\]](#).
- Ohlsson, T. (2013). Status of non-standard neutrino interactions. *Rept. Prog. Phys. 76*, 044201, [arXiv:1209.2710 \[hep-ph\]](#).
- Ohnishi, A. (2012). Phase diagram and heavy-ion collisions: Overview. *Prog. Theor. Phys. Suppl. 193*, 1–10, [arXiv:1112.3210 \[nucl-th\]](#).
- Okada, Y., M. Yamaguchi, and T. Yanagida (1991). Renormalization group analysis on the Higgs mass in the softly broken supersymmetric standard model. *Phys. Lett. B262*, 54–58.
- Okubo, S. (1958). Decay of the Σ^+ hyperon and its antiparticle. *Phys. Rev. 109*, 984–985.
- Okubo, S. (1977). Gauge groups without triangular anomaly. *Phys. Rev. D16*, 3528.
- Olsen, S. L. (2015). XYZ meson spectroscopy. [arXiv:1511.01589 \[hep-ex\]](#).
- O’Raifeartaigh, L. (1975). Spontaneous symmetry breaking for chiral scalar superfields. *Nucl. Phys. B96*, 331.
- Ostrovskiy, I. and K. O’Sullivan (2016). Search for neutrinoless double beta decay. *Mod. Phys. Lett. A31*(18), 1630017, [arXiv:1605.00631 \[hep-ex\]](#).
- Otten, E. W. and C. Weinheimer (2008). Neutrino mass limit from tritium beta decay. *Rept. Prog. Phys. 71*, 086201, [arXiv:0909.2104 \[hep-ex\]](#).
- Pacetti, S., R. Baldini Ferroli, and E. Tomasi-Gustafsson (2014). Proton electromagnetic form factors: basic notions, present achievements and future perspectives. *Phys. Rept. 550-551*, 1–103.
- Pagels, H. (1975). Departures from chiral symmetry. *Phys. Rept. 16*, 219.
- Paige, F. E., S. D. Protopopescu, H. Baer, and X. Tata (2003). ISAJET 7.69: a Monte Carlo event generator for pp , $\bar{p}p$, and e^+e^- reactions. [arXiv:hep-ph/0312045](#).
- Palazzo, A. (2013). Phenomenology of light sterile neutrinos: a brief review. *Mod. Phys. Lett. A28*, 1330004, [arXiv:1302.1102 \[hep-ph\]](#).
- Panagiotakopoulos, C. and K. Tamvakis (1999a). New minimal extension of MSSM. *Phys. Lett. B469*, 145–148, [arXiv:hep-ph/9908351](#).
- Panagiotakopoulos, C. and K. Tamvakis (1999b). Stabilized NMSSM without domain walls. *Phys. Lett. B446*, 224–227, [arXiv:hep-ph/9809475](#).
- Pancheri, G. and Y. N. Srivastava (2017). Introduction to the physics of the total cross-section at LHC: a review of data and models. *Eur. Phys. J. C77*(3), 150, [arXiv:1610.10038 \[hep-ph\]](#).
- Panico, G. and A. Wulzer (2016). The composite Nambu-Goldstone Higgs. *Lect. Notes Phys. 913*, pp.1–316, [arXiv:1506.01961 \[hep-ph\]](#).
- Panofsky, W. K. H. and M. Breidenbach (1999). Accelerators and detectors. *Rev. Mod. Phys. 71*, S121–S132.

- Parke, S. J. and T. R. Taylor (1986). An amplitude for n gluon scattering. *Phys. Rev. Lett.* *56*, 2459.
- Päs, H. and W. Rodejohann (2015). Neutrinoless double beta decay. *New J. Phys.* *17*(11), 115010, [arXiv:1507.00170 \[hep-ph\]](#).
- Paschos, E. A. and L. Wolfenstein (1973). Tests for neutral currents in neutrino reactions. *Phys. Rev. D* *7*, 91–95.
- Pascoli, S., S. T. Petcov, and W. Rodejohann (2002). On the CP violation associated with Majorana neutrinos and neutrinoless double-beta decay. *Phys. Lett. B* *549*, 177–193, [arXiv:hep-ph/0209059](#).
- Pati, J. C. (2006). Grand unification as a bridge between string theory and phenomenology. *Int. J. Mod. Phys. D* *15*, 1677–1698, [arXiv:hep-ph/0606089](#).
- Pati, J. C. and A. Salam (1974). Lepton number as the fourth color. *Phys. Rev. D* *10*, 275–289.
- Patrignani, C. (2016). Review of particle physics. *Chin. Phys.* *C40*(10), 100001, <http://pdg.lbl.gov>.
- Patrignani, C., T. K. Pedlar, and J. L. Rosner (2013). Recent results in bottomonium. *Ann. Rev. Nucl. Part. Sci.* *63*, 21–44, [arXiv:1212.6552](#).
- Patrizzii, L. and M. Spurio (2015). Status of searches for magnetic monopoles. *Ann. Rev. Nucl. Part. Sci.* *65*, 279–302, [arXiv:1510.07125 \[hep-ex\]](#).
- Patt, B. and F. Wilczek (2006). Higgs-field portal into hidden sectors. [arXiv:hep-ph/0605188 \[hep-ph\]](#).
- Patterson, R. B. (2015). Prospects for measurement of the neutrino mass hierarchy. *Ann. Rev. Nucl. Part. Sci.* *65*, 177–192, [arXiv:1506.07917 \[hep-ex\]](#).
- Peccei, R. D. (2008). The strong CP problem and axions. *Lect. Notes Phys.* *741*, 3–17, [arXiv:hep-ph/0607268 \[hep-ph\]](#).
- Peccei, R. D. and H. R. Quinn (1977). CP conservation in the presence of instantons. *Phys. Rev. Lett.* *38*, 1440–1443.
- Peebles, P. J. E. and B. Ratra (2003). The cosmological constant and dark energy. *Rev. Mod. Phys.* *75*, 559–606, [arXiv:astro-ph/0207347](#).
- Pendleton, B. and G. G. Ross (1981). Mass and mixing angle predictions from infrared fixed points. *Phys. Lett. B* *98*, 291.
- Perelstein, M. (2007). Little Higgs models and their phenomenology. *Prog. Part. Nucl. Phys.* *58*, 247–291, [arXiv:hep-ph/0512128](#).
- Perez, E. and E. Rizvi (2013). The quark and gluon structure of the proton. *Rep. Prog. Phys.* *76*, 046201, [arXiv:1208.1178 \[hep-ex\]](#).
- Perl, M. L. et al. (1975). Evidence for anomalous lepton production in e^+e^- annihilation. *Phys. Rev. Lett.* *35*, 1489–1492.
- Peskin, M. E. (2008). Supersymmetry in elementary particle physics. [arXiv:0801.1928 \[hep-ph\]](#).

- Peskin, M. E. and T. Takeuchi (1990). A new constraint on a strongly interacting Higgs sector. *Phys. Rev. Lett.* *65*, 964–967.
- Peskin, M. E. and T. Takeuchi (1992). Estimation of oblique electroweak corrections. *Phys. Rev. D* *46*, 381–409.
- Peskin, M. E. and J. D. Wells (2001). How can a heavy Higgs boson be consistent with the precision electroweak measurements? *Phys. Rev. D* *64*, 093003, [arXiv:hep-ph/0101342](#).
- Phillips, II, D. G. et al. (2016). Neutron-antineutron oscillations: theoretical status and experimental prospects. *Phys. Rept.* *612*, 1–45, [arXiv:1410.1100 \[hep-ex\]](#).
- Pich, A. (1995). Chiral perturbation theory. *Rept. Prog. Phys.* *58*, 563–610, [arXiv:hep-ph/9502366](#).
- Pich, A. (1998). Effective field theory. [arXiv:hep-ph/9806303](#).
- Pich, A. (1999). Particle physics summer school, Trieste: Aspects of quantum chromodynamics. [arXiv:hep-ph/0001118 \[hep-ph\]](#).
- Pich, A. (2014). Precision tau physics. *Prog. Part. Nucl. Phys.* *75*, 41–85, [arXiv:1310.7922 \[hep-ph\]](#).
- Pierce, D. M., J. A. Bagger, K. T. Matchev, and R.-J. Zhang (1997). Precision corrections in the minimal supersymmetric standard model. *Nucl. Phys. B* *491*, 3–67, [arXiv:hep-ph/9606211](#).
- Pocanic, D. et al. (2004). Precise measurement of the $\pi^+ \rightarrow \pi^0 e^+ \nu$ branching ratio. *Phys. Rev. Lett.* *93*, 181803, [arXiv:hep-ex/0312030](#).
- Pohl, R. et al. (2010). The size of the proton. *Nature* *466*, 213–216.
- Pohl, R., R. Gilman, G. A. Miller, and K. Pachucki (2013). Muonic hydrogen and the proton radius puzzle. *Ann. Rev. Nucl. Part. Sci.* *63*, 175–204, [arXiv:1301.0905 \[physics.atom-ph\]](#).
- Polchinski, J. (2015). Brane/antibrane dynamics and KKLT stability. [arXiv:1509.05710 \[hep-th\]](#).
- Politzer, H. D. (1973). Reliable perturbative results for strong interactions? *Phys. Rev. Lett.* *30*, 1346–1349.
- Pontecorvo, B. (1968). Neutrino experiments and the question of leptonic-charge conservation. *Sov. Phys. JETP* *26*, 984–988.
- Ponton, E. (2013). TASI 2011: Four lectures on TeV scale extra dimensions. [arXiv:1207.3827 \[hep-ph\]](#).
- Porod, W. and F. Staub (2012). SPheno 3.1: Extensions including flavour, CP -phases and models beyond the MSSM. *Comput. Phys. Commun.* *183*, 2458–2469, [arXiv:1104.1573 \[hep-ph\]](#).
- Porod, W., F. Staub, and A. Vicente (2014). A flavor kit for BSM models. *Eur. Phys. J. C* *74* (8), 2992, [arXiv:1405.1434 \[hep-ph\]](#).
- Porter, F. C. (2016). Experimental status of the CKM matrix. *Prog. Part. Nucl. Phys.* *91*, 101–135, [arXiv:1604.04940 \[hep-ex\]](#).

- Pospelov, M. (2009). Secluded $U(1)$ below the weak scale. *Phys. Rev. D* **80**, 095002, [arXiv:0811.1030 \[hep-ph\]](#).
- Pospelov, M. and A. Ritz (2005). Electric dipole moments as probes of new physics. *Annals Phys.* **318**, 119–169, [arXiv:hep-ph/0504231](#).
- Prades, J., E. de Rafael, and A. Vainshtein (2009). The hadronic light-by-light scattering contribution to the muon and electron anomalous magnetic moments. *Adv. Ser. Direct. High Energy Phys.* **20**, 303–317, [arXiv:0901.0306 \[hep-ph\]](#).
- Prescott, C. Y. et al. (1979). Further measurements of parity nonconservation in inelastic electron scattering. *Phys. Lett. B* **84**, 524.
- Preskill, J. (1979). Cosmological production of superheavy magnetic monopoles. *Phys. Rev. Lett.* **43**, 1365.
- Preskill, J. (1984). Magnetic monopoles. *Ann. Rev. Nucl. Part. Sci.* **34**, 461–530.
- Pulido, J. (1992). The solar neutrino problem and the neutrino magnetic moment. *Phys. Rept.* **211**, 167–199.
- Punjabi, V. et al. (2015). The structure of the nucleon: elastic electromagnetic form factors. *Eur. Phys. J. A* **51**, 79, [arXiv:1503.01452 \[nucl-ex\]](#).
- Qian, X. and P. Vogel (2015). Neutrino mass hierarchy. *Prog. Part. Nucl. Phys.* **83**, 1–30, [arXiv:1505.01891 \[hep-ex\]](#).
- Qian, X. and W. Wang (2014). Reactor neutrino experiments: θ_{13} and beyond. *Mod. Phys. Lett. A* **29**, 1430016, [arXiv:1405.7217 \[hep-ex\]](#).
- Quigg, C. (2011). LHC physics potential vs. energy: considerations for the 2011 run. [arXiv:1101.3201 \[hep-ph\]](#).
- Quigg, C. (2015). Electroweak symmetry breaking in historical perspective. *Ann. Rev. Nucl. Part. Sci.* **65**, 25–42, [arXiv:1503.01756 \[hep-ph\]](#).
- Quiros, M. (1999). Finite temperature field theory and phase transitions. [arXiv:hep-ph/9901312](#).
- Raby, S. (2009). SUSY GUT model building. *Eur. Phys. J. C* **59**, 223–247, [arXiv:0807.4921 \[hep-ph\]](#).
- Raby, S. (2011). Searching for the standard model in the string landscape: SUSY GUTs. *Rept. Prog. Phys.* **74**, 036901, [arXiv:1101.2457 \[hep-ph\]](#).
- Raffelt, G. G. (1999). Particle physics from stars. *Ann. Rev. Nucl. Part. Sci.* **49**, 163–216, [arXiv:hep-ph/9903472](#).
- Raidal, M. (2004). Relation between the neutrino and quark mixing angles and grand unification. *Phys. Rev. Lett.* **93**, 161801, [arXiv:hep-ph/0404046](#).
- Rakshit, S. (2004). Neutrino masses and R -parity violation. *Mod. Phys. Lett. A* **19**, 2239–2258, [arXiv:hep-ph/0406168](#).
- Ramond, P. (1971). Dual theory for free fermions. *Phys. Rev. D* **3**, 2415–2418.
- Ramond, P. (1979). The family group in grand unified theories. [arXiv:hep-ph/9809459](#).

- Ramsey-Musolf, M. J. and S. A. Page (2006). Hadronic parity violation: a new view through the looking glass. *Ann. Rev. Nucl. Part. Sci.* 56, 1–52, [arXiv:hep-ph/0601127](#).
- Ramsey-Musolf, M. J. and S. Su (2008). Low energy precision test of supersymmetry. *Phys. Rept.* 456, 1–88, [arXiv:hep-ph/0612057](#) [hep-ph].
- Randall, L. and R. Sundrum (1999). A large mass hierarchy from a small extra dimension. *Phys. Rev. Lett.* 83, 3370–3373, [arXiv:hep-ph/9905221](#).
- Ringwald, A. (2009). Prospects for the direct detection of the cosmic neutrino background. *Nucl. Phys. A* 827, 501C–506C, [arXiv:0901.1529](#) [astro-ph.CO].
- Ringwald, A. and Y. Y. Y. Wong (2004). Gravitational clustering of relic neutrinos and implications for their detection. *JCAP* 0412, 005, [arXiv:hep-ph/0408241](#).
- Robens, T. and T. Stefaniak (2015). Status of the Higgs singlet extension of the standard model after LHC Run 1. *Eur. Phys. J. C* 75, 104, [arXiv:1501.02234](#) [hep-ph].
- Roberts, B. M., V. A. Dzuba, and V. V. Flambaum (2015). Parity and time-reversal violation in atomic systems. *Ann. Rev. Nucl. Part. Sci.* 65, 63–86, [arXiv:1412.6644](#) [physics.atom-ph].
- Robinett, R. W. and J. L. Rosner (1982a). Mass scales in grand unified theories. *Phys. Rev. D* 26, 2396.
- Robinett, R. W. and J. L. Rosner (1982b). Prospects for a second neutral vector boson at low mass in $SO(10)$. *Phys. Rev. D* 25, 3036.
- Rodejohann, W. (2011). Neutrino-less double beta decay and particle physics. *Int. J. Mod. Phys. E* 20, 1833–1930, [arXiv:1106.1334](#) [hep-ph].
- Rosner, J. L. (1999). The arrival of charm. *AIP Conf. Proc.* 459, 9–27, [arXiv:hep-ph/9811359](#).
- Rosner, J. L. (2007). Hadron spectroscopy: theory and experiment. *J. Phys. G* 34, S127–S148, [arXiv:hep-ph/0609195](#).
- Rosner, J. L., S. Stone, and R. S. Van de Water (2015). Leptonic decays of charged pseudoscalar mesons - 2015. [arXiv:1509.02220](#) [hep-ph].
- Rovelli, C. (2011). Zakopane lectures on loop gravity. In *3rd Quantum Geometry and Quantum Gravity School*, Zakopane, Poland. *PoS QGQGS2011*, 003, [arXiv:1102.3660](#) [gr-qc].
- Ryd, A. and A. A. Petrov (2012). Hadronic D and D_s meson decays. *Rev. Mod. Phys.* 84, 65–117, [arXiv:0910.1265](#) [hep-ph].
- Saakyan, R. (2013). Two-neutrino double-beta decay. *Ann. Rev. Nucl. Part. Sci.* 63(1), 503–529, <http://dx.doi.org/10.1146/annurev-nucl-102711-094904>.
- Sakai, N. and T. Yanagida (1982). Proton decay in a class of supersymmetric grand unified models. *Nucl. Phys. B* 197, 533.
- Sakharov, A. D. (1967). Violation of CP invariance, C asymmetry, and baryon asymmetry of the universe. *JETP Lett.* 5, 24–27.
- Salam, A. (1968). Weak and electromagnetic interactions. In *Elementary Particle Theory*, ed. N. Svartholm (Almquist and Wiksells, Stockholm 1968), 367–377.

- Salam, A. and J. A. Strathdee (1974). Supergauge transformations. *Nucl. Phys. B*76, 477–482.
- Salam, G. P. (2010a). Elements of QCD for hadron colliders. [arXiv:1011.5131 \[hep-ph\]](#).
- Salam, G. P. (2010b). Towards jetography. *Eur. Phys. J. C*67, 637–686, [arXiv:0906.1833 \[hep-ph\]](#).
- Sapeta, S. (2016). QCD and jets at hadron colliders. *Prog. Part. Nucl. Phys.* 89, 1–55, [arXiv:1511.09336 \[hep-ph\]](#).
- Sarantakos, S., A. Sirlin, and W. J. Marciano (1983). Radiative corrections to neutrino-lepton scattering in the $SU(2) \times U(1)$ theory. *Nucl. Phys. B*217, 84.
- Sayre, J., S. Wiesenfeldt, and S. Willenbrock (2005). Sterile neutrinos and global symmetries. *Phys. Rev. D*72, 015001, [arXiv:hep-ph/0504198 \[hep-ph\]](#).
- Schabinger, R. and J. D. Wells (2005). A minimal spontaneously broken hidden sector and its impact on Higgs boson physics at the large hadron collider. *Phys. Rev. D*72, 093007, [arXiv:hep-ph/0509209 \[hep-ph\]](#).
- Schael, S. et al. (2006a). Precision electroweak measurements on the Z resonance. *Phys. Rept.* 427, 257, [arXiv:hep-ex/0509008](#), copyright 2006, with permission from Elsevier.
- Schael, S. et al. (2006b). Search for neutral MSSM Higgs bosons at LEP. *Eur. Phys. J. C*47, 547–587, [arXiv:hep-ex/0602042](#).
- Schael, S. et al. (2013). Electroweak measurements in electron-positron collisions at W -boson-pair energies at LEP. *Phys. Rept.* 532, 119–244, [arXiv:1302.3415 \[hep-ex\]](#), copyright 2013, with permission from Elsevier.
- Schäfer, T. and E. V. Shuryak (1998). Instantons in QCD. *Rev. Mod. Phys.* 70, 323–426, [arXiv:hep-ph/9610451 \[hep-ph\]](#).
- Schaile, D. and P. M. Zerwas (1992). Measuring the weak isospin of B quarks. *Phys. Rev. D*45, 3262–3265.
- Schechter, J. and J. W. F. Valle (1980). Neutrino masses in $SU(2) \times U(1)$ theories. *Phys. Rev. D*22, 2227.
- Schechter, J. and J. W. F. Valle (1982). Neutrinoless double-beta decay in $SU(2) \times U(1)$ theories. *Phys. Rev. D*25, 2951.
- Schellekens, A. N. (2013). Life at the interface of particle physics and string theory. *Rev. Mod. Phys.* 85(4), 1491–1540, [arXiv:1306.5083 \[hep-ph\]](#).
- Schellekens, A. N. (2015). The string theory landscape. *Int. J. Mod. Phys. A*30(03), 1530016.
- Schiff, L. I. (1963). Measurability of nuclear electric dipole moments. *Phys. Rev.* 132(5), 2194–2200.
- Schildknecht, D. (2006). Vector meson dominance. *Acta Phys. Polon.* B37, 595–608, [arXiv:hep-ph/0511090 \[hep-ph\]](#).
- Scholberg, K. (2012). Supernova neutrino detection. *Ann. Rev. Nucl. Part. Sci.* 62, 81–103, [arXiv:1205.6003 \[astro-ph.IM\]](#).

- Schubert, K. R. (2015). T violation and CPT tests in neutral-meson systems. *Prog. Part. Nucl. Phys.* 81, 1–38, [arXiv:1409.5998 \[hep-ex\]](#).
- Schwinger, J. S. (1957). A theory of the fundamental interactions. *Annals Phys.* 2, 407–434.
- Seiberg, N. (1993). Naturalness versus supersymmetric non-renormalization theorems. *Phys. Lett. B* 318, 469–475, [arXiv:hep-ph/9309335](#).
- Semenov, A. (2016). LanHEP A package for automatic generation of Feynman rules from the Lagrangian. Version 3.2. *Comput. Phys. Commun.* 201, 167–170, [arXiv:1412.5016 \[physics.comp-ph\]](#).
- Senjanovic, G. and R. N. Mohapatra (1975). Exact left-right symmetry and spontaneous violation of parity. *Phys. Rev. D* 12, 1502.
- Severijns, N., M. Beck, and O. Naviliat-Cuncic (2006). Tests of the standard electroweak model in beta decay. *Rev. Mod. Phys.* 78, 991–1040, [arXiv:nucl-ex/0605029](#).
- Shelton, J. (2013). TASI 2012: Jet substructure. [arXiv:1302.0260 \[hep-ph\]](#).
- Shtabovenko, V., R. Mertig, and F. Orellana (2016). New developments in FeynCalc 9.0. *Comput. Phys. Commun.* 207, 432–444, [arXiv:1601.01167 \[hep-ph\]](#).
- Simha, V. and G. Steigman (2008). Constraining the universal lepton asymmetry. *JCAP* 0808, 011, [arXiv:0806.0179 \[hep-ph\]](#).
- Šimkovic, F., V. Rodin, A. Faessler, and P. Vogel (2013). $0\nu\beta\beta$ and $2\nu\beta\beta$ nuclear matrix elements, quasiparticle random-phase approximation, and isospin symmetry restoration. *Phys. Rev. C* 87(4), 045501, [arXiv:1302.1509 \[nucl-th\]](#).
- Sirlin, A. (1978). Current algebra formulation of radiative corrections in gauge theories and the universality of the weak interactions. *Rev. Mod. Phys.* 50, 573.
- Sirlin, A. (1980). Radiative corrections in the $SU(2) \times U(1)$ theory: a simple renormalization framework. *Phys. Rev. D* 22, 971–981.
- Sirlin, A. and A. Ferroglia (2013). Radiative corrections in precision electroweak physics: a historical perspective. *Rev. Mod. Phys.* 85(1), 263–297, [arXiv:1210.5296 \[hep-ph\]](#).
- Sirlin, A. and W. J. Marciano (1981). Radiative corrections to $\nu_\mu N \rightarrow \mu X$ and their effect on the determination of ρ^2 and $\sin^2 \theta_W$. *Nucl. Phys. B* 189, 442.
- Sjöstrand, T. (2016). Status and developments of event generators. [arXiv:1608.06425 \[hep-ph\]](#).
- Sjöstrand, T. et al. (2015). An introduction to PYTHIA 8.2. *Comput. Phys. Commun.* 191, 159–177, [arXiv:1410.3012 \[hep-ph\]](#).
- Skands, P. (2013). TASI 2012: Introduction to QCD. [arXiv:1207.2389 \[hep-ph\]](#).
- Skiba, W. (2011). TASI 2009: Effective field theory and precision electroweak measurements. [arXiv:1006.2142 \[hep-ph\]](#).
- Skyrme, T. H. R. (1962). A unified field theory of mesons and baryons. *Nucl. Phys.* 31, 556–569.
- Slansky, R. (1981). Group theory for unified model building. *Phys. Rept.* 79, 1.

- Sozzi, M. S. and I. Mannelli (2003). Measurements of direct CP violation. *Riv. Nuovo Cim.* *26N3*, 1–110, [arXiv:hep-ex/0312015](#).
- Spira, M., A. Djouadi, D. Graudenz, and P. M. Zerwas (1995). Higgs boson production at the LHC. *Nucl. Phys. B**453*, 17–82, [arXiv:hep-ph/9504378](#) [hep-ph].
- Staub, F. (2014). SARAH 4 : A tool for (not only SUSY) model builders. *Comput. Phys. Commun.* *185*, 1773–1790, [arXiv:1309.7223](#) [hep-ph].
- Steigman, G. (1979). Cosmology confronts particle physics. *Ann. Rev. Nucl. Part. Sci.* *29*, 313–338.
- Steigman, G. (2012). Neutrinos and big bang nucleosynthesis. *Adv. High Energy Phys.* *2012*, 268321, [arXiv:1208.0032](#) [hep-ph].
- Sterman, G. (2004). QCD and jets. [arXiv:hep-ph/0412013](#).
- Sterman, G. F. and S. Weinberg (1977). Jets from quantum chromodynamics. *Phys. Rev. Lett.* *39*, 1436.
- Stodolsky, L. (1975). Speculations on detection of the neutrino sea. *Phys. Rev. Lett.* *34*, 110.
- Strassler, M. J. and K. M. Zurek (2007). Echoes of a hidden valley at hadron colliders. *Phys. Lett. B**651*, 374–379, [arXiv:hep-ph/0604261](#) [hep-ph].
- Strigari, L. E. (2013). Galactic searches for dark matter. *Phys. Rept.* *531*, 1–88, [arXiv:1211.7090](#) [astro-ph.CO].
- Strumia, A. and F. Vissani (2006). Neutrino masses and mixings. [arXiv:hep-ph/0606054](#).
- Stueckelberg, E. C. G. (1938). Interaction energy in electrodynamics and in the field theory of nuclear forces. *Helv. Phys. Acta* *11*, 225–244.
- Sudarshan, E. C. G. and R. E. Marshak (1958). Chirality invariance and the universal Fermi interaction. *Phys. Rev.* *109*, 1860–1862.
- Suematsu, D. and Y. Yamagishi (1995). Radiative symmetry breaking in a supersymmetric model with an extra $U(1)$. *Int. J. Mod. Phys. A**10*, 4521–4536, [arXiv:hep-ph/9411239](#).
- Susskind, L. (1979). Dynamics of spontaneous symmetry breaking in the Weinberg-Salam theory. *Phys. Rev. D**20*, 2619–2625.
- Susskind, L. (2003). The anthropic landscape of string theory. [arXiv:hep-th/0302219](#).
- Svrcek, P. and E. Witten (2006). Axions in string theory. *JHEP* *06*, 051, [arXiv:hep-th/0605206](#).
- Szleper, M. (2014). The Higgs boson and the physics of WW scattering before and after Higgs discovery. [arXiv:1412.8367](#) [hep-ph].
- 't Hooft, G. (1971a). Renormalizable Lagrangians for massive Yang-Mills fields. *Nucl. Phys. B**35*, 167–188.
- 't Hooft, G. (1971b). Renormalization of massless Yang-Mills fields. *Nucl. Phys. B**33*, 173–199.

- 't Hooft, G. (1973). Dimensional regularization and the renormalization group. *Nucl. Phys. B61*, 455–468.
- 't Hooft, G. (1974). A planar diagram theory for strong interactions. *Nucl. Phys. B72*, 461.
- 't Hooft, G. (1976a). Computation of the quantum effects due to a four-dimensional pseudoparticle. *Phys. Rev. D14*, 3432–3450.
- 't Hooft, G. (1976b). Symmetry breaking through Bell-Jackiw anomalies. *Phys. Rev. Lett. 37*, 8–11.
- 't Hooft, G. (1980). Naturalness, chiral symmetry, and spontaneous chiral symmetry breaking. *NATO Adv. Study Inst. Ser. B Phys. 59*, 135.
- 't Hooft, G. (1986). How instantons solve the $U(1)$ problem. *Phys. Rept. 142*, 357–387.
- 't Hooft, G. and M. J. G. Veltman (1972). Combinatorics of gauge fields. *Nucl. Phys. B50*, 318–353.
- Takhistov, V. (2016). Review of nucleon decay searches at Super-Kamiokande. [arXiv:1605.03235](https://arxiv.org/abs/1605.03235) [hep-ex].
- Tegmark, M., A. Vilenkin, and L. Pogosian (2005). Anthropic predictions for neutrino masses. *Phys. Rev. D71*, 103523, [arXiv:astro-ph/0304536](https://arxiv.org/abs/astro-ph/0304536) [astro-ph].
- Timmons, A. (2016). The results of MINOS and the future with MINOS+. *Adv. High Energy Phys. 2016*, 7064960, [arXiv:1511.06178](https://arxiv.org/abs/1511.06178) [hep-ex].
- Tishchenko, V. et al. (2013). Detailed report of the MuLan measurement of the positive muon lifetime and determination of the Fermi constant. *Phys. Rev. D87*(5), 052003, [arXiv:1211.0960](https://arxiv.org/abs/1211.0960) [hep-ex].
- Trócsányi, Z. (2015). QCD for collider experiments. [arXiv:1608.02381](https://arxiv.org/abs/1608.02381) [hep-ph].
- Trodden, M. (1999). Electroweak baryogenesis. *Rev. Mod. Phys. 71*, 1463–1500, [arXiv:hep-ph/9803479](https://arxiv.org/abs/hep-ph/9803479).
- Turck-Chieze, S. and S. Couvidat (2011). Solar neutrinos, helioseismology and the solar internal dynamics. *Rept. Prog. Phys. 74*, 086901, [arXiv:1009.0852](https://arxiv.org/abs/1009.0852) [astro-ph.SR].
- Uzan, J.-P. (2011). Varying constants, gravitation and cosmology. *Living Rev. Rel. 14*, 2, [arXiv:1009.5514](https://arxiv.org/abs/1009.5514) [astro-ph.CO].
- van Ritbergen, T., A. N. Schellekens, and J. A. M. Vermaseren (1999). Group theory factors for Feynman diagrams. *Int. J. Mod. Phys. A14*, 41–96, [arXiv:hep-ph/9802376](https://arxiv.org/abs/hep-ph/9802376).
- van Ritbergen, T., J. A. M. Vermaseren, and S. A. Larin (1997). The four-loop beta function in quantum chromodynamics. *Phys. Lett. B400*, 379–384, [arXiv:hep-ph/9701390](https://arxiv.org/abs/hep-ph/9701390).
- Veltman, M. J. G. (1977). Limit on mass differences in the Weinberg model. *Nucl. Phys. B123*, 89.
- Vergados, J., H. Ejiri, and F. Simkovic (2012). Theory of neutrinoless double beta decay. *Rept. Prog. Phys. 75*, 106301, [arXiv:1205.0649](https://arxiv.org/abs/1205.0649) [hep-ph].
- Vicari, E. and H. Panagopoulos (2009). Theta dependence of $SU(N)$ gauge theories in the presence of a topological term. *Phys. Rept. 470*, 93–150, [arXiv:0803.1593](https://arxiv.org/abs/0803.1593) [hep-th].

- Vilenkin, A. (1985). Cosmic strings and domain walls. *Phys. Rept.* 121, 263.
- Vissani, F. (1998). Do experiments suggest a hierarchy problem? *Phys. Rev. D* 57, 7027–7030, [arXiv:hep-ph/9709409](#) [hep-ph].
- Vogel, P. (2012). Nuclear structure and double beta decay. *J. Phys. G* 39, 124002, [arXiv:1208.1992](#) [nucl-th].
- Vogel, P. and J. Engel (1989). Neutrino electromagnetic form-factors. *Phys. Rev. D* 39, 3378.
- Vos, K. K., H. W. Wilschut, and R. G. E. Timmermans (2015). Symmetry violations in nuclear and neutron β decay. *Rev. Mod. Phys.* 87, 1483, [arXiv:1509.04007](#) [hep-ph].
- Voutilainen, M. (2015). Heavy quark jets at the LHC. *Int. J. Mod. Phys. A* 30(31), 1546008, [arXiv:1509.05026](#) [hep-ex].
- Wang, D. et al. (2014). Measurement of parity violation in electron-quark scattering. *Nature* 506(7486), 67–70.
- Wang, L.-T. and I. Yavin (2008). A review of spin determination at the LHC. *Int. J. Mod. Phys. A* 23, 4647–4668, [arXiv:0802.2726](#) [hep-ph].
- Weiler, T. J. (1982). Resonant absorption of cosmic ray neutrinos by the relic neutrino background. *Phys. Rev. Lett.* 49, 234.
- Weinberg, D. H. et al. (2013). Observational probes of cosmic acceleration. *Phys. Rept.* 530, 87–255, [arXiv:1201.2434](#) [astro-ph.CO].
- Weinberg, S. (1958). Charge symmetry of weak interactions. *Phys. Rev.* 112, 1375–1379.
- Weinberg, S. (1962). Universal neutrino degeneracy. *Phys. Rev.* 128, 1457–1473.
- Weinberg, S. (1967a). A model of leptons. *Phys. Rev. Lett.* 19, 1264–1266.
- Weinberg, S. (1967b). Dynamical approach to current algebra. *Phys. Rev. Lett.* 18, 188–191.
- Weinberg, S. (1973a). Current algebra and gauge theories. 1. *Phys. Rev. D* 8, 605–625.
- Weinberg, S. (1973b). Current algebra and gauge theories. 2. nonabelian gluons. *Phys. Rev. D* 8, 4482–4498.
- Weinberg, S. (1973c). General theory of broken local symmetries. *Phys. Rev. D* 7, 1068–1082.
- Weinberg, S. (1973d). Perturbative calculations of symmetry breaking. *Phys. Rev. D* 7, 2887–2910.
- Weinberg, S. (1975). The $U(1)$ problem. *Phys. Rev. D* 11, 3583–3593.
- Weinberg, S. (1976). Gauge theory of CP violation. *Phys. Rev. Lett.* 37, 657.
- Weinberg, S. (1977). The problem of mass. *Trans. New York Acad. Sci.* 38, 185–201.
- Weinberg, S. (1978). A new light boson? *Phys. Rev. Lett.* 40, 223–226.
- Weinberg, S. (1979). Implications of dynamical symmetry breaking: an addendum. *Phys. Rev. D* 19, 1277–1280.
- Weinberg, S. (1980). Varieties of baryon and lepton nonconservation. *Phys. Rev. D* 22, 1694.

- Weinberg, S. (1982). Supersymmetry at ordinary energies. 1. Masses and conservation laws. *Phys. Rev. D* **26**, 287.
- Weinberg, S. (1989a). Larger Higgs exchange terms in the neutron electric dipole moment. *Phys. Rev. Lett.* **63**, 2333.
- Weinberg, S. (1989b). The cosmological constant problem. *Rev. Mod. Phys.* **61**, 1–23.
- Weinberg, S. (2004). The making of the standard model. *Eur. Phys. J. C* **34**, 5–13, [arXiv:hep-ph/0401010 \[hep-ph\]](#).
- Weinberg, S. (2009). Effective field theory, past and future. *PoS CD09*, 001, [arXiv:0908.1964 \[hep-th\]](#).
- Weinberg, S. (2013). Goldstone bosons as fractional cosmic neutrinos. *Phys. Rev. Lett.* **110**(24), 241301, [arXiv:1305.1971 \[astro-ph.CO\]](#).
- Weisberger, W. I. (1965). Renormalization of the weak axial vector coupling constant. *Phys. Rev. Lett.* **14**, 1047–1051.
- Wess, J. (2009). From symmetry to supersymmetry. [arXiv:0902.2201 \[hep-th\]](#).
- Wess, J. and B. Zumino (1974a). A Lagrangian model invariant under supergauge transformations. *Phys. Lett. B* **49**, 52.
- Wess, J. and B. Zumino (1974b). Supergauge transformations in four-dimensions. *Nucl. Phys. B* **70**, 39–50.
- Weyl, H. (1929). Electron and gravitation. *Z. Phys.* **56**, 330–352.
- Wiebusch, M. (2015). HEPMath 1.4: A Mathematica package for semi-automatic computations in high energy physics. *Comput. Phys. Commun.* **195**, 172–190, [arXiv:1412.6102 \[hep-ph\]](#).
- Wietfeldt, F. E. and G. L. Greene (2011). Colloquium: The neutron lifetime. *Rev. Mod. Phys.* **83**, 1173–1192.
- Wilczek, F. (1978). Problem of strong P and T invariance in the presence of instantons. *Phys. Rev. Lett.* **40**, 279–282.
- Will, C. M. (2014). The confrontation between general relativity and experiment. *Living Rev. Rel.* **17**, 4, [arXiv:1403.7377 \[gr-qc\]](#).
- Willenbrock, S. and C. Zhang (2014). Effective field theory beyond the standard model. *Ann. Rev. Nucl. Part. Sci.* **64**, 83–100, [arXiv:1401.0470 \[hep-ph\]](#).
- Winstein, B. and L. Wolfenstein (1993). The search for direct CP violation. *Rev. Mod. Phys.* **65**, 1113–1148.
- Witten, E. (1981). Dynamical breaking of supersymmetry. *Nucl. Phys. B* **188**, 513.
- Witten, E. (1982). Constraints on supersymmetry breaking. *Nucl. Phys. B* **202**, 253.
- Witten, E. (1996). Strong coupling expansion of Calabi-Yau compactification. *Nucl. Phys. B* **471**, 135–158, [arXiv:hep-th/9602070](#).
- Witten, E. (2001). Lepton number and neutrino masses. *Nucl. Phys. Proc. Suppl.* **91**, 3–8, [arXiv:hep-ph/0006332 \[hep-ph\]](#).

- Witten, E. (2004). Perturbative gauge theory as a string theory in twistor space. *Commun. Math. Phys.* 252, 189–258, [arXiv:hep-th/0312171](#).
- Wobisch, M., D. Britzger, T. Kluge, K. Rabbertz, and F. Stober (2011). Theory-data comparisons for jet measurements in hadron-induced processes. [arXiv:1109.1310](#) [[hep-ph](#)].
- Wolfenstein, L. (1964). Violation of CP Invariance and the possibility of very weak interactions. *Phys. Rev. Lett.* 13, 562–564.
- Wolfenstein, L. (1978). Neutrino oscillations in matter. *Phys. Rev. D* 17, 2369–2374.
- Wolfenstein, L. (1983). Parametrization of the Kobayashi-Maskawa matrix. *Phys. Rev. Lett.* 51, 1945.
- Wong, Y. Y. (2011). Neutrino mass in cosmology: status and prospects. *Ann. Rev. Nucl. Part. Sci.* 61, 69–98, [arXiv:1111.1436](#) [[astro-ph.CO](#)].
- Wu, C. S., E. Ambler, R. W. Hayward, D. D. Hoppes, and R. P. Hudson (1957). Experimental test of parity conservation in beta decay. *Phys. Rev.* 105, 1413–1414.
- Wu, S. L. (1984). e^+e^- physics at PETRA: the first 5-years. *Phys. Rept.* 107, 59–324.
- Wu, T. T. and C.-N. Yang (1964). Phenomenological analysis of violation of CP invariance in decay of K^0 and \bar{K}^0 . *Phys. Rev. Lett.* 13, 380–385.
- Xing, Z.-z. and Z.-h. Zhao (2016). A review of $\mu - \tau$ flavor symmetry in neutrino physics. *Rept. Prog. Phys.* 79(7), 076201, [arXiv:1512.04207](#) [[hep-ph](#)].
- Yanagida, T. (1979). Horizontal gauge symmetry and masses of neutrinos. In *Workshop on the Baryon Number of the Universe and Unified Theories*, Tsukuba, Japan.
- Yang, C.-N. (1950). Selection rules for the dematerialization of a particle into two photons. *Phys. Rev.* 77, 242–245.
- Yang, C.-N. and R. L. Mills (1954). Conservation of isotopic spin and isotopic gauge invariance. *Phys. Rev.* 96, 191–195.
- Yndurain, F. J. (2007). Elements of group theory. [arXiv:0710.0468](#) [[hep-ph](#)].
- Yoshimura, M. (1978). Unified gauge theories and the baryon number of the universe. *Phys. Rev. Lett.* 41, 281–284.
- Yukawa, H. (1935). On the interaction of elementary particles. *Proc. Phys. Math. Soc. Jap.* 17, 48–57.
- Zahed, I. and G. E. Brown (1986). The Skyrme model. *Phys. Rept.* 142, 1–102.
- Zee, A. (1973). Study of the renormalization group for small coupling constants. *Phys. Rev. D* 7, 3630–3636.
- Zee, A. (1980). A theory of lepton number violation, neutrino Majorana mass, and oscillation. *Phys. Lett.* B93, 389.
- Zeldovich, Y. B. (1952). *Dok. Akad. Nauk. CCCP* 86, 505.
- Zeller, G. P. et al. (2002). A precise determination of electroweak parameters in neutrino nucleon scattering. *Phys. Rev. Lett.* 88, 091802, [arXiv:hep-ex/0110059](#).

Zhang, C. and S. Willenbrock (2011). Effective-field-theory approach to top-quark production and decay. *Phys. Rev. D* *83*, 034006, [arXiv:1008.3869 \[hep-ph\]](#).

Zhang, Y., H. An, X. Ji, and R. N. Mohapatra (2007). Right-handed quark mixings in minimal left-right symmetric model with general CP violation. *Phys. Rev. D* *76*, 091301, [arXiv:0704.1662 \[hep-ph\]](#).

Zlatev, I., L.-M. Wang, and P. J. Steinhardt (1999). Quintessence, cosmic coincidence, and the cosmological constant. *Phys. Rev. Lett.* *82*, 896–899, [arXiv:astro-ph/9807002 \[astro-ph\]](#).

top